



4x4

**SUSPENSION
CATALOGUE**

Edition: JANUARY 2017



USING THIS INTERACTIVE PDF

CONTENTS

Contents	1	Maverick	S-14
Coil Springs	8	Y60	S-14
Leaf Springs	10	F250 4x4	S-15
Twin Tube Shock Absorbers	14	'F' Series	S-16
MRR Shock Absorbers	16	F250 4x4	S-16
Alignment & Suspension Parts	18	F150	S-17
Leaf Spring Components	20	'F' Series	S-18
Torsion Bars	21	F250 4x4	S-18
Steering Dampers	22	Escape	S-19
Promotional Items	23	BA, ZA, ZB	S-19
Dacia	S-1	Everest	S-20
Duster	S-1	UA	S-20
Daihatsu	S-2	Everest	S-20
Feroza	S-2	UA	S-20
Rocky	S-3	Expedition	S-22
Rocky	S-4	UA	S-22
Rocky	S-5	Explorer	S-23
Terios	S-6	U502	S-23
Dodge	S-7	Foton	S-24
Ram	S-7	Tunland	S-24
2500 HD	S-7	U502	S-24
Ford	S-8	Great Wall	S-25
Courier / Ranger	S-8	Wingle, Sailor	S-25
U.F.S, P.CJ, P.H, 4.0L V6	S-8	V200, V240	S-25
Ranger (Series I)	S-9	Hover, Safe, Haval	S-26
PJ, PK	S-9	X200, X240 (Australia) H3 & H5	S-26
Ranger (Series II)	S-11	Holden - GM - Isuzu	S-27
PX	S-11	Jackaroo	S-27
Maverick	S-12	UBS 13, 16, 52	S-27
Y60	S-12	Jackaroo	S-28
		UBS 16, 17, 52, 55	S-28
		Jackaroo	S-29
		UBS 26, 69, 73	S-29
		Frontera / Amigo	S-30
		UT	S-30
		Frontera	S-31
		UES25	S-31
		Rodeo	S-32
		KB/TFS-55 (Inc. V6)	S-32
		Rodeo RA, Colorado RC, D-Max	S-33
		TFS-77, TFS-85	S-33
		Colorado RG	S-34
		GM 1700,	S-34
		3MMU 142/143/145/147/148	S-34
		Colorado 7 SUV / Trailblazer	S-35
		2nd Generation	S-35

Click the vehicle you require in the contents list to go to the vehicle.

USING THIS INTERACTIVE PDF

4x4		FORD		FORD-71			
		TYPE: Everest					
		MODEL: UA					
		YEAR: 09/2015 on					
		DETAIL: 4x4		Independent Rear Suspension			
FRONT		REAR		FRONT		REAR	
COIL SPRINGS		COIL SPRINGS		SHOCK ABSORBERS		SHOCK ABSORBERS	
4x4 2.2L		4x4		Heavy Duty Twin Tube Gas		Heavy Duty Twin Tube Gas	
Linear Rate	1	Linear Rate	1	2	2	2	2
Raised Height (25mm Lift)		Raised Height (25mm Lift)		Monotube Remote Reservoir		Monotube Remote Reservoir	
Comfort Option		Comfort Option		Adjustable Spring Seat		Adjustable Spring Seat	
0-50kg Accessories	C19-456	0-100kg Accessories	C59-169	Heavy Duty		Heavy Duty	
Linear Rate		Linear Rate		Original Setting of X = 190mm/7.48"	MR19-50092	Original Setting of X = 190mm/7.48"	MR19-50092
Raised Height (25mm Lift)		Raised Height (25mm Lift)		X - Centre of Eye to Spring Seat			
50-90kg Accessories	C19-420	100-200kg Accessories	C59-167				
4x4 3.2L		SHOCK ABSORBERS					
Linear Rate		Heavy Duty Twin Tube Gas					
Raised Height (30mm Lift)		2					
Comfort Option (Reduced Rate)		6559-637					
60-100kg Accessories	C19-428						
Linear Rate							
Raised Height (25mm Lift)							
No Accessories	C19-420						
Linear Rate							
Raised Height (25mm Lift)							
50-90kg Accessories	C19-422						
SHOCK ABSORBERS							
Heavy Duty Twin Tube Gas	2						
6519-092							
Monotube Remote Reservoir							
Adjustable Spring Seat							
Heavy Duty							
Original Setting of X = 190mm/7.48"	2						
MR19-50092							
X - Centre of Eye to Spring Seat							
STRUT CAPS							
	2						
SC19-069							
Torsion Bars: Sold in Pairs							
Coil Springs: Sold in Pairs - Letter Indicates Price Code (A) (B), (C), (4)							
		S-21		*Raised Height Measurements are taken at normal load			

Click on the logo to go to our website.

Click on the page number to go back to the contents page.

CONTENTS

Cover Photography: Custom set-up by Vonkee Henson
(Dr. G's Car Clinic).

History	6
Coil Springs	10
Leaf Springs	12
Twin Tube Shock Absorbers	16
MRR Shock Absorbers	18
Alignment & Suspension Parts	20
Leaf Spring Components	22
Torsion Bars	23
Steering Dampers	24
Promotional Items	25
General Information	27
Dacia	S-1
Duster (2012)	S-1
Daihatsu	S-2
Feroza (10/1988-1998)	
CX12, F300	S-2
Rocky (1984-08/1993)	
F70, F75, F80, F85RV	S-3
Rocky (1993-2002)	
F73, F78, F85, F98 SE/SX	S-4
Rocky (1984-1993)	
F77, F87	S-5
Terios (1997-2006)	
J100, J102	S-6
Dodge	S-7
Ram (2009 on)	
2500 HD	S-7
Ford	S-8
Courier/Ranger (1987-11/2006)	
U.F.S, PC/PH 4.0L V6	S-8
Ranger (Series I) (2007-08/2011)	
PJ, PK	S-9
Ranger T6 (08/2011 on)	
PX/T6	S-10
Ranger (Series II)(08/2011 on)	
PX/T6 3" Lift	S-11

Maverick (1988-1994)	
Y60 Station Wagon	S-12
Maverick (1988-1994)	
Y60 Pick-Up/Ute (Leaf Spring Suspension)	S-14
'F' Series (2009-2013)	
F150	S-15
'F' Series (2001-11/2006)	
F250 4x4	S-16
'F' Series (2009-2014)	
F250 4x4	S-17
'F' Series (2005-2008)	
F350 4x4	S-18
Escape (2001-2012)	
BA, ZA, ZB	S-19
Everest (09/2015 on)	
Solid Axle Models Only UA	S-20
Expedition (2008 on)	S-21
Explorer (2012)	
U502	S-22
Foton	S-23
Tunland (2012 on)	
U502	S-23
Great Wall	S-24
Wingle, Sailor (06/2009 on)	
V200, V240	S-24
Hover, Safe, Haval (2005 on)	
X200, X240 (Australia) H3 & H5	S-25
Holden - GM - Isuzu	S-26
Jackaroo (1982-10/1986)	
UBS 13, 16, 52	S-26
Jackaroo (11/1986-1991)	
UBS 16, 17, 52, 55	S-27
Jackaroo (1992-2000, 2001 on)	
UBS 26, 69, 73	S-28
Frontera/Amigo (1995-1998)	
UT	S-29
Frontera (02/1999-2002)	
UES25	S-30
Rodeo (08/1988-2003)	
KB/TFS-55 (Inc. V6)	S-31
Rodeo RA, Colorado RC, D-Max (03/2003-05/2012)	
TFS-77, TFS-85	S-32
Colorado RG (05/2012 on)	
GM 1700, 3MMU 142/143/145/147/148	S-33
Colorado 7 SUV/Trailblazer (2012 on)	
2nd Gen	S-34
Avalanche, Tahoe, Suburban 1500 (½ Ton) (2007-06/2014)	
Including XL Models	S-35

CONTENTS CONTINUED

Cadillac Escalade, Yukon (Incl. XL & Denali) (2007-06/2014)	
ESV/EXT, 1500 (½ Ton)	S-36
Suburban 1500 (½ Ton), Yukon XL (Denali XL (06/2014 on))	
1500 K2YC	S-37
D-Max (05/2012 on)	
TFS85, V-CROSS	S-38
MU (07/1990-1995)	
USC55D	S-39
MU-7 (2005-2012)	S-40
MU-X (2013 on)	S-41

Honda S-42

CRV (1997-2001)	
CRV-RDI	S-42
CRV (2001-01/2007)	
CR-V 10	S-43
CRV (2012 on)	
CR-V	S-44
HRV Joy Machine (1999-2002)	
GH	S-45

Hyundai S-46

Terracan (11/2001-2008)	
HP	S-46
Santa Fe (2000-05/2006)	
SM	S-47

Jeep S-48

Cherokee (1984-2001)	
XJ	S-48
Cherokee (10/2001-2008)	
KJ, Liberty (USA)	S-49
Cherokee (02/2008 - 2013)	
KK	S-50
Cherokee (2014)	
KL	S-51
Grand Cherokee (04/1996-1999)	
ZJ - ZG	S-52
Grand Cherokee (1999-2004)	
WJ (Austria) WG (USA)	S-53
Grand Cherokee (2005-2010)	
Laredo WH, WK	S-54
Grand Cherokee (2011 on)	
WK2 Laredo, Limited, Overland	S-55
Wrangler (10/1996-2007)	
TJ	S-56
Wrangler (10/1996-2007)	
TJ (75mm/3 " Lift)	S-57
Wrangler (2007 on)	
JK	S-58
Wrangler (2007 on)	
JK (2.5/3.5/4 " Lift)	S-59

Commander (2006 on)	
XH	S-60

Kia S-61

Sportage (04/1994-03/2002)	
JA	S-61
Sportage (08/2005-04/2010)	
KM	S-62
Sportage (04/2010 on)	
SL, SL Platinum	S-63
Sorento (2003-2007)	
BL	S-64
Sorento (07/2007-2009)	
BL (LX, EX)	S-65
Sorento (2010 on)	
BL (LX, EX)	S-66

Lada S-67

Niva (1978 on)	
2121	S-67

Landrover S-68

Landrover (1958-1984)	
Series II, IIA, III	S-68
Range Rover (1971-1998)	
2121	S-69
Discovery (1971-1998)	
Series I	S-70
Discovery II (03/1999-2004)	
Series II	S-71
Discovery III (01/2005-2009)	
LR3	S-72
Defender (1984-1990)	
90 Series	S-73
Defender (1984-1992)	
110 Series	S-74
Defender (1992-2001)	
110 & 130 Series	S-75
Defender (2007 on)	
110 & 130 Series	S-76
Freelander (1997-2006)	
110 & 130 Series	S-77

Mahindra S-78

Scorpio (Goa, Getaway)(2002 on)	
4x4 Wagon	S-78
Scorpio (Getaway)(2008 on)	
CRDE Pick-Up	S-79

Mazda S-80

Bravo (03/1987-11/2006)	
B2200/2500/2600/4000	S-80

BT-50 (Series I)(2007-2011)		
BT-50	S-81	
BT-50 (Series II)(10/2011 on)		
BT-50	S-82	
BT-50 (Series II)(10/2011 on)		
BT-50 (3" Lift)	S-83	
Tribute, Escape (2001 on)		
BA, ZA, ZB	S-84	
Mercedes	S-85	
G-Class (1982-2001)		
G230, G300	S-85	
G-Wagon (2005 on)		
G55	S-86	
G-Wagon (2005 on)		
G550 (5.6L V8)	S-87	
Mitsubishi	S-88	
Triton (1987-09/2006)		
ME, MF, MG, MH, MJ, MK	S-88	
Triton, L200 (05/2006-2015)		
ML, MN	S-89	
Triton, L200 (03/2015 on)		
MQ 5th Gen	S-90	
Challenger (06/2000-2006)		
PA	S-91	
Challenger (Australia)(2008-2015)		
PB, PC	S-92	
Pajero Sport (2016 on)		
PA	S-93	
Pajero (1983-2000)		
NA-NF, NH, NJ, NK (Rear Coil Spring Suspension)	S-94	
Pajero (1983-2000)		
NA-NF, NH, NJ, NK (Rear Leaf Spring Suspension)	S-95	
Pajero V7 (2000 on)		
NM, NP, NS, NT, NW	S-96	
Pajero iO (Pinin)(1999-2003)		
Pajero iO	S-97	
Outlander (Airtrek)(2002-2015)		
Outlander	S-98	
L300 (11/1986-1994)		
P23/24, V, W, P35	S-99	
L400 Spacegear, Delica (1994-2007)		
MV-P Series	S-100	
Delica (2007 on)		
D5	S-101	
Nissan	S-102	
NP300, Navara (09/1985 on)		
MD21-D22, NP300	S-102	
Navara (11/2005 on)		
D40 STX (Does Not Suit 550 Model)	S-103	
Navara (04/2010 on) D40A STX550		
(Only Suits 550 Model)	S-104	
Navara (08/2014 on)		
D23, NP300 (Rear Leaf Spring)	S-105	
Navara (08/2014 on)		
D23, NP300	S-106	
Pathfinder (10/1987-1995)		
WD21	S-107	
Pathfinder (1995-2005)		
R50	S-108	
Pathfinder (2005 on)		
R51 (Does Not Suit Ti 550)	S-109	
Pathfinder (2010-2013)		
R51 Ti 550 (Only Suits Ti 550)	S-110	
Pathfinder (2013 on)		
R52	S-111	
Terrano (1993 on Euro - 1997 Aus)		
R20	S-112	
Terrano (2013 on)		
R20	S-113	
Patrol (1980-11/1983)		
G160 MQ (Ebro, Safari)	S-114	
Patrol (08/1983-1988)		
G160 MK SWB & LWB	S-115	
Patrol (1989 on)		
Y260, Grand Sud, Baroud	S-116	
Patrol (08/1987-1998)		
Y60, GQ, LWB, GR, Safari, WYG60	S-117	
Patrol (02/1988-1998)		
Y60, GQ, SWB, GR, Safari, KYY60	S-119	
Patrol (1989 on)		
Y60 GQ SWB/Y61 GU 3", 4" Lift	S-121	
Patrol (1988-05/1999)		
Y60 GQ, Ute/Pickup, GR Leaf Spring	S-123	
Patrol (1992-05/1999)		
Y60 GQ, Ute/Pickup Coil Spring	S-124	
Patrol (12/1997 on)		
Y61 GU, LWB Wagon	S-126	
Patrol (01/1999 on)		
Y61 GU, Ute/Pickup Leaf Spring Rear	S-128	
Patrol (05/1999 on)		
Y61 GU, Ute/Pick up Coil Spring Rear	S-130	
Patrol (08/1987 on)		
Y60 GQ/Y61 GU (3 " Lift)	S-132	
Patrol (1987 on)		
Y60 GQ/Y61 GU (4 " Lift)	S-134	
Patrol (1987 on)		
Y60 GQ/Y61 GU (6 " Lift)	S-136	
Patrol (08/1987 on)		
Y60 GQ/Y61 GU (3 " Flexi Lift)	S-138	
Patrol (08/1987 on)		
Y60 GQ/Y61 GU (4 " Flexi Lift)	S-140	

CONTENTS CONTINUED

Patrol (2010 on)	
Y62	S-142
Xterra (2005 on)	
N50	S-143
Renault	S-144
Duster (2010 on)	S-144
Ssanyong	S-145
Musso (1995-2006)	S-145
Rexton (Series I)(2002-12/2005)	
RX270, RX290, RX320	S-146
Rexton (Series II)(2006 on)	
RX270 XDI, RX270 SPR, SX	S-147
Kyron (2006 on)	
M200 XVT	S-148
Actyon (Sports)(2007-04/2012)	
A200S, Q100 Series	S-149
Actyon (Compact SUV)(2007-03/2012)	
A200 XDI	S-150
Korando (1995-2006)	S-151
Subaru	S-152
Forester (1997-2013)	
X, XS, XT-SF, SG, SH	S-152
Suzuki	S-153
Sierra, Drover QB (1981 on)	
SJ410, SJ413, SJ50, SJ51, LJ410, LJ413 Leaf Spring	S-153
Sierra (1995-11/1998)	
SJ80 Coil Spring	S-154
Jimny (1998 on)	
SN413, FJB33V	S-155
Vitara SWB (1988-1997)	
Escudo, Sidekick, Santana, Geo Tracker	S-156
Vitara LWB (1991-1998)	
Escudo, Sidekick, TDi 5 Door	S-157
Grand Vitara (Escudo)(1998-2005)	
SQ420W 3 & 5 - Door 4 Cyl, SQ625W 5 - Door 2.5L V6, SQ416 3 - Door 06/2000 on	S-158
Grand Vitara XL7 (10/2001-08/2005)	
JA627	S-159
Grand Vitara (08/2005-2015)	
JT Series	S-160
Toyota	S-161
Hilux (1979-11/1997)	
LN/RN 36/46/105, LN/YN 65/67/106, SR5	S-161
Hilux (1988-1997)	
LN/RN/YN 110, LN111 SR5	S-162
Hilux (09/1991-2005)	
LN107 SR5, LN108, RN106	S-163
Hilux (10/1997-2005)	
KZN/LN/RN 165/166/167, LN170 (2.4L TD), LN172 3.0L D, RZN169	S-164
Hilux, Vigo (150 Series)(2005-Mid 2015)	
KUNGGN 25/26, KZN 35/36	S-165
Hilux, Vigo (150 Series)(2005-Mid 2015)	
KUN, GGN 25/26, KZN 35/36 (75mm 3 inch Lift)	S-166
Hilux Revo (2015 on)	
KUN/GGN/GUN 125, KUN/GUN 126, GUN13	S-167
Hilux Revo (2015 on)	
KUN/GGN/GUN 125, KUN/GUN 126, GUN13 (3" Lift)	S-168
4 Runner (1st Gen)(Pre 08/1985)	
LN60, RN60, YN60	S-169
4 Runner (08/1985 - 1989)	
LN61, YN63	S-170
4 Runner (2nd Gen)(11/1989-1997)	
LN130, RN130, YN130, VZN130 (V6)	S-171
4 Runner / Surf (3rd Gen)(1996-2003)	
KZN185 3.0L TD, RZN185 2.7L Petrol, VZN185 3.4L V6	S-172
4 Runner (4th Gen)(2003-2009)	
GRN215, KDN215, TRN215	S-173
4 Runner (5th Gen)(2009 on)	
GRN285	S-174
Tacoma (1998-2004)	S-175
Tacoma (2005-2015)	
TRN/GRN 240, 245, 250	S-176
Tacoma (2016 on)	S-177
Tacoma (2016 on)	
(3" Lift)	S-178
Tundra (03/2007 on)	
UCK, UPK, USK 55/56	S-179
Sequoia (2001-2007)	
4.7L V8	S-180
Sequoia (2008 on)	
UCK65 4.7L, USK 5.7L	S-181
Landcruiser 40 Series (1960-1980)	
BJ40, FJ40, HJ40	S-182
Landcruiser 40 Series (1980-1984)	
BJ42, FJ40	S-183
Landcruiser 45 Series Pre (08/1980)	
FJ45, HJ45	S-184
Landcruiser 45 Series (07/1980-1985)	
FJ45, HJ47, BJ45, BJ46	S-185
Landcruiser 55 Series (1970-1980)	
FJ55	S-186
Landcruiser 60 Series (1980-1990)	
FJ60, FJ62, HJ60, HJ61	S-187

Landcruiser 70 Series - Bundera (11/1984-12/1989)	
LJ70, LJ73, RJ70, RJ73	S-188
Landcruiser 70 Series (1990-1993, 1994 on)	
LJ70, LJ72, LJ73, LJ77, RJ70, RJ73, KZJ	S-189
Landcruiser 70 Series, Prado I, Landcruiser II (1987-1996)	
LJ78/79, RJ77, KZJ78	S-190
Landcruiser 70 Series (1987-1996)	
FJ/BJ 70, BJ71, FJ/BJ 73, FJ/BJ 74	S-191
Landcruiser 70 Series (1990-1999)	
HZJ70, HZJ73, PZJ70, PZJ73	S-192
Landcruiser 70 Series (1990-1999)	
FZJ77, HZJ77, PZJ77	S-193
Landcruiser 70 Series (1999-2004)	
FZJ/HZJ 71, 74, 76	S-194
Landcruiser 70 Series (1999-2004)	
GRJ71, HZJ71	S-195
Landcruiser 75 Series (11/1984-01/1990)	
FJ75, HJ75, BJ75	S-196
Landcruiser 75 Series (1990-09/1999)	
FZJ75, HZJ75	S-197
Landcruiser 76 Series (04/2007 on)	
FZJ76, HZJ76, VDJ76	S-198
Landcruiser 78 Series (1999-2007)	
FZJ78, HZJ78, VDJ78 V8 Diesel	S-199
Landcruiser 79 Series (09/1999 on)	
FZJ79, HZJ79, HDJ79, VDJ79	S-200
Landcruiser 78 / 79 Series (09/1999 on)	
FZJ79/78, HZJ79/78, HDJ79, VDJ79/78 3", 4" Lift	S-202
Landcruiser 80 Series (05/1990-08/1991)	
FJ80, HDJ80, HZJ80	S-203
Landcruiser 80 Series (08/1991-1998)	
FJ80, FZJ80, HZJ80	S-204
Landcruiser 80/105 Series (08/1991 on)	
FZJ, HZJ, HDJ, 80/105 (1991 on)	S-205
Landcruiser 80/105 Series (08/1991 on)	
FZJ / HZJ / HDJ 80/105 (4" Lift)	S-206
Landcruiser 80/105 Series (08/1991 on)	
FZJ, HZJ, HDJ 80/105 (6" Lift)	S-207
Landcruiser 100 Series(04/1998-11/2007)	
FZJ105R, HZJ105R (Coil Spring Suspension)	S-208
Landcruiser 100 Series (1998-11/2007)	
HDJ100, HZJ100, UZJ100 (Independent Front Suspension)	S-209
Landcruiser 200 Series (11/2007 on)	
UZJ / URJ / GRJ /VDJ 200	S-210
Landcruiser 90 Series Prado (1996-2003)	
RZN/VZN/KZN/KDJ 90SWB/95LWB	S-211

Landcruiser 120 Series Prado (2003 - 11 / 2009)	
RZJ/VZJ/KZJ/KDJ 125,	S-212
Landcruiser 150 Series Prado (2010 on)	
KDJ150, GRJ150, KDJ155	S-213
Fortuner (2005 to 06/2015)	
KUN/TGN 51	S-214
Fortuner (07/2015 on)	
AN160	S-215
FJ Cruiser (2006 - 2010)	
GSJ15	S-216
Rav 4 (1993-2012)	
SXA10, SXA11	S-217
Rav 4 (2012 on)	
A44, A47, A49	S-218

UAZ	S-219
------------	--------------

Patriot (2005 on)	
UAZ	S-219

Volkswagen	S-220
-------------------	--------------

Amarok (2010 on)	S-220
-----------------------------------	-------

Vehicle Application Guides	G2
-----------------------------------	-----------

Quick-Ride Lift Kits	G2
Extended Shackles	G3
Suspension	G4

Terms & Conditions of Sale	T1
---------------------------------------	-----------

Warranties	T2
-------------------	-----------

HISTORY

Established 1953

Throughout the 1940's and early 1950's Reg Dobinson, a hard working blacksmith, earned a well deserved reputation as an exceptional tradesman and expert spring repairer.

He began perfecting his spring repair and manufacture skills at the Queensland Railway and as a result the demand for his expertise grew. As time went on he began to specialise in spring repair and manufacture, and it led him to take on further weekend work for friends, repairing springs.

Reg's keen eye for quality, attention to detail and his passion for blacksmithing and spring repair soon saw Reg spend all of his spare time working.

In 1953, having more work than he was able to handle, Reg founded 'Dobinsons Welding Works' (now known as 'Dobinsons Spring & Suspension') under a tamarind tree in the backyard of his Rockhampton home.

The next few decades saw the business grow exceptionally as Reg began specialising in

the repair and the manufacture of springs for Rockhampton and surrounding areas.

With a huge demand for his quality work, Reg was soon working up to 18 hours a day, 7 days a week - without taking holidays for years at a time.

An innovator and a man ahead of his time, Reg purchased Central Queensland's very first computer in the mid 60's to improve efficiency. He also began to manufacture his own machinery such as a leaf spring eye roller - designed, engineered and built by Reg himself, utilising manufactured parts and hydraulics taken from ex-warplanes.

In the late 1970's, Reg's sons Glen and Keith Dobinson joined the growing family business and immediately showed the same passion and expertise in spring repair and manufacturing, allowed Reg's work load to be shared. With fresh eyes and more hands, Dobinsons began to distribute their quality products throughout Australia.



Reg Dobinson, 1958 - Dobinsons Welding Works first Company Vehicle



1991 - Dobinsons Spring & Suspension moves to it's current Head Office location

Leaf spring manufacturer develops own machinery

In central Queensland the name Dobinson's has been synonymous with springs for more than three decades.

The firm, established in 1953, produces about 500 different types of leaf springs at its Rockhampton factory.

"We make springs for a wide range of uses with car, truck and four-wheel-drive springs being our main products," said the firm's manager, Glen Dobinson.

"We supply mining companies, the agricultural sector and motor repair shops as far as Mackay in the north, Winton in the west and south to Miriam Vale."

Mr Dobinson said the company had experienced significant growth in recent years: "Business has been booming over the past four years with turnover more than doubling.

"This is why we are moving out of our present 500 sq m plant and into a 2000 sq m plant early next year."

Dobinson's was established by Glen Dobinson's father, Reg.

"Dad is semi-retired now but still very active in the business," Glen Dobinson said. "Most of the machinery we use has been designed by dad - a blacksmith by trade - and made right here in the factory.

"Our high-temperature hardening furnace is a good example of the equipment dad has designed. This electronically-controlled furnace is probably the most modern of its type in Queensland.

"Other equipment designed and made here includes a guillotine for steel, an eye-rolling machine and a hole punch for spring steel.

"Designing and making our own machinery has saved us a lot of money over the years. But even more important is the fact that we've been able to create machinery that's exactly suited to our needs.

"This has meant being able to produce quality springs in the most economical manner."

Dobinson's Spring Works, 290 Murray Street, Rockhampton, Q. 4700. Telephone (07) 27 7444, Fax (07) 22 3082.



Reg Dobinson demonstrating his new invention, the 'Leaf Spring Eye Roller' 1977

Built On Pride

Dobinsons Spring & Suspension's success throughout the Australian market sparked a desire for Reg and his sons to share their top quality products with the world.

In the mid 1980's Dobinsons exported their first order. Whilst Dobinsons now export to over 50 countries worldwide, in a time before fax machines were prevalent and the Internet existed, this meant a trip down to the local post office to purchase international phone books to find international distributors and to receive international orders.

In 1991 Dobinsons moved to its current location in Rockhampton, and in 1994 Reg retired leaving Glen and Keith as directors of the ever-growing company.

In the mid 1990's their vision saw them design and build an entire coil spring manufacturing line and Dobinsons began producing world class coil springs from their Australian production facility.

In the late 1990's with over 40 years of spring

and suspension experience already under their belt, Dobinsons began designing, developing and distributing their own range of 4x4 shock absorbers.

In the early 2000's Glen and Keith's children began working in the family business and with a shared passion for the suspension industry and 4x4's, Dobinsons Spring & Suspension continued to grow.

In 2009 Dobinsons began the research, development and testing of their range of 4x4 accessory products which have earned a reputation as high quality 4x4 products which compliment their extensive range of suspension products.

Over 60 years on, and three generations later Dobinsons Spring & Suspension's Rockhampton production and warehousing facility has grown to over 60,000 square feet. Dobinsons now have over 5 major warehousing distribution facilities across Australia with an Australia wide dealer network, as well as distributors in over 50 countries worldwide.

'Blacksmith' sells machine to world . . .

Building his own workshop almost from the ground up has given Mr Reg Dobinson, of Dobinson's Spring Works more than a little knowledge in the field of metal-work — especially since much of his equipment is self-designed and manufactured.

Mr Dobinson — a blacksmith with no design experience — is now seeking markets abroad for one of his own machines. The machine, which twists eyes on leaf springs of any size, was shown yesterday to a visiting industrial development team at Mr Dobinson's workshop in Murray Street, Rockhampton.

Technical officer (licensing) with the Department of Commercial and Industrial Development, Mr Neville Hodgkinson, said the workshop was one of the most modern in Queensland.

MARKET POTENTIAL

"His machine certainly is good — it has excellent market potential," Mr Hodgkinson said.

The DCID is to help Mr Dobinson find suitable markets for his device.

Mr Dobinson said yesterday the eye-fixing machine had already attracted interest from potential buyers in Germany and Belgium. The machine is to be patented shortly.

"It's got several advantages over the methods used at the moment.

"Either they are done by hand or by a huge machine that takes three hours to assemble.

"This can be set up for different sized springs in seconds," he said.

Mr Dobinson described the machine as "my major invention."

He has also designed and manufactured two furnaces now in use in his workshop. Mr Dobinson first began operating the Murray Street workshop in 1963 as a general metal repair shop.

The workshop began specialising in lever spring manufacture in 1964. Much of the shop's equipment had been designed by Mr Dobinson before this time.

The workshop now employs six men and is the main supplier of all varieties of springs in the Central Queensland.

Mr Dobinson said he hoped to have a market for his invention finalised by the end of the year.

With over 60 years of experience and excellent customer service, Dobinsons Spring & Suspension are your first choice in suspension and 4x4 accessories.



COIL & LEAF SPRINGS





COIL SPRINGS

Dobinsons Spring & Suspension™ proudly manufacture the highest quality replacement coil springs for many different applications, complying to ISO9001:2015 international quality standards from their state of the art manufacturing facility in Central Queensland, Australia.

Dobinsons™ proudly boast one of the worlds largest range of coil springs, including raised height and heavy duty 4x4 springs, lowered performance passenger car springs, O.E. replacement springs and heavy duty springs for commercial vehicles.

As Dobinsons™ coil springs are manufactured in-house, Dobinsons™ can manufacture smaller quantities and in most cases there are many different coil spring options available for your vehicle. This ensures the customer receives the best spring to suit their application and avoids a 'One Size Fits All' scenario, especially important when selecting the correct spring rates and ride heights. When matched with a set of corresponding Dobinsons™ Heavy Duty Gas Shock Absorbers, Dobinsons™ can provide you with unrivalled performance and handling.

Design Technology



- ▶ Our design engineers utilize the latest coil spring design programs to ensure each spring meets or exceeds the design requirements, to achieve maximum working life. These state-of-the-art design programs are crucial when designing variable/progressive rate springs, ensuring laden and unladen spring rates are correct, providing the best possible ride comfort and handling.

State of the Art Heat Treatment



- ▶ Heat treatment is one of the most important steps in the coil spring manufacturing process. All Dobinsons coil springs are 'hot wound' and the hardening and tempering of our coil springs is completed by an extremely precise electronically controlled furnace to eliminate breakage and sagging.

Formed On Precision Mandrels



- ▶ Each coil spring is precisely wound by a programmable logic computer to achieve perfect pitch. This precision is extremely important when manufacturing variable and progressive rate coil springs.

High Intensity Shot Peening



- ▶ All Dobinsons™ coils springs are shot peened to increase durability and dramatically reduce fatigue.

Precise End Configurations



- ▶ Engineered coil ends are designed to fit directly into the original vehicle mounting points without any modification.

Fully Scragged & Load Tested



- ▶ All Dobinsons™ coil springs are load tested and scragged 100% to eliminate subsequent spring sag, and ensure they meet and maintain the required specifications. We also perform spring fatigue and hardness testing using in-house state of the art testing equipment.

Powder Coat Finish



- ▶ A durable powdercoat finish provides extreme protection against the elements.




LEAF SPRINGS

With over 60 years of experience manufacturing in Australia, Dobinsons Spring & Suspension™ are no strangers to providing the highest quality spring and suspension components, and our range of leaf springs are no exception.

Our range includes raised and heavy duty leaf springs for 4x4's, heavy duty and parabolic replacement leaf springs for trucks and commercial vehicles, plus raised and replacement leaf springs for 4x2 utilities and passenger vehicles. In most cases there are multiple options available to ensure the correct leaf spring is available to meet most requirements.

High Quality Spring Steel



- ▶ Dobinsons™ leaf springs are manufactured from only the highest quality raw materials. We understand the importance of selecting not only the highest quality spring steel, but also the correct grade that will give the longest life under the harshest conditions.

Design



- ▶ Our design engineers ensure that all our leaf springs are designed specifically for each vehicle model, with consideration given to the load and height requirements for each application.

Design is one of the most important stages in the leaf spring manufacturing process, and with over 60 years of design and manufacturing experience, we recognise the importance of this.

Design features include Drawn, tapered and thinned leaf ends for even stress distribution over the entire spring pack, two stage spring design for the rear of most vehicles to achieve optimum ride and handling both laden and unladen and carefully selected leaf lengths and thickness's to maximize the spring life, comfort, load carrying capacity, wheel travel and performance.

Manufacturing Process



- ▶ Each stage of the Dobinsons™ leaf spring manufacturing process is vital to ensure the complete spring pack will out perform our competitors products.

Manufactured to international quality standards ISO9001:2015 using premium grade Sup 9 silicon manganese spring steel, Dobinsons™ range of leaf springs are made to world leading quality standards.

Multiple Options



- ▶ For most vehicles, we offer multiple options to best suit customer needs, this ensures the correct spring rate is matched for the vehicle model and the accessories added. This provides a raised height where applicable without going beyond the safe design requirements to enhance performance, load carrying capacity and off-road ability without compromising safety.

Military Wrappers



- ▶ Where possible Dobinsons leaf springs utilize full military wrappers and full length wrappers to provide additional support to the main leaf and improve safety.

Anti-friction Inter Leaf Liners



- ▶ Anti-Friction inter leaf liners are use to reduce the friction at each leaf end where the load is greatest and provides a smoother, quieter ride.

High Strength Alignment Clips



- ▶ Dobinsons leaf springs feature high strength alignment clips with nylon insulators to reduce wear and noise. Nyloc nuts are also featured on bolted clips to prevent loosening off nuts which can cause tyre damage.

Shotpeend & Scragged



- ▶ Each Dobinsons leaf spring is shotpeened on the tension side of each life and completely scragged. This dramatically reduces the chance of sagging and breakage and doubles the expected working life of the spring. Random sampling from production is then also durability tested to ensure Dobinsons leaf springs will outlast the competitors.

SHOCK

ABSORBERS





TWIN TUBE - NITROGAS SHOCK ABSORBERS

Designed, developed and tested in Australia by Dobinsons Spring & Suspensions', in-house suspension design engineers, Dobinsons 4x4 shock absorbers are designed and tested to perform in the harshest conditions right across the world.

As Dobinsons Spring & Suspension export to over 50 countries worldwide from their Australian head office, the importance of quality is at the forefront in the complete design and manufacturing process. This ensures every shock can withstand the blistering heat and corrugations of the Australian outback right through to the subzero temperatures of a Russian winter.

Dobinsons Twin Tube Nitrogen Gas charged shock absorbers are made from the world's highest quality external and internal parts sourced worldwide. They provide a significant increase in performance over the standard shock absorbers.

Originally equipped shock absorbers are prone to shock fade and when a vehicle is loaded simply cannot cope with the additional weight and the harsh condition that 4x4 owners love to put them through.

Dobinsons twin tube shock absorbers feature larger bodies, larger bores and increased valving performance to dramatically improve vehicle handling and control and reduces shock fade.

Nitrogen Gas Charged

- ▶ Each shock absorber is filled with high quality Hi-Temperature Fuch's shock absorber oil then filled with low pressure nitrogen gas to pressurize the oil and assists in reducing oil aeration commonly know as Shock Fade.

Superior Design

- ▶ Where possible Dobinsons design each part number to provide a longer shock absorber for more wheel travel, firmer valving for a more controlled ride and a larger body with increased oil capacity for cooler operation than the original vehicle shock absorbers.

Other hidden design features also include thicker external tube wall thickness up to 3mm on Dobinsons 4x4 struts where other brands use as small as 1.5mm.

Selected Dobinsons 4x4 struts also include single piece drop forged lower mounting stems to provide far superior strength and reliability.

High Quality Parts

- ▶ Only the highest quality internal and external parts are used to ensure hassle free long life operation. When developing shock absorbers, Dobinsons test each component of the shock absorber to ensure each part can withstand the vast difference in operating temperatures, a variety of different environments and conditions, and also ensure each part provides long service life.

These include Japanese NOK Multi-Lip seals, Fuchs German shock absorber oil, Natural Rubber bushings for reduced Noise Vibration Harshness, high quality Teflon piston rings and Double Chrome hardened rods are just a few of the components that put Dobinsons shock absorbers ahead of the rest.

Manufacturing Process

- ▶ As Dobinsons Spring & Suspension have been manufacturing the highest quality springs and suspension components for over 60 years, they are no strangers to state of the art manufacturing processes. Dobinsons 4x4 shock absorbers are manufactured using the latest technology and are manufactured to TS16949 International Quality Assurance Systems. This includes double re-enforced robotic welding, friction welding, CNC Machined components and drop forging of high stress mounting components.

Testing Process

- ▶ Dobinsons 4x4 shock absorbers are first completely quality checked and Valve Force-Velocity Dyno tested in the factory before final approval.

Dobinsons then perform further in depth quality testing in their Australian head office to ensure long life reliability.



*Where Applicable.

MRR SHOCK ABSORBERS

With serious 4x4 owners now pushing their vehicles through harder, harsher terrain with more accessories fitted to their 4x4's than ever before Dobinsons saw the need for a no compromise, performance engineered shock absorber that offers the ultimate in performance.

Over four years of research, development and testing was undertaken to produce Dobinsons Monotube Remote Reservoir shock absorbers. Dobinsons MRR Series introduces premium quality build design and features to achieve the ultimate in performance and durability.

50mm and 60mm extra large bores, combined with remote oil reservoirs, provide the perfect housing for an enormous oil capacity and surface area to resist shock fade and maintain vehicle handling.

Unlike some other brands, each Dobinsons shock absorber is designed specifically for the vehicle and application and is designed to perform best when matched with Dobinsons Coil Springs. In some cases multiple options are available to ensure the best possible ride, handling, comfort and performance is achieved for the complete suspension system.


Massive 56mm & 66mm Outer Body

External Remote Oil Reservoir

3mm Heavy Duty Wall Thickness

Single Piece Lower Leg *





Monster 50mm & 60mm Bore

Direct Bolt-on Design

Triple Lip Oil Seal

Fully Rebuildable Design

Vehicle Specific Valving

Height Adjustable Spring Seat*

EDP Surface Protection

Natural Rubber Bushings

*Where Applicable. Spring & Top Cap Not Included

ALIGNMENT & SUSPENSION PARTS

When raised suspension has been fitted to a vehicle it can alter the vehicles suspension, brakes and steering geometry and in some cases this requires additional suspension components to ensure the vehicles handling and performance isn't compromised. This is especially important in vehicles fitted with larger lift kits. The required alignment parts are outlined in the 4x4 suspension catalogue individual pages.

Where applicable the rear brake proportioning valve adjusters/extensions should be fitted to allow normal braking operation.

For solid axle vehicles with suspension lifts of up to 50mm a castor bush kit is recommended but not mandatory, a wheel alignment is recommended to determine whether a castor bush kit is required.

For lifts above 50mm, castor correction is required.

Some vehicles also have additional driveline spacers, gearbox spacers and other parts which may be required when fitting a suspension lift.


Some of the alignment components required include:

Castor Bush Kits (Rubber & Polyurethane)




- ▶ When raised suspension is fitted to vehicles equipped with a solid axle style front suspension setup the castor angle can be altered and can result in a small wobble or shake through the steering. To correct this Dobinsons have a range of fixed angle polyurethane castor correction bushes, fixed angle rubber castor correction bushes for improved ride and articulation and adjustable polyurethane castor correction bushes to return the castor angle to the correct position.

Sway Bar Extensions



- ▶ Raising the vehicles suspension can also cause some components such as the sway bar links to become a little too short and limit wheel travel. For this reason Dobinsons have released heavy duty sway bar link extensions to suit some Nissan Patrols and some Toyota Landcruisers.

Panhard Rods



- ▶ Raising the vehicles suspension on vehicles equipped with live axle suspension can also alter the diff alignment. Dobinsons range of heavy duty adjustable panhard rods correct this alignment and feature high quality rubber bushes for maximum articulation.

Castor Plate Kits



- ▶ For Nissan Patrol Y60/Y61 (GQ/GU) and Toyota Landcruiser 80/105 series that have lift kits of between 4 and 6 inches Dobinsons have 5 degree castor plate kits available to correct the castor angle.

Brake Proportioning Valve Extensions



- ▶ When raising a vehicle the braking system can be affected as the braking bias front to rear is changed. For this reason Dobinsons recommend fitting one of their brake proportioning valve extensions when ever lifting a vehicle.

Strut-Caps



- ▶ Dobinsons have a range of coil strut top caps available for most popular 4x4 models. These can be used to replace the original worn strut top caps or can be fitted to coil struts with coil springs allowing a complete strut assembly that is a simple install.

Driveline & Suspension Component Spacers



- ▶ Dobinsons Spring & Suspension also have a range of other various driveline spacer items that are required when lifting vehicles.

LEAF SPRING COMPONENTS

U Bolts




- ▶ Dobinsons 4x4 U-bolts are made from high quality, 10.9 grade high tensile steel and supplied with hardened deep nuts for maximum clamping pressure and reliability. It is recommended that when replacing leaf springs that new u-bolts are fitted.
Supplied in anti corrosion zinc finish.

Shackles & Pins



- ▶ Dobinsons Spring & Suspension's range of 4x4 shackles and pins have been designed and manufactured to maximize the life of both the polyurethane bushes and shackles. Incorporating a recessed twin hole greasable design to ensure both halves of the polyurethane bush receive even grease distribution. Greasing polyurethane bushes not only reduces friction and wear, it also reduces the chances of corrosion on the shackle pins and reduces squeaking. Dobinsons 4x4 shackles and pins are a heavy duty design and provide simple servicing through external grease nipples.



In some cases Dobinsons also provide anti-inverse shackles to prevent the shackles from inverting on lifted leaf spring vehicles.

Polyurethane Bushes



- ▶ Dobinsons Spring & Suspension's polyurethane bushes have been designed and manufactured from the highest quality raw materials and unlike other competitors have been designed to suit both Dobinsons leaf springs and the original vehicle leaf springs.
Polyurethane-Bushes Dobinsons Polyurethane leaf spring bushes provide a smooth comfortable ride and when combined with Dobinsons 4x4 greasable shackles provide a far superior service life than the original vehicle bushes.
Dobinsons polyurethane bushes feature unique internal diamond grease traps to maximize bush and shackle life.

TORSION BARS

Dobinsons Spring & Suspension's range of heavy duty 4x4 torsion bars are manufactured from high quality micro alloy steel with a thicker bar diameter than the original vehicle torsion bars to improve performance when accessories are fitted. When vehicles are fitted with additional accessories such as steel bullbars, winches, dual battery kits and other frontal accessories the weight placed on the torsion bars can be dramatically increased.

Torsion Bars

The torsion bars fitted to the vehicle will not withstand the additional weight placed on the vehicle and will be prone to sag and will offer poor handling and offroad performance. Dobinsons heavy duty 4x4 torsion bars feature increased spring rate (thicker bar diameter) to better handle the additional weight and provide far improved handling, ride height and offroad performance.

Increased Spring Rate

Dobinsons torsion bars feature an increased bar diameter, thicker than the original vehicle torsion bars. Dobinsons uprated torsion bars provided a far superior ride that will greatly reduce bottoming of the suspension and will improve the vehicles handling whilst also offering far greater reliability at increased ride heights.

Cold Rolled Splines

Dobinsons torsion bars feature cold rolled splines to increase strength, reliability and ensure a perfect fit.

Durable Powdercoat Finish

A thick durable powdercoat provides protection against corrosion.

Directionally Preset & Scragged

As torsion bars have load applied in a particular direction during compression travel, Dobinsons have their torsion bars directionally preset and scragged to prevent sagging and breakage.

Simple Fitment

Dobinsons heavy duty torsion bars have precision end fitment and are marked both left and right hand side, and also importantly front and rear to ensure correct simple fitment the first time. Fitting torsion bars on the incorrect side or back to front will damage the torsion bars as they are preset and scragged in the required direction.



STEERING DAMPERS

Dobinsons Spring & Suspension's range of 4x4 steering dampers are the perfect addition to your Dobinsons suspension kit. Featuring a larger body size for smoother, cooler operation and 50/50 valving, Dobinsons heavy duty steering dampers ensure comfortable controlled steering operation, especially on vehicles fitted with raised suspension, additional accessories or larger tyres.

Dobinsons heavy duty steering dampers feature a 18mm chromed rod, 32mm bore and 50mm body with a foam cell insert. End mountings are kept the same as the original vehicle mountings to ensure hassle free fitment.



PROMOTIONAL ITEMS

Catalogues & Brochures




Dobinsons 4x4
Suspension Catalogue

PG00-2200



Dobinsons 4x2
Suspension Catalogue

PG00-2203



Dobinsons 4x4
Accessories Catalogue

PG00-2201



Dobinsons
Coil Spring Catalogue

PG00-2202



Dobinsons Trifold Brochure
4x4 Suspension

PG00-2204



Dobinsons Trifold Brochure
4x4 Accessories

PG00-2205



Dobinsons Bullbar Brochure

PG00-2206

Banners




Indoor Hanging Wall Banner
200cm Wide x 130cm High
(Suspension)

PG00-2210



Indoor Hanging Wall Banner
200cm Wide x 130cm High
(4x4 Accessories)

PG00-2212



Roll Up Banner

PG00-2211

Flags



Dobinsons Teardrop Flag 2.2m
(Cross Brace)

PG00-2220



Dobinsons Teardrop Flag 4.7m
(Spike Brace)

PG00-2221



Dobinsons Rectangle Flag
90 x 150cm

PG00-2222

Miscellaneous



Dobinsons
Carry/Show Bag

PG00-2260



Dobinsons Pen
*Styles May Vary

PG00-2261




Dobinsons
Acrylic Sign

PG00-2263



Dobinsons 4x4
Stubbie/Can Cooler

PG00-2264



Dobinsons
Promotional DVD

PG00-2266

PROMOTIONAL ITEMS

Stickers/Posters



70x20cm

Dobinsons Oval Logo Sticker

PG00-2232



100x35cm

Dobinsons Oval Logo Sticker with 'Products Sold Here'

PG00-2233



80x27cm

Dobinsons Oval Logo Sticker '4x4 Accessories'


PG00-2234



27x7.5cm

Dobinsons Oval Logo Sticker

PG00-2235



15x5cm

Dobinsons Oval Logo Silver/Grunge Sticker

PG00-2248



14x4cm

Dobinsons Oval Logo Sticker

PG00-2236



10x3cm

Dobinsons Oval Logo Sticker


PG00-2237



83x30cm

Dobinsons Oval Logo Grunge Sticker

PG00-2238



14x4cm

Dobinsons Oval Logo Hologram Sticker

PG00-2239



9x6cm

Dobinsons Clear MRR Logo Sticker


PG00-2246



7x8cm

Dobinsons 4x4 Sticker


PG00-2240



100x10cm

Dobinsons Clear Windscreen Sticker

PG00-2241



60x10cm

Dobinsons Clear Windscreen Sticker

PG00-2242



12cm Diameter

Dobinsons Round Reflective Sticker

PG00-2243



30x20cm

Dobinsons White MRR Logo Decal

PG00-2247

External Aluminium Signs




Dobinsons Logo Sign Aluminium - 1.2mm Thickness 825 x 275mm

PG00-2275



Dobinsons 4x4 Accessories Sign Aluminium - 1.2mm Thickness 825 x 1100mm

PG00-2277



Dobinsons Suspension Sign Aluminium - 1.2mm Thickness 825 x 1100mm

PG00-2276

Apparel



Dobinsons Cap Grey with logos One Size Fits All

PG00-2265



Dobinsons Hooded Jumper Black & Grey (Available in S - XXL)

PG00-2270



Dobinsons Flat Brim Cap Black/Grey One Size Fits All

PG00-2274



Dobinsons Polo 1 (Available in S - XXL)

PG00-2279



Dobinsons Polo 2 (Available in S - XXL)

PG00-2278



Dobinsons Button Up Shirt (Available in S - XXL)

PG00-2280

GENERAL INFORMATION

Part Selection

Firstly, you may order individually any part listed in this catalogue, but we recommend that you order and fit in pairs (sets), the springs, shock absorbers and torsion bars. They have up-rated specifications and must be fitted in pairs to ensure the vehicle operates correctly. It is also recommended that where possible a complete Dobinsons suspension kit is fitted to provide the best possible outcome for vehicle handling, performance, off-road capability and load carrying capacity.

The QTY column on the front and rear of each page will tell you how many of that particular item is required to do 1 vehicle. For example for coils QTY is 1, so 1 pair is required for that end of the vehicle. For shock absorbers the QTY might be 2, so 2 shock absorbers are required for that end of the vehicle. In some cases there may be QTY 1 listed for 2 of the same type of items, for example 1 of each leaf springs (LH & RH), one of each u-bolt kit or shock absorbers.

Pricing of all part numbers relates directly to the price list. Coil springs have a price code letter next to the part number, this letter corresponds with the letter in the price list under the Coil Spring Section. Also take note that some vehicles with a large range of parts continue over 2 pages.

Spring Selection

Throughout this catalogue, there are many models of vehicles with a selection of spring variations. When selecting a spring, be careful to select the right springs to achieve your requirements, particularly in cases where the vehicle has additional accessories or constant loads for example a bullbar, winch, dual battery systems, roof racks, rear drawer system, large fuel tanks, rear tyre carrier, toolboxes etc. It may be necessary to mix and match front and rear springs to suit the loads the vehicle will be carrying. It is also important to take into account the position of extra weight, for example vehicles with weight at the very rear of a long tray may cause the front of the vehicle to sit higher than expected, and the rear lower.


Lift Measurements & Additional Weight

In most cases there are different options available providing varying amounts of lift and different load carrying capacities. All lift measurements given are only an indication of what can reasonably be expected over the original vehicles ride height. Every vehicle is different in its own right and therefore may result in higher or lower lift measurements once fitted. Where there is not a selection of springs, we have chosen the best performing spring to suit the vehicles ride height, handling, carrying and towing capacities.

Springs that list additional accessories weight or constant load will provide the lift stated with that amount of weight. The weights listed for the front or rear springs of the vehicle are per end. For utility vehicles fitted with steel drop side trays, the additional weight of the steel tray over the original vehicle style side/well back/tub must also be included in the constant load. For example a rear spring that has 50mm lift with 300kg's constant load will lift the vehicle 50mm from the factory measurement with 300kg's of load on the rear of the vehicle. The 300kg's of constant load may consist of 200kgs of extra weight in the steel drop side tray and 100kgs of tool boxes and tools. If the load is less than that stated in the catalogue then the vehicle will sit higher than the lift stated, and if the load is more than stated in the catalogue the vehicle will sit lower than the stated lifted. In some cases a compromise may need to be made between providing a smooth ride or additional weight carrying capacity.

Springs that do not list additional accessories weight or constant load will generally be approximately 10% firmer than the original springs and are suited to most light load applications including general passenger and luggage weights, unless stated otherwise.

Dobinsons Spring & Suspension™ recommended taking before and after centre of wheel hub to bottom of guard (bottom of flare or wheel arch) measurements. Once the suspension has been fitted, the vehicle must be taken for a test drive to settle the suspension correctly before recording the after measurement. Further settling of the suspension can be expected after a few thousand kilometers.



Selection of Other Suspension Components

Shock Absorbers – Dobinsons offer a few different ranges of 4x4 shock absorbers - a Twin Tube Nitrogen Gas charged shock absorber, an Internal Reservoir Monotube shock absorber and a Monotube Remote Reservoir shock absorber all made from the world's highest quality external and internal parts. Where possible Dobinsons design and test each part number to provide a longer shock for more wheel travel, firmer valving for a more controlled ride and increased oil capacity for cooler operation in harsh conditions, than the original vehicle shock absorbers. Therefore Dobinsons recommends that when a suspension lift has been fitted to the vehicle, or the vehicle is carrying extra weight, that Dobinsons 4x4 shock absorbers are fitted in conjunction with springs, and in some cases it is a necessity to ensure sufficient downward wheel travel (outlined in notes on these particular vehicles). In some cases a softer option is also available and this is recommended for vehicles with light or no loads.

Torsion Bars – Dobinsons torsion bars provide an increased rate and firmer ride over the original torsion bars and are recommended when the vehicle is fitted with additional accessories of 70kgs or more. It is recommended that a minimum of 50mm downward wheel travel be kept when adjusting torsion bars.

Polyurethane Bushes – Dobinsons polyurethane leaf spring bushes have been designed to work in conjunction with the original leaf springs as well as Dobinsons 4x4 leaf springs (unless stated otherwise). For ease of fitment it is recommended Dobinsons Polyurethane Bushes are fitted when installing Dobinsons 4x4 leaf springs. For ease of bush maintenance it is also recommended that greasable shackles also be fitted in conjunction with polyurethane bushes.

GENERAL INFORMATION

Greasable Shackles – Dobinsons 4x4 greasable shackles and pins have been designed to work with both the original leaf spring bushes and Dobinsons Polyurethane Bushes (unless stated otherwise), however greasable shackles should not be greased when being used with rubber bushes. For ease of polyurethane bush maintenance & long bush life it is recommended that greasable shackles be fitted when fitting polyurethane bushes.

U-Bolts – Dobinsons 4x4 U-Bolts are made from high quality, 10.9 grade high tensile steel and it is recommended that when replacing leaf springs that new u-bolts are fitted. Fitting Dobinsons u-bolts is also a necessity on most heavy duty leaf spring packs due to the length increase required for thicker spring packs.

Underbody Bush Kits- Dobinsons polyurethane underbody bush kits are not a necessity when fitting a suspension kit, but is recommended when the vehicles underbody bushes are worn and need replacing.

Steering Dampers – Dobinsons 4x4 steering dampers have been designed with a larger capacity and 50/50 valving to provide smooth controlled steering in both directions.

Alignment & Extension Parts – It is recommended that certain alignment parts be fitted in conjunction with the suspension kit when a suspension lift has been fitted to the vehicle. Where applicable the rear brake proportioning valve adjusters/extensions should be fitted to allow normal braking operation. For suspension lifts of up to 50mm a castor bush kit is recommended but not mandatory, a wheel alignment is recommended to determine whether a castor bush kit is required. For lifts above 50mm, castor correction is required. Some vehicles also have additional driveline spacers, gearbox spacers and other parts which may be required when fitting a suspension lift. These part requirements will be outlined in notes on each page.

Built On Pride, Developed With Technology

Dobinsons Spring & Suspension™, established in 1953, is largely based on Leaf and Coil Spring Manufacturing and the supply of Suspension Components. With several generations of family ownership and experiences, Dobinsons has become one of the leaders in the Spring Industry in Australia applying the years of knowledge into their products.

The success of the business has come about by providing quality products, acquiring and using technical knowledge and having the equipment to perform and provide professional service. Our quality of design and manufacture is what sets us apart from our competitors, if not the price. The company manufactures and repairs a large range of springs and sells a comprehensive range of suspension components. We have over 13,000 spring specifications on hand and computerised spring design programs provide us with professional and accurate results.

For the past 25 years, Dobinsons Spring & Suspension™ have been exporting their products to different parts of the world and their name has become synonymous with quality in these countries. Our Head Office is situated in Rockhampton with Distributors worldwide.

Dobinsons Spring & Suspension™ has the ability to give a very fast service by combining our large amount of stock on hand, and by using our manufacturing plant to make the Leaf and Coil Springs quickly. A factor that, combined with our friendly and helpful staff, makes us an unbeatable supplier of quality Suspension Components.

There are thousands of parts kept in stock, including Coil Springs, Leaf Springs, Torsion Bars, Shock Absorbers, Greasable Shackle Kits and Pins, U-Bolts, Polyurethane Bushes, Centre Bolts, Castor Wedges & 4x4 Accessories.

Research and Development

Dobinsons Spring & Suspension™ is committed to quality and to achieve this, much research and development has been done in the past and will continue into the future as new products are released. Furthermore Dobinsons Spring & Suspension™ have recently gained ISO9001:2015 International quality management systems approval as we continue to develop and improve the quality of our products and service.

It is in our best interest to keep advancing our product range so the ultimate spring & suspension components are achieved. The Leaf and Coil Springs in this catalogue have all been designed to suit Australian conditions, which are some of the harshest in the world. We believe our products, in most cases, are purchased to achieve improvement in five major areas: Lift, Handling, Heavy Loading, Off-Road Capability & Towing.

By purchasing from Dobinsons' superior range of springs, the above five characteristics can be achieved to produce the ultimate combination of suspension systems.

Research and Development are in the very heart of Dobinsons Spring & Suspension™

Other Suspension Requirements (Not Listed In This Catalogue)

This 4x4 Catalogue only presents a small amount of Vehicles and Models. Dobinsons Spring & Suspension™ handle a vast range of vehicles, and have specifications for over 13,000 springs. We cater for all vehicles, from small passenger cars up to the large trucks. With an extensive stock of Leaf & Coil Springs, Shackle Pins & Kits, U-Bolts, Shock Absorbers, Torsion Bars, Polyurethane Bushes, and most other suspension components, Dobinsons Spring & Suspension™ can supply the parts for you to...

Catalogue Information

While we take all care in the preparation of this catalogue, we also realise errors can occur. Please confirm that the parts you are ordering are correct for your requirements. No responsibility is implied or taken. The names and reference numbers of manufacturers and suppliers, other than Dobinsons Spring & Suspension™, used in this catalogue are shown only to assist our customers in identifying replacement parts. Under no circumstances does Dobinsons Spring & Suspension™ imply that the parts are of these OE manufacturers.

Pictures used in this Catalogue are for illustration purposes only.



TYPE: Duster
MODEL:
YEAR: 2010 on
DETAIL: 4x4 Wagon



FRONT

QTY	PART NUMBER	PRICE
-----	-------------	-------

COIL SPRING



Linear rate Raised Height (35mm Lift) 0-50kg Accessories	1	C52-010	B
Linear Rate Raised Height (50mm Lift) Up to 70Kg Accessories	1	C52-004	B

SHOCK ABSORBER



Duty Twin Tube Gas	2	GS52-056	
--------------------	---	-----------------	--

CAMBER ADJUSTMENT KIT

Kit Contains: 2 x Cam Bolts ±1.2° for Lower Control Arm Camber Adjustment	1	WA57-505K	
--	---	------------------	--

Raising Vehicle Will Effect Wheel Alignment.
 It is Recommended that this Camber Adjustment Kit to be Fitted and a
 Wheel Alignment Carried Out.

REAR

QTY	PART NUMBER	PRICE
-----	-------------	-------

COIL SPRING



Linear rate Raised Height (35mm Lift) 0-50kg Accessories	1	C52-011	B
Linear Rate Raised Height (50mm Lift) 50-100Kg Constant Load	1	C52-005	B

SHOCK ABSORBER



Heavy Duty Twin Tube Gas	2	GS52-057	
--------------------------	---	-----------------	--

CAMBER ADJUSTMENT KIT







Kit Contains: 2 x Cam Bolts ±1.2° for Lower Control Arm Camber Adjustment	1	WA57-505K	
--	---	------------------	--

Raising Vehicle Will Effect Wheel Alignment.
 It is Recommended that this Camber Adjustment Kit to be Fitted and a
 Wheel Alignment Carried Out.



TYPE: Feroza
MODEL: CX12, F300
YEAR: 10/1988 - 1998
DETAIL: Narrow Track, Sportrak











FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE
TORSION BAR					LEAF SPRING				
	Heavy Duty Rate Increased Length 1093mm	1	TB15-197			4 + 2 Leaves Raised Height (45mm Lift)	2	DAI-015-R	
SHOCK ABSORBER					SHACKLE BUSH KIT				
	Heavy Duty Twin Tube Gas	2	GS43-082S			Kit Contains: 2 x SPF239 2 x SPF238 4 x SPF560	1	PB15-1064K	
					U-BOLT KIT				
						Kit Contains: 2 x UB15-658	2	UB15-658K	
					SHOCK ABSORBER				
						Heavy Duty Twin Tube Gas	2	GS15-639S	



TYPE: Rocky
MODEL: F70, F75, F80, F85RV
YEAR: 1984 - 08/1993
DETAIL: Hardtop, Rugger, Fourtrak, Wildcat







FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE
LEAF SPRING					LEAF SPRING				
	5 Leaves	1	F77-5L-F RH			4 + 1 Leaves	2	DAI-011-R	
	Raised Height (40mm Lift)	1	F77-5L-F LH			Raised Height (40mm Lift)			
SHACKLE BUSH KIT					SHACKLE BUSH KIT				
	Kit Contains: 4 x SPF238 4 x SPF560	1	PB15-1062K			Kit Contains: 2 x SPF239 2 x SPF238 4 x SPF560	1	PB15-1064K	
U-BOLT KIT					U-BOLT KIT				
	Kit Contains: Right Hand Side 1 x UB15-658 1 x UB15-659	1	UB15-659K			Kit Contains: 2 x UB15-658	2	UB15-658K	
	Left Hand Side 2 x UB15-658	1	UB15-658K						
SHOCK ABSORBER					SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas	2	GS15-639S			Heavy Duty Twin Tube Gas	2	GS15-639S	



TYPE: Rocky
MODEL: F73, F78, F85, F98 SE/SX
YEAR: 1993 - 2002
DETAIL: 2.8L TD











FRONT		QTY	PART NUMBER	PRICE
TORSION BAR				
	Heavy Duty Rate Increased Length 950mm	1	TB15-198	
SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas	2	GS15-463W	

REAR		QTY	PART NUMBER	PRICE
COIL SPRING				
	Linear Rate Raised Height (40mm Lift)	1	C21-059	A
SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas	2	GS59-940S	



TYPE: Rocky
MODEL: F77, F87
YEAR: 1984 - 1993
DETAIL: Pickup/Utility



FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE
LEAF SPRING					LEAF SPRING				
	5 Leaves	1	F77-5L-F RH			5 + 2 Leaves	2	F77-5+2-R	
	Raised Height (40mm Lift)	1	F77-5L-F LH			Raised Height (40mm Lift)			
SHACKLE BUSH KIT					SHACKLE BUSH KIT				
	Kit Contains: 4 x SPF238 4 x SPF560	1	PB15-1062K			Kit Contains: 2 x PT267 2 x PT549-34	1	PB15-1063K	
U-BOLT KIT					U-BOLT KIT				
	Kit Contains: Right Hand Side 1 x UB15-658 1 x UB15-659	1	UB15-659K			Kit Contains: 2 x UB59-667	2	UB59-667K	
	Left Hand Side 2 x UB15-658	1	UB15-658K						
SHOCK ABSORBER					SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas	2	GS15-639A			Heavy Duty Twin Tube Gas	2	GS59-631A	



TYPE: Terios
MODEL: J100, J102
YEAR: 1997 - 2006
DETAIL: 5 Door



FRONT

QTY	PART NUMBER	PRICE
-----	-------------	-------

COIL SPRING



	Linear Rate Standard Height	1	C15-028	B
	Linear Rate Raised Height (35mm Lift)	1	C15-024	B

REAR

QTY	PART NUMBER	PRICE
-----	-------------	-------

COIL SPRING







	Linear Rate Standard Height	1	C15-029	B
	Linear Rate Raised Height (35mm Lift)	1	C15-025	B



TYPE: Ram
MODEL: 2500 HD
YEAR: 2009 on
DETAIL: Coil Spring Rear, 4x4










FRONT			REAR								
	QTY	PART NUMBER	PRICE		QTY	PART NUMBER	PRICE				
COIL SPRING			COIL SPRING								
		Linear Rate Raised Height (50mm Lift) Comfort Option Up to 80Kg Accessories	1	C16-026	D			Linear Rate Raised Height (50mm Lift) Up to 100Kg Constant Load	1	C16-027T	D
		Linear Rate Raised Height (50mm Lift) Heavy Duty 100 - 200Kg Accessories	1	C16-028	E			Linear Rate Raised Height (50mm Lift) Heavy Duty 300-500Kg Constant Load	1	C16-029T	E
SHOCK ABSORBER			SHOCK ABSORBER								
		Heavy Duty Twin Tube Gas	2	GS16-300				Heavy Duty Twin Tube Gas	2	GS16-301	



TYPE: Courier / Ranger
MODEL: U.F.S, PC/PH 4.0L V6
YEAR: 1987 - 11/2006
DETAIL: Pickup/Dual Cab
 (Mazda Proceed, Ranger 2000)



FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE
TORSION BAR					LEAF SPRING				
	Heavy Duty Rate Increased Length 926mm	1	TB39-1546			5 + 2 Leaves Raised Height (35mm Lift) Up to 100Kg Constant Load	2	MAZ-003-R	
SHOCK ABSORBER					SHOCKLE BUSH KIT				
	Heavy Duty Twin Tube Gas	2	GS19-082P			Kit Contains: 2 x SPF311 4 x SPF502 4 x SPF753	1	PB39-1058K	
					U-BOLT KIT				
						Kit Contains: 2 x UB59-453-3	2	UB59-453-3K	
					SHOCK ABSORBER				
						Heavy Duty Twin Tube Gas	2	GS19-081T	
					SHOCKLE KIT				
						Greasable: Fit in Pairs	2	SK59-010	




TYPE: Ranger (Series I)
MODEL: PJ, PK
YEAR: 2007 - 08/2011
DETAIL: Pickup/Dual Cab (Mazda)
 Suspension Fits 4x4 & 4x2 Highrider




FRONT

QTY	PART NUMBER	PRICE
-----	-------------	-------


TORSION BAR

	Heavy Duty Rate Increased Length 1024mm x 27mm	1	TB39-1551	
--	--	---	------------------	--

NOTE: For Latin American Models Check the OE Torsion Bar Length Before Ordering, as there are Some Models with a 926mm Long Torsion Bar

	Heavy Duty Rate Increased Length 926mm	1	TB39-1546	
--	--	---	------------------	--


SHOCK ABSORBER

	Heavy Duty Twin Tube Gas	2	GS19-082P	
--	--------------------------	---	------------------	--

REAR

QTY	PART NUMBER	PRICE
-----	-------------	-------


LEAF SPRING

	3 + 2 Leaves Medium Duty Raised Height (40mm Lift) Up to 100Kg Constant Load	2	L39-030-R	
---	---	---	------------------	--


	4 + 2 Leaves Heavy Duty Raised Height (45mm Lift) 280Kg Constant Load	2	L39-031-R	
--	--	---	------------------	--

	5 + 2 Leaves Super Heavy Duty Raised Height (40mm Lift) 420Kg Constant Load	2	L39-032-R	
--	--	---	------------------	--

SHACKLE BUSH KIT

	Kit Contains: 2 x PB59-1503 4 x SPF502 4 x SPF753	1	PB39-1056K	
---	--	---	-------------------	--


U-BOLT KIT

	Kit Contains: 2 x UB21-466	2	UB21-466K	
--	-------------------------------	---	------------------	--


SHOCK ABSORBER

	Heavy Duty Twin Tube Gas	2	GS19-081T	
---	--------------------------	---	------------------	--

SHACKLE

	Greasable: Fit in Pairs	2	SK59-010	
---	-------------------------	---	-----------------	--














PIN

	Greasable: Fit in Pairs	2	SP59-060	
---	-------------------------	---	-----------------	--



TYPE: Ranger T6
MODEL: PX / T6
YEAR: 08/2011 on
DETAIL: Pickup/Style Side/Ranger T6 South Africa
 Well Back/Tray Back **Also Suits 4x2 Highrider**
















FRONT			REAR				
	QTY	PART NUMBER	PRICE		QTY	PART NUMBER	PRICE
COIL SPRING				LEAF SPRING			
XL Trayback 2.2L (Single Cab) XL Pickup 2.2L/3.2L (Dual Cab) XL & XLT Pickup 3.2L (Extra Cab) 4x2 Highrider				3 + 3 Leaves Medium Duty Raised Height (40mm Lift) Up to 100Kg Constant Load			
	1	C19-428	B	2		L19-131-R	
Linear Rate Raised Height (40mm Lift) Comfort Option (Reduced Rate) 50-90Kg Accessories				4 + 3 Leaves Heavy Duty Raised Height (40mm Lift) 280Kg Constant Load (Recommended)	2	L19-132-R	
Linear Rate Raised Height (40mm Lift) No Accessories	1	C19-420	B		2	L19-133-R	
Linear Rate Raised Height (40mm Lift) 50-90Kg Accessories	1	C19-422	B	5 + 3 Leaves Super Heavy Duty Raised Height (40mm Lift) 500Kg Constant Load	2	L19-135-RP	
XL Trayback 2.2L (Dual Cab) XL Trayback 3.2L (Single Cab, Extra Cab) XLT + Wildtrak 3.2L (Pickup, Dual Cab)				3+1 Leaves Parabolic Raised Height (60mm Lift)			
	1	C19-428	B	3+1 Leaves Parabolic Raised Height (50mm Lift) 150Kg Constant Load Comfort Option	2	L19-135-RP	
Linear Rate Raised Height (35mm Lift) Comfort Option (Reduced Rate) 50-90Kg Accessories				TAILSHAFT SPACER KIT			
Linear Rate Raised Height (40mm Lift) No Accessories	1	C19-422	B	Tailshaft Centre Bearing Spacer Kit Helps to Reduce Driveline Vibration in Lifted Vehicles			
Linear Rate Raised Height (40mm Lift) 50-90Kg Accessories	1	C19-424	B	1		WA19-526K	
SHOCK ABSORBER				SHACKLE BUSH KIT			
	2	GS19-092			1	PB19-1104K	
Heavy Duty Twin Tube Gas Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of X = 190mm/7.48" (X - Centre of Eye to Spring Seat)				Kit Contains: 2 x PB19-1523 4 x PB19-1524 4 x PB19-1525			
	2	MR19-50092		U-BOLT KIT			
STRUT CAP				SHOCK ABSORBER			
	2	SC19-009			2	GS19-081T	
Strut Top Caps				Monotube Remote Reservoir Shock Heavy Duty	2	MR19-50081T	
SHOCK ABSORBER				SHACKLE			
	2	MR19-50081T			2	SK19-058	
SHOCK ABSORBER				PIN			
	2	MR19-50081T			2	SP59-060	
SHOCK ABSORBER				Greasable: Fit in Pairs			
	2	MR19-50081T		Greasable: Fit in Pairs			



TYPE: Ranger (Series II)
MODEL: PX / T6
YEAR: 08/2011 on
DETAIL: Pickup/Style Side/Ranger T6 South Africa
 Well Back/Tray Back
 75mm (3" Lift) Also Suits 4x2 Highrider



FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE			
COIL SPRING					PARABOLIC LEAF SPRING							
XL Trayback 2.2L (Single Cab) XL Pickup 2.2L/3.2L (Dual Cab) XL & XLT Pickup 3.2L (Extra Cab) 4x2 Highrider					 3 + 1 Leaves Raised Height (60mm Lift)					2	L19-135-RP	
	Linear Rate Raised Height (3" Lift)	1	C19-442	B	3 + 1 Leaves Raised Height (3" Lift)					2	L19-139-RP	
XL Trayback 2.2L (Dual Cab) XL Trayback 3.2L (Single Cab, Extra Cab) XLT + Wildtrack 3.2L (Pickup, Extra Cab)					TAILSHAFT SPACER KIT							
	Linear Rate Raised Height (3" Lift)	1	C19-458	B	Tailshaft Centre Bearing Spacer Kit Helps to Reduce Driveline Vibration in Lifted Vehicles					1	WA19-526K	
SHOCK ABSORBER					SHACKLE BUSH KIT							
	Heavy Duty Twin Tube Gas Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty	2	GS19-092		Kit Contains: 2 x PB19-1523 4 x PB19-1524 4 x PB19-1525					1	PB19-1104K	
	Original Setting of X = 190mm/ 7.48" X = Centre of Eye to Spring Seat	2	MR19-50092		U-BOLT KIT							
STRUT CAP												
	Strut Top Caps	2	SC19-009		Kit Contains: 2 x UB21-466					2	UB21-466K	
SHOCK ABSORBER					SHOCK ABSORBER							
												
					Heavy Duty Twin Tube Gas					2	GS19-081T	
												
					Monotube Remote Reservoir Shock Heavy Duty					2	MR19-50081T	
SHACKLE					SHACKLE							
												
					Greasable: Fit in Pairs					2	SK19-058	
PIN					PIN							
												
					Greasable: Fit in Pairs					2	SP59-060	
WARNING - LIFTS EXCEEDING 50MM (2")												
The suspension components listed on this page are for off-road use only.												
 <ul style="list-style-type: none"> - Refer to Local Laws before Fitting to Registered/Road Vehicles - An Engineering Certificate may be required - Handling Characteristics will Diminish on Lifts Above 50mm (2") 												
The following modifications (but not limited to) need to be made to the vehicle before the kit is fitted.												
 <ul style="list-style-type: none"> <li style="width: 50%;">- Diff Drop Kits <li style="width: 50%;">- Gear Box & Drive Line Modifications <li style="width: 50%;">- Upper Control Arms <li style="width: 50%;">- Steering Arms <li style="width: 50%;">- Brake Hoses <li style="width: 50%;">- Swaybar Modification <li style="width: 50%;">- Extended Bump Stops 												
Dobinsons Spring & Suspension do not accept any responsibility for injury caused to person or property through the use of the products listed on this page.												
These products do not come with any warranty or guarantee.												



TYPE: Maverick
MODEL: Y60
YEAR: 1988 - 1994
DETAIL: Station Wagon, SWB & LWB Australia





FRONT			REAR				
	QTY	PART NUMBER	PRICE		QTY	PART NUMBER	PRICE
COIL SPRING			COIL SPRING				
Suits 3.0L Petrol							
		Linear Rate Standard Height	1	C45-092	B		
		Linear Rate Raised Height (40mm Lift)	1	C45-094	B		
		Variable Rate Raised Height (40mm Lift)	1	C45-096V	B		
		Linear Rate Raised Height (50mm Lift) 50-80Kg Accessories (Bullbar OR Winch)	1	C45-102	B		
		Linear Rate Raised Height (75mm Lift)	1	C45-108	B		
Suits 4.2L Petrol & 2.8L TD							
		Linear Rate Standard Height	1	C45-098	B		
		Linear Rate Raised Height (45mm Lift) Up to 50Kg Accessories (Bullbar OR Winch)	1	C45-102	B		
		Linear Rate Raised Height (75mm Lift)	1	C45-108	B		
Suits 4.2L Diesel							
		Variable Rate Raised Height (45mm Lift)	1	C45-110V	B		
		Linear Rate Raised Height (45mm Lift) Extra Heavy Duty 70-120Kg Accessories (Bullbar AND Winch)	1	C45-104	B		
		Linear Rate Raised Height (75mm Lift) Heavy Duty 60-110Kg Accessories (Bullbar AND Winch)	1	C45-108	B		
SHOCK ABSORBER			SHOCK ABSORBER				
		Heavy Duty Twin Tube Gas	2	GS45-114			
		Heavy Duty Monotube Remote Reservoir	2	MR45-60114			
SHOCK ABSORBER			SHOCK ABSORBER				
		Heavy Duty Twin Tube Gas	2	GS45-115			
		Extra Heavy Duty Twin Tube Gas For Loaded Vehicles	2	GS59-703			
		Heavy Duty Monotube Remote Reservoir	2	MR45-60115			
RUBBER COIL SEAT			RUBBER COIL SEAT				
		Replacement upper rubber coil seat	2	RS45-4027			
UNDER BODY BUSH KIT			UNDER BODY BUSH KIT				
			Kit Includes Front & Rear Under Body Bushes *Excludes Spherical Panhard Rod Bush for Wagon Models 02/2000 on				
1988 - 08/1989			Pre 1989				
		Heavy Duty (Big Bore) Complete with Fittings	1	SD45-834			
		Heavy Duty (Big Bore) Complete with Fittings	1	SD45-836			
08/1989 on			1989 on				
		4 x Front Radius Arm to Chassis Bush 4 x Front Radius Arm to Diff Bush 2 x Front Panhard Rod Bush 2 x Rear Panhard Rod Bush 8 x Rear Trailing Arm Bush	1	PB45-1231K			
		4 x Front Radius Arm to Chassis Bush 4 x Front & Rear Panhard Rod Bush 8 x Rear Upper & Lower Trailing Arm Bush	1	PB45-1239K			
RUBBER COIL SEAT			RUBBER COIL SEAT				
		Replacement upper rubber coil seat	2	RS45-4026			
UNDER BODY BUSH KIT			UNDER BODY BUSH KIT				
			SEE REAR UNDER BODY BUSH KIT				
CONTINUED ON NEXT PAGE			CONTINUED ON NEXT PAGE				



TYPE: Maverick
MODEL: Y60
YEAR: 1988 - 1994
DETAIL: Station Wagon, SWB & LWB Australia
















FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE
CONTINUED FROM PREVIOUS PAGE					CONTINUED FROM PREVIOUS PAGE				
PANHARD ROD BUSH					ALIGNMENT PART				
Does Not Fit OE					Adjustable Swaybar Extension				
Upper/Chassis Bush 1 RB45-6025					Suits 2" - 6" Lift				
Does Not Fit OE					Stem Upper/Right Angle Lower Joint 1* SE45-520				
Lower/Diff Bush 1 RB45-6027					Adjustable Swaybar Extension				
					Suits 2" - 6" Lift				
					Right Angle Upper/Right Angle Lower Joint 1* SE45-521				
					*Check Swaybar Link Configuration - Some Vehicles Require 2 of the Same Swaybar and Other Vehicles Require 1 of Each Swaybar				
RADIUS ARM BUSH					BUMP STOP				
0 Degree Standard Radius Arm Bush Kit					Adjustable Soft-hit bump stop				
Arm to Diff					(Suits 0-56mm extension) 2 BS45-529				
4 x Rubber Bushes 1 RB59-536K									
Arm to Chassis Bush Kit									
4 x Rubber Bushes 1 RB45-535K									
CASTOR ADJUSTMENT PART					BRAKE ADJUSTER				
Adjustable Front Radius Arm Castor Kit					Recommended when Raising Vehicle				
Angle Settings: ±0°, ±2.5° or ±3.5°					Suits 2" - 6" Lift 1 BA45-005				
4 x Polyurethane Eccentric Bushes 1 PB59-503K									
Fixed Rubber Front Radius Arm Castor Kit									
Angle Setting: ±2.5°									
4 x Rubber Eccentric Bushes 1 RB59-522K									
Raising Vehicle Will Effect Castor Angle. A Wheel Alignment is Recommended to Determine if a Castor Kit is Required.									
DRAGLINK					COIL SPACER				
38mm Solid Adjustable 1 SA45-1422					 15mm 2 PS45-4012 30mm 2 PS45-4013				
SWAYBAR EXTENSION									
Adjustable Swaybar Extensions									
Suits 2" - 6" Lift 2 SE45-520									
GEARBOX SPACER KIT									
Drive Line Vibration May Occur with Raised Suspension. To Reduce Vibration We Recommend Fitting the Above Kit.									
1 TC45-001K									
COIL SPACER									
 15mm 2 PS45-4010 30mm 2 PS45-4011									
BUMP STOP									
Adjustable Soft-hit bump stop									
(Suits 0-56mm extension) 2 BS45-528									



TYPE: Maverick
MODEL: Y60
YEAR: 1988 - 1994
DETAIL: Pickup/Ute
 Leaf Spring Suspension



FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE
LEAF SPRING					LEAF SPRING				
	7 Leaves Raised Height (45mm Lift) No Accessories	2	Y60-7L-F			5 + 2 Leaves Raised Height (50mm Lift) Up to 150Kg Constant Load	1	Y60-5+2-RRH	
	8 Leaves Raised Height (45mm Lift) 50-100Kg Accessories (Bullbar AND Winch) Heavy Duty (Recommended)	2	Y60-8L-F			6 + 2 Leaves Raised Height (50mm Lift) 300Kg Constant Load	1	Y60-6+2-RRH	
SHACKLE BUSH KIT					SHACKLE BUSH KIT				
	Kit Contains: 8 x SPF2260 4 x SPF2270	1	PB45-1018K			Kit Contains: 12 x SPF2260	1	PB59-1019K	
	U-BOLT KIT					U-BOLT KIT			
	Kit Contains: 2 x UB45-669	2	UB45-669K			Kit Contains: 2 x UB45-670-1	2	UB45-670-1K	
	SHOCK ABSORBER					SHOCK ABSORBER			
	Heavy Duty Twin Tube Gas	2	GS45-640			Heavy Duty Twin Tube Gas (Big Bore)	2	GS45-125	
	STEERING DAMPER					SHACKLE			
	Heavy Duty - Complete with Fittings	1	SD45-022			Greasable: Fit in Pairs Right Hand Side (Anti-Reverse)	1	SK59-048	
	SHACKLE						Left Hand Side (Anti-Reverse)	1	SK59-047
	Greasable: Fit in Pairs	2	SK59-019		PIN				
	PIN						Greasable: Fit in Pairs	2	SP45-026



TYPE: 'F' Series
MODEL: F150
YEAR: 2009 - 2013
DETAIL: 4x4



FRONT

QTY	PART NUMBER	PRICE
-----	-------------	-------

COIL SPRING



	Linear Rate Raised Height (60mm Lift)	1	C19-292	C
	Linear Rate Raised Height (60mm Lift) Up to 80Kg Accessories (Bullbar AND Winch)	1	C19-286	C

SHOCK ABSORBER



2	GS19-032	
---	-----------------	--

Heavy Duty Twin Tube Gas

REAR

QTY	PART NUMBER	PRICE
-----	-------------	-------

LEAF SPRING



	2 + 2 Leaves Raised Height (50mm Lift)	2	L19-8187-R	
	3 + 2 Leaves Heavy Duty Raised Height (75mm Lift)	2	L19-8188-R	

When Fitting the Above Springs, Larger U-Bolts are Required. The OE Coil Spacer Block can be Removed to Reduce Lift Heights by 30mm.

SHACKLE BUSH KIT



1	PB19-1106K	
---	-------------------	--

Kit Contains:
 2 x PB19-1545
 2 x PB19-1546
 2 x PB19-1547

U-BOLT KIT



2	UB19-921K	
---	------------------	--

Kit Contains:
 2 x UB19-921

SHOCK ABSORBER













2	TS90-314	
---	-----------------	--

Heavy Duty Hydraulic



TYPE: 'F' Series
MODEL: F250 4x4
YEAR: 2001 - 11/2006
DETAIL: 4.2L 6 Cyl Turbo Diesel, 7.3L Diesel












FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE
LEAF SPRING					LEAF SPRING				
7.3L Turbo Diesel									
	Raised Height (50mm Lift) 6 Leaf Multi Leaf Spring	1	FORD-010-F LH			4 + 2 Leaves Raised Height (50mm Lift) Up to 100Kg Constant Load	2	FORD-014-R	
	Replaces 2 Leaf Parabolic	1	FORD-010-F RH			5 + 2 Leaves Heavy Duty Raised Height (50mm Lift) 300Kg Constant Load	2	FORD-015-R	
4.2L Turbo Diesel									
	Raised Height (50mm Lift) 5 Leaf Multi Leaf Spring	1	FORD-011-F LH		<i>When Fitting the Above Springs, Longer U-Bolts are Required.</i>				
	Replaces 2 Leaf Parabolic	1	FORD-011-F RH		SHACKLE BUSH KIT				
<i>When Fitting the Above Springs, U-Bolt Part Number UB19-921K Must be Fitted.</i>						Front of Front	2	PB19-1504	
						Rear of Front	2	PB19-1505	
SHACKLE BUSH KIT					U-BOLT KIT				
	Front of Front	2	PB19-1504			Kit Contains: 2 x UB19-922	2	UB19-922K	
	Rear of Front	2	PB19-1505		SHOCK ABSORBER				
U-BOLT KIT						Heavy Duty Twin Tube Gas	4	GS45-915A	
	Kit Contains: 2 x UB19-921	2	UB19-921K		SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas	2	GS59-651A		AIR BAG KIT				
SHOCK ABSORBER					Bellows Type 1 RR4557				
	Heavy Duty Twin Tube Gas	2	GS59-651A		ADJUSTABLE PANHARD ROD				
AIR BAG KIT						Complete with Bushes	1	PR19-1400	
ADJUSTABLE PANHARD ROD									



TYPE: 'F' Series
MODEL: F250 4x4
YEAR: 2009 - 2014
DETAIL: Single & Dual Cab, Super Duty






FRONT		QTY	PART NUMBER	PRICE
COIL SPRING				
Petrol				
	Linear Rate Raised Height (95mm Lift) Comfort Option Up to 80Kg Accessories (Bullbar AND Winch)	1	C19-346	C
	Linear Rate Raised Height (85mm Lift) 80-170Kg Accessories (Bullbar AND Winch)	1	C19-342	C
Diesel				
	Linear Rate Raised Height (60mm Lift) Comfort Option Up to 80Kg Accessories (Bullbar AND Winch)	1	C19-342	C
	Linear Rate Raised Height (60mm Lift) Up to 80Kg Accessories (Bullbar AND Winch)	1	C19-322	D
	Linear Rate Raised Height (60mm Lift) 80-170Kg Accessories (Bullbar AND Winch)	1	C19-324	E
SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas	2	GS43-784	
Will Only Suit 60mm Lift				




REAR		QTY	PART NUMBER	PRICE
LEAF SPRING				
	3 + 2 Leaves Raised Height (75mm Lift) Heavy Duty	2	L19-8169-R	
	Fit OE U-Bolt Cap to this Spring			
SHACKLE BUSH KIT				
	Rear of Rear	2	PB19-1505	
	Shackle	2	PB19-1505	
U-BOLT KIT				
	Kit Contains: 2 x UB19-5061	2	UB19-5061K	
SHOCK ABSORBER				
	Heavy Duty Hydraulic	2	TS90-314	
WARNING - 75MM (3") OR HIGHER LIFT				
The suspension components listed on this page are for off-road use only.				
	<ul style="list-style-type: none"> - Refer to Local Laws before Fitting to Registered/Road Vehicles - An Engineering Certificate may be required - Handling Characteristics will Diminish on Lifts Above 50mm (2") 			
The following modifications (but not limited to) need to be made to the vehicle before the kit is fitted.				
	<ul style="list-style-type: none"> - Adjustable Panhard Rods - Modified Leading/Trailing Arms - Brake Hoses - Extended Bump Stops - Gear Box & Drive Line Modifications - Steering Arms - Swaybar Modification 			
Dobinsons Spring & Suspension do not accept any responsibility for injury caused to person or property through the use of the products listed on this page.				
These products do not come with any warranty or guarantee.				




TYPE: 'F' Series
MODEL: F350 4x4
YEAR: 2005 - 2008
DETAIL: Single & Dual Cab, SWB & LWB
 Mono Beam Front Axle with Coil Suspension Single Rear Wheel




FRONT		QTY	PART NUMBER	PRICE
COIL SPRING				
Petrol				
	Linear Rate Raised Height (95mm Lift) Comfort Option Up to 80Kg Accessories (Bullbar AND Winch)	1	C19-346	C
	Linear Rate Raised Height (85mm Lift) 80-170Kg Accessories (Bullbar AND Winch)	1	C19-342	C
Diesel				
	Linear Rate Raised Height (60mm Lift) Comfort Option Up to 80Kg Accessories (Bullbar AND Winch)	1	C19-342	C
	Linear Rate Raised Height (60mm Lift) Up to 80Kg Accessories (Bullbar AND Winch)	1	C19-322	D
	Linear Rate Raised Height (60mm Lift) 80-170Kg Accessories (Bullbar AND Winch)	1	C19-324	E
SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas	2	GS43-784	
Will Only Suit 60mm Lift				

REAR		QTY	PART NUMBER	PRICE
LEAF SPRING				
	Main Spring 5+2 Leaves Helper Spring 6 Leaves Heavy Duty Raised Height (70mm Lift) 300Kg Constant Load	2	FORD-021-R	
	Main Spring 5+2 Leaves Helper Spring 7 Leaves Extra Heavy Duty Raised Height (70mm Lift) 500Kg Constant Load	2	FORD-022-R	
Main Spring 6+2 Leaves Helper Spring 7 Leaves Super Heavy Duty Raised Height (70mm Lift) 1000Kg Constant Load	2	FORD-023-R		
SHACKLE BUSH KIT				
	Front of Rear	2	PB19-1504	
	Rear of Rear	2	PB19-1505	
	Shackle	2	PB19-1505	
U-BOLT KIT				
	Kit Contains: 2 x UB19-924	2	UB19-924K	
SHOCK ABSORBER				
	Heavy Duty Hydraulic	2	TS90-314	

WARNING - 75MM (3") OR HIGHER LIFT
 The suspension components listed on this page are for off-road use only.

 - Refer to Local Laws before Fitting to Registered/Road Vehicles
 - An Engineering Certificate may be required
 - Handling Characteristics will Diminish on Lifts Above 50mm (2")

The following modifications (but not limited to) need to be made to the vehicle before the kit is fitted.

 - Adjustable Panhard Rods - Gear Box & Drive Line Modifications
 - Modified Leading/Trailing Arms - Steering Arms
 - Brake Hoses - Swaybar Modification
 - Extended Bump Stops

Dobinsons Spring & Suspension do not accept any responsibility for injury caused to person or property through the use of the products listed on this page.

These products do not come with any warranty or guarantee.



TYPE: Escape
MODEL: BA, ZA, ZB
YEAR: 2001 - 2012
DETAIL:



FRONT

QTY PART NUMBER PRICE

COIL SPRING

Suits V6 3.0L



Linear Rate Standard Height	1	C19-222	B
Linear Rate Raised Height (35mm Lift) Comfort Option No Load	1	C19-266	B
Linear Rate Raised Height (45mm Lift) Comfort Option No Load	1	C19-264	B
Linear Rate Raised Height (45mm Lift) Up to 50Kg Accessories	1	C19-224	B

REAR

QTY PART NUMBER PRICE

COIL SPRING



Linear Rate Standard Height	1	C19-223	B
Linear Rate Raised Height (35mm Lift) Up to 100Kg Constant Load	1	C19-267	B
Linear Rate Raised Height (50mm Lift) Up to 100Kg Constant Load	1	C19-225	B



TYPE: Everest
MODEL: UA
YEAR: 09/2015 on
DETAIL: 4x4
 Solid Axle Models Only



FRONT


QTY	PART NUMBER	PRICE
-----	-------------	-------

COIL SPRING



4x4 2.2L

	Linear Rate Raised Height (45mm Lift) Comfort Option 0-50Kg Accessories	1	C19-420	B
	Linear Rate Raised Height (45mm Lift) 50-90Kg Accessories	1	C19-422	B

4x4 3.2L


	Linear Rate Raised Height (35mm Lift) Comfort Option (reduced rate) 60-100Kg Accessories	1	C19-428	B
	Linear Rate Raised Height (45mm Lift) No Accessories	1	C19-422	B
	Linear Rate Raised Height (45mm Lift) 50-90Kg Accessories	1	C19-424	B

SHOCK ABSORBER

	Heavy Duty Twin Tube Gas	2	GS19-092	
	Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of X = 190mm/7.48"	2	MR19-50092	

X - Centre of Eye to Spring Seat

STRUT CAP

	Strut Top Cap	2	SC19-009	
--	---------------	---	-----------------	--

REAR

QTY	PART NUMBER	PRICE
-----	-------------	-------

COIL SPRING

4x4

	Variable Rate Raised Height (45mm Lift) 0-100Kg Accessories	1	C19-423V	B
	Variable Rate Raised Height (45mm Lift) 150-250Kg Accessories	1	C19-425V	B



SHOCK ABSORBER



	Heavy Duty Twin Tube Gas	2	GS19-093	
---	--------------------------	---	-----------------	--



TYPE: Expedition
MODEL:
YEAR: 2008 on
DETAIL: 4x4
 119" Wheelbase







FRONT		QTY	PART NUMBER	PRICE
COIL SPRING				
	Linear Rate Raised Height (45mm Lift) No Accessories	1	C19-430	C
	Linear Rate Raised Height (45mm Lift) 80-100Kg Accessories (Bullbar AND Winch)	1	C19-432	C
SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas	2	GS19-030	

REAR		QTY	PART NUMBER	PRICE
COIL SPRING				
	Linear Rate Raised Height (45mm Lift)	1	C19-431	D
	Linear Rate Raised Height (45mm Lift) 200Kg Constant Load	1	C19-433	D
SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas	2	GS19-031	



TYPE: Explorer
MODEL: U502
YEAR: 2012 on
DETAIL: AWD 3.5L, 3.7L













FRONT			QTY	PART NUMBER	PRICE	REAR			QTY	PART NUMBER	PRICE
COIL SPRING						COIL SPRING					
	Linear Rate Raised Height (50mm Lift)	1	C19-438		C		Linear Rate Raised Height (50mm Lift)	1	C19-439		C
SHOCK ABSORBER						SHOCK ABSORBER					
	Heavy Duty Twin Tube Gas	1	GS19-035 RH				Heavy Duty Twin Tube Gas	2	GS19-036		
	Heavy Duty Twin Tube Gas	1	GS19-035 LH								



TYPE: Tunland
MODEL:
YEAR: 2012 on
DETAIL: 4x4











FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE
COIL SPRING					LEAF SPRING				
*Vehicles Fitted with this Part Number MUST be Fitted with GS59-220 Shock Absorber.					*It is a Requirement that the Brake Adjuster BA59-002 be fitted when using these leaf springs.				
Single Cab									
	Linear Rate Standard Height	1	C59-134	B		3 + 3 Leaves Raised Height (50mm Lift) Medium Duty Up to 100Kg Constant Load	2	L59-040-R	
	Linear Rate Raised Height (40mm Lift)	1	C59-296	B		4 + 3 Leaves Raised Height (50mm Lift) Heavy Duty 280Kg Constant Load	2	L59-041-R	
	Linear Rate Raised Height (50mm Lift)*	1	C59-300	B		5 + 3 Leaves Raised Height (50mm Lift) Super Heavy Duty 450Kg Constant Load	2	L59-042-R	
	Linear Rate Raised Height (50mm Lift) 50-100Kg Accessories (Bullbar AND Winch)*	1	C59-302	B		When using L59-040-R or L59-041-R, the Longer Leaf on the 2nd Stage may be Turned Upside Down to Give a Softer Ride. Will Reduce Load Carrying Capacity.			
Dual Cab									
	Linear Rate Raised Height (45mm Lift) Up to 75Kg Accessories (Bullbar Only)*	1	C59-302	B	SHACKLE BUSH KIT				
	Linear Rate Raised Height (45mm Lift) 80-120Kg Accessories (Bullbar AND Winch)*	1	C59-350	B		Kit Contains: 2 x PB59-1501 4 x PB59-1502 4 x PB59-1503	1	PB59-1094K	
SHOCK ABSORBER					U-BOLT KIT				
	Heavy Duty Twin Tube Gas	2	GS59-220			Suits: L59-040-R 2 x UB59-453-2	2	UB59-453-2K	
STRUT CAP					Suits: L59-041-R 2 x UB59-453-2				
	Strut Top Cap	2	SC59-001		Suits: L59-042-R 2 x UB59-437	2	UB59-437K		
SHOCK ABSORBER					SHOCK ABSORBER				
						Heavy Duty Twin Tube Gas Medium Load	2	GS59-649	
					EXTRA HEAVY DUTY				
						Extra Heavy Duty Twin Tube Gas Over 350Kg Constant Load	2	GS59-650	
					BRAKE ADJUSTER				
					Recommended when Raising Vehicle				
							1	BA59-002	
					SHACKLE				
						Greasable: Fit in Pairs	2	SK59-053	
					PIN				
						Greasable: Fit in Pairs	2	SP59-060	



TYPE: Wingle, Sailor
MODEL: V200, V240
YEAR: 06/2009 on
DETAIL: 4x2, 4x4 Pickup 2.4L
 Suspension Fits 4x2 & 4x4 Models



FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE
TORSION BAR					LEAF SPRING				
	Heavy Duty Rate Increased Length 1145mm Check Length Before Ordering	1	TB21-1550			4 + 2 Leaves Raised Height (50mm Lift) Softer Option Above Spring has a 200Kg Reduced Carrying Capacity	2	RODE-011-R	
SHOCK ABSORBER						4 + 3 Leaves Raised Height (50mm Lift)	2	RODE-012-R	
	Heavy Duty Twin Tube Gas	2	GS21-463			5 + 3 Leaves Raised Height (50mm Lift) 150Kg Constant Load	2	RODE-013-R	
					SHACKLE BUSH KIT				
						Kit Contains: 2 x SPF972 8 x SPF2231	1	PB59-1069K	
					U-BOLT KIT				
						Kit Contains: 2 x UB21-466	2	UB21-466K	
					SHOCK ABSORBER				
						Comfort Option Twin Tube Gas Medium Load	2	GS59-649	
						Heavy Duty Twin Tube Gas	2	GS59-651	
					SHACKLE				
						Greasable: Fit in Pairs	2	SK59-009	
					PIN				
						Greasable: Fit in Pairs	2	SP59-060	










TYPE: Jackaroo

MODEL: UBS 13, 16, 52

YEAR: 1982 - 10/1986

DETAIL: LWB Wagon, Isuzu-Trooper, Big Horn
Up to Chassis No. 4524288



FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE
TORSION BAR					LEAF SPRING				
	Heavy Duty Rate Increased Length 927mm	1	TB39-1546			4 + 2 Leaves Raised Height (30mm Lift) Up to 100Kg Constant Load	2	RODE-008-R	
SHOCK ABSORBER					SHACKLE BUSH KIT				
	Heavy Duty Twin Tube Gas	2	GS43-082S			Kit Contains: 4 x SPF2053 8 x SPF2231	1	PB21-1047K	
					U-BOLT KIT				
						Kit Contains: 2 x UB45-451	2	UB45-451K	
					SHOCK ABSORBER				
						Comfort Option Twin Tube Gas Medium Load	2	GS59-649	
						Heavy Duty Twin Tube Gas	2	GS59-651	
					SHACKLE				
						Greasable: Fit in Pairs	2	SK59-009	











TYPE: Jackaroo

MODEL: UBS 16, 17, 52, 55

YEAR: 11/1986 - 1991

DETAIL: LWB Wagon, Isuzu-Trooper
From Chassis No. 4524289



FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE
TORSION BAR					LEAF SPRING				
	Heavy Duty Rate Increased Length 1000mm	1	TB21-1548			4 + 2 Leaves Raised Height (30mm Lift) Up to 100Kg Constant Load	2	RODE-008-R	
SHOCK ABSORBER					SHACKLE BUSH KIT				
	Heavy Duty Twin Tube Gas	2	GS43-082S			Kit Contains: 4 x SPF972 8 x SPF2231	1	PB59-1069K	
					U-BOLT KIT				
						Kit Contains: 2 x UB45-451	2	UB45-451K	
					SHOCK ABSORBER				
						Heavy Duty Twin Tube Gas	2	GS21-637S	
					SHACKLE KIT				
						Greasable: Fit in Pairs	2	SK59-009	
					PIN KIT				
						Greasable: Fit in Pairs	2	SP59-060	



TYPE: Jackaroo

MODEL: UBS 26, 69, 73

YEAR: 1992 - 2000, 2001 on

DETAIL: SWB & LWB Wagon, Isuzu-Trooper
Opel/Vauxhall Monterey



FRONT

QTY

PART
NUMBER

PRICE

TORSION BAR



Heavy Duty
Rate Increased
Length 1220mm

1

TB21-1549

SHOCK ABSORBER



Heavy Duty Twin Tube Gas

2

GS21-463

REAR

QTY

PART
NUMBER

PRICE

COIL SPRING

1992 - 2000



Variable Rate
Standard Height (10mm Lift)

1

C21-167V

B

Variable Rate
Raised Height (40mm Lift)
Up to 100Kg Constant Load

1

C21-165V

B

2001 on



Variable Rate
Raised Height (40mm Lift)

1

C21-215V

B

SHOCK ABSORBER



Heavy Duty Twin Tube Gas

2

GS21-015B

COIL SPACER



10mm

2

PS21-4008

30mm

2

PS21-4009







TYPE: Frontera / Amigo

MODEL: UT

YEAR: 1995 - 1998

DETAIL: SWB - Frontera Sport - Opel/Vauxhall
LWB - Frontera Long - Opel/Vauxhall (5 Doors)







FRONT			REAR				
	QTY	PART NUMBER	PRICE		QTY	PART NUMBER	PRICE
TORSION BAR							
		Heavy Duty Rate Increased Length 1000mm Check Length Before Ordering	1	TB21-1547			
		Heavy Duty Rate Increased Length 1220mm Check Length Before Ordering	1	TB21-1549			
SHOCK ABSORBER							
		Heavy Duty Twin Tube Gas	2	GS21-463			
COIL SPRING							
		Variable Rate Raised Height (35mm Lift) Up to 70Kg Constant Load	1	C21-161V			B
SHOCK ABSORBER							
		Heavy Duty Twin Tube Gas	2	GS21-016			



TYPE: Frontera
MODEL: UES25
YEAR: 02/1999 - 2002
DETAIL: SWB & LWB, 3.2L V6, 2.2L TDi



FRONT			REAR				
	QTY	PART NUMBER	PRICE		QTY	PART NUMBER	PRICE
TORSION BAR				COIL SPRING			
 Heavy Duty Rate Increased Length 1145mm Check Length Before Ordering	1	TB21-1550		 Linear Rate Raised Height (35mm Lift) Up to 100Kg Constant Load	1	C45-009	B
SHOCK ABSORBER				SHOCK ABSORBER			
 Heavy Duty Twin Tube Gas	2	GS21-463		 Heavy Duty Twin Tube Gas	2	GS43-781	











TYPE: Rodeo

MODEL: KB/TFS-55 (Inc. V6)

YEAR: 08/1988 - 2003

DETAIL: Pickup, Opel/Vauxhall Campo, Brava
Isuzu KB320 (Africa)



FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE
TORSION BAR					LEAF SPRING				
	Heavy Duty Rate Increased Length 1000mm	1	TB21-1547			4+2 Leaves Raised Height (35mm Lift) 200Kg Constant Load	2	RODE-008-R	
SHOCK ABSORBER					SHACKLE BUSH KIT				
	Heavy Duty Twin Tube Gas	2	GS21-463			Kit Contains: 2 x SPF972 8 x SPF2231	1	PB59-1069K	
					U-BOLT KIT				
						Kit Contains: 2 x UB59-453-3	2	UB59-453-3K	
					SHOCK ABSORBER				
						Heavy Duty Twin Tube Gas	2	GS43-081B	
					SHACKLE KIT				
						Greasable: Fit in Pairs	2	SK59-009	
					PIN KIT				
						Greasable: Fit in Pairs	2	SP59-060	











TYPE: Rodeo RA, Colorado RC, D-Max

MODEL: TFS-77, TFS-85

YEAR: 03/2003 - 2008 Rodeo, 2008 - 05/2012 Colorado & D-Max

DETAIL: Pickup, Isuzu KB, D-Max
2.4L, 3.5L V6, 3.0L TDi, 2.5L TDi



FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE
TORSION BAR					LEAF SPRING				
	Heavy Duty Rate Increased Length 1145mm Check Length Before Ordering	1	TB21-1550			4 + 2 Leaves Raised Height (35mm Lift) Softer Option Above Spring has a 200Kg Reduced Carrying Capacity	2	RODE-011-R	
SHOCK ABSORBER						4 + 3 Leaves Raised Height (35mm Lift)	2	RODE-012-R	
	Heavy Duty Twin Tube Gas	2	GS21-463			5 + 3 Leaves Raised Height (45mm Lift) 150Kg Constant Load	2	RODE-013-R	
					SHACKLE BUSH KIT				
						Kit Contains: 2 x SPF972 8 x SPF2231	1	PB59-1069K	
					U-BOLT KIT				
						Kit Contains: 2 x UB21-466	2	UB21-466K	
					SHOCK ABSORBER				
						Comfort Option Twin Tube Gas Medium Load	2	GS59-649	
						Heavy Duty Twin Tube Gas	2	GS59-651	
					SHACKLE				
						Greasable: Fit in Pairs	2	SK59-009	
					PIN				
						Greasable: Fit in Pairs	2	SP59-060	



TYPE: Colorado RG













MODEL: GM 1700, MMU 142/143/145/147/148

YEAR: 05/2012 on

DETAIL: 2.8L Turbo Diesel, Single Cab/Dual Cab



This vehicle has been issued with a recall notice to change the Coil Spring Stepped Isolator. Take care when ordering Coil Springs or Shock Absorbers.

FRONT			QTY	PART NUMBER	PRICE	REAR			QTY	PART NUMBER	PRICE
COIL SPRING						LEAF SPRING					
05/2012 - 26/04/2013											
For vehicles with the Flat Type Upper Coil Isolator.											
	Linear Rate Raised Height (40mm Lift) No Accessories	1	C59-134		B		3 + 3 Leaves Medium Duty Raised Height (40mm Lift) Up to 100Kg Constant Load	2	L21-140-R		
	Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories	1	C59-296		B		4 + 3 Leaves Heavy Duty Raised Height (40mm Lift) 250Kg Constant Load (Recommended)	2	L21-141-R		
27/04/2013 on											
ALSO suits vehicles (05/2012 - 26/04/2013) with the new Coil Spring Stepped Isolator fitted.											
	Linear Rate Standard Height (10mm Lift) 50-100Kg Accessories	1	C21-382		B		5 + 3 Leaves Super Heavy Duty Raised Height (40mm Lift) 450Kg Constant Load	2	L21-142-R		
	Linear Rate Raised Height (40mm Lift) Up to 50Kg Accessories	1	C21-384		B		SHACKLE BUSH KIT				
	Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories	1	C21-386		B		Kit Contains: 2 x PB59-1503 4 x PB59-1530 4 x PB59-1532 1 PB21-1105K				
SHOCK ABSORBER						U-BOLT KIT					
	Heavy Duty Twin Tube Gas	2	GS21-470				Kit Contains: L21-140-R 2 x UB59-453-2	2	UB59-453-2K		
	Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of X = 190mm/7.48"	2	MR21-50470				L21-141-R 2 x UB59-453-2	2	UB59-453-2K		
X - Centre of Eye to Spring Seat											
STRUT CAP						SHOCK ABSORBER					
	Strut Top Caps	2	SC59-002				Heavy Duty Twin Tube Gas	2	GS43-801		
Can only be used with C59-134 and C59-296											
DIFF DROP						SHOCK ABSORBER					
	Diff Drop Kit	1	DD21-533K				Monotube Remote Reservoir Shock Heavy Duty	2	MR43-50801		
Decreases CV Angle											
						SHACKLE					
											
						Greaseable: Fit in Pairs 2 SK21-059					
						PIN					
											
						Greaseable: Fit in Pairs 2 SP59-060					



TYPE: Colorado 7 SUV / Trailblazer

MODEL: 2nd Generation

YEAR: 2012 on

DETAIL: 2.8L Diesel, 2.5L Diesel



This vehicle has been issued with a recall notice to change the Coil Spring Stepped Isolator. Take care when ordering Coil Springs or Shock Absorbers.

FRONT

QTY PART NUMBER PRICE

COIL SPRING



NOT for vehicles that have had the new Coil Spring Stepped Isolator fitted

	Linear Rate Raised Height (40mm Lift) No Accessories	1	C59-134	B
	Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories	1	C59-296	B


SUITS vehicles with the new Coil Spring Stepped Isolator fitted

	Linear Rate Standard Height (10mm Lift) 50-100Kg Accessories	1	C21-382	B
	Linear Rate Raised Height (40mm Lift) Up to 50Kg Accessories	1	C21-384	B
	Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories	1	C21-386	B

SHOCK ABSORBER

	Heavy Duty Twin Tube Gas	2	GS21-470	
	Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of X = 190mm / 7.48" X - Centre of Eye to Spring Seat	2	MR21-50470	

STRUT CAP


	Strut Top Cap	2	SC59-002	
--	---------------	---	-----------------	--

Can only be used with C59-134 and C59-296



REAR

QTY PART NUMBER PRICE

COIL SPRING

	Linear Rate Raised Height (40mm Lift) No Load	1	C21-403	B
	Linear Rate Raised Height (40mm Lift) 150-250Kg Constant Load	1	C21-407	B

SHOCK ABSORBER

	Heavy Duty Twin Tube Gas	2	G59-940	
	Monotube Remote Reservoir Shock Heavy Duty	2	MR59-50940	

4x4

HOLDEN - GM - ISUZU

GMC-50



TYPE: Avalanche, Tahoe, Suburban 1500 (1/2 Ton)

MODEL: Including XL Models

YEAR: 2007 - 06/2014

DETAIL: GMT 900 Series Platform, 4x4



 **DOES NOT SUIT
MAGNERIDE CONTROL OR
AIRBAG SUSPENSION**

FRONT

QTY **PART NUMBER** **PRICE**

COIL SPRING



Linear Rate
Raised Height

1 **C09-044** C

SHOCK ABSORBER



Heavy Duty
Twin Tube Gas

2 **GS09-170**

REAR

QTY **PART NUMBER** **PRICE**

COIL SPRING



Linear Rate
Raised Height

1 **C09-045** B

SHOCK ABSORBER



Heavy Duty
Twin Tube Gas





2 **GS09-171**



TYPE: Cadillac Escalade,
Yukon (Incl. XL & Denali)
MODEL: ESV/EXT, 1500 (½ Ton)
YEAR: 2007 - 06/2014
DETAIL: GMT 900 Series Platform, 4x4




 **DOES NOT SUIT
MAGNERIDE CONTROL OR
AIRBAG SUSPENSION**






FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE
COIL SPRING					COIL SPRING				
	Linear Rate Raised Height	1	C09-044	C		Linear Rate Raised Height	1	C09-045	B
SHOCK ABSORBER					SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas	2	GS09-170			Heavy Duty Twin Tube Gas	2	GS09-171	



TYPE: Suburban 1500 (1/2 Ton), Yukon XL (Denali XL)
MODEL: 1500 K2YC
YEAR: 06/2014 on
DETAIL: GMT K2 Platform 4x4



 **DOES NOT SUIT
MAGNERIDE CONTROL OR
AIRBAG SUSPENSION**

FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE
COIL SPRING					COIL SPRING				
	Linear Rate Raised Height (50mm Lift)	1	C09-044	C		Linear Rate Raised Height (50mm Lift)	1	C09-045	B
SHOCK ABSORBER					SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas	2	GS09-174			Linear Rate 100-200Kg Constant Load	1	C09-043	C
						Linear Rate 300-400Kg Constant Load	1	C09-037	B
SHOCK ABSORBER					SHOCK ABSORBER				
						Heavy Duty Twin Tube Gas	2	GS09-171	














TYPE: D-Max

MODEL: TFS85, V-CROSS

YEAR: 05/2012 on

DETAIL: 3.0L Turbo Diesel Single Cab/Dual Cab










FRONT			REAR		
QTY	PART NUMBER	PRICE	QTY	PART NUMBER	PRICE
COIL SPRING					
	Linear Rate Raised Height (20mm Lift) No Accessories	1	C59-134	B	
	Linear Rate Raised Height (40mm Lift) Up to 60Kg Accessories	1	C59-296	B	
	Linear Rate Raised Height (40mm Lift) 70-120Kg Accessories	1	C59-300	B	
SHOCK ABSORBER					
	Heavy Duty Twin Tube Gas	2	GS21-470		
	Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of X = 190mm/7.48" x - Centre of Eye to Spring Seat	2	MR21-50470		
STRUT CAP					
	Strut Top Cap	2	SC59-002		
DIFF DROP					
	Diff Drop Kit	1	DD21-533K		
Decreases CV Angle					
LEAF SPRING					
	3 + 3 Leaves Medium Duty Raised Height (40mm Lift) Up to 100Kg Constant Load	2	L21-140-R		
	4 + 3 Leaves Heavy Duty Raised Height (40mm Lift) 250Kg Constant Load (Recommended)	2	L21-141-R		
	5 + 3 Leaves Super Heavy Duty Raised Height (40mm Lift) 450Kg Constant Load	2	L21-142-R		
SHACKLE BUSH KIT					
	Kit Contains: 2 x PB59-1503 4 x PB59-1530 4 x PB59-1532	1	PB21-1105K		
U-BOLT KIT					
	Suits: L21-140-R L21-141-R L21-142-R	Kit Contains: 2 x UB59-453-2 2 x UB59-453-2 2 x UB59-437	2 2 2	UB59-453-2K UB59-453-2K UB59-437K	
SHOCK ABSORBER					
	Heavy Duty Twin Tube Gas	2	GS43-801		
	Monotube Remote Reservoir Shock Heavy Duty	2	MR43-50801		
SHACKLE					
	Greasable: Fit in Pairs	2	SK21-059		
PIN					
	Greasable: Fit in Pairs	2	SP59-060		



TYPE: MU
MODEL: USC55D
YEAR: 07/1990 - 1995
DETAIL: 3 Door



FRONT			REAR				
	QTY	PART NUMBER	PRICE		QTY	PART NUMBER	PRICE
TORSION BAR							
		Heavy Duty Rate Increased Length 1000mm Check Length Before Ordering	1				
		Heavy Duty Rate Increased Length 1220mm Check Length Before Ordering	1				
SHOCK ABSORBER							
		Heavy Duty Twin Tube Gas	2				
LEAF SPRING							
		4 + 2 Leaves Raised Height	2				
SHACKLE BUSH KIT							
		Kit Contains: 2 x SPF972 8 x SPF2231	1				
U-BOLT KIT							
		Kit Contains: 2 x UB59-453-3	2				
SHOCK ABSORBER							
		Comfort Option Twin Tube Gas Medium Load	2				
		Heavy Duty Twin Tube Gas (Big Bore)	2				
SHACKLE KITS							
		Greasable: Fit in Pairs	2				










TYPE: MU-7

MODEL:

YEAR: 2005 - 2012

DETAIL: 4x4 Station Wagon, 3.0L DOHC



FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE																			
TORSION BAR																												
	Heavy Duty Rate Increased Length 1145mm Check Length Before Ordering	1	TB21-1550		LEAF SPRING																							
						4 + 2 Leaves Raised Height (35mm Lift)	2	RODE-011-R																				
										4 + 3 Leaves Raised Height (35mm Lift) Up to 150Kg Constant Load	2	RODE-012-R																
SHOCK ABSORBER										SHACKLE BUSH KIT																		
	Heavy Duty Twin Tube Gas	2	GS21-463												Kit Contains: 2 x SPF972 8 x SPF2231	1	PB59-1069K											
SHOCK ABSORBER										U-BOLT KIT																		
											Kit Contains: 2 x UB21-466	2	UB21-466K															
SHOCK ABSORBER										SHOCK ABSORBER																		
											Comfort Option Twin Tube Gas Medium Load	2	GS59-649															
															Heavy Duty Twin Tube Gas	2	GS59-651											
SHACKLE										SHACKLE																		
											Greasable: Fit in Pairs	2	SK59-009															








TYPE: MU-X

MODEL:

YEAR: 2013 on

DETAIL: 3.0L Turbo Diesel



FRONT			REAR				
	QTY	PART NUMBER	PRICE		QTY	PART NUMBER	PRICE
COIL SPRING							
		Linear Rate Raised Height (20mm Lift) No Accessories	1	C59-134	B		
		Linear Rate Raised Height (45mm Lift) No Accessories	1	C59-296	B		
		Linear Rate Raised Height (45mm Lift) 50-100Kg Accessories	1	C59-300	B		
SHOCK ABSORBER							
		Heavy Duty Twin Tube Gas	2	GS21-470			
STRUT CAP							
		Strut Top Cap	2	SC59-002			
COIL SPRING							
		Linear Rate Raised Height (45mm Lift)	1	C21-355	B		
		Linear Rate Raised Height (45mm Lift) 100-200Kg Constant Load	1	C21-357	B		
SHOCK ABSORBER							
		Heavy Duty Twin Tube Gas	2	GS59-940			



TYPE: CRV
MODEL: CRV-RDI
YEAR: 1997 -2001
DETAIL: 2.0L



FRONT

QTY	PART NUMBER	PRICE
-----	-------------	-------

COIL SPRING



Linear Rate
 Raised Height (30mm Lift)

1

C23-072

B

REAR

QTY	PART NUMBER	PRICE
-----	-------------	-------

COIL SPRING



Linear Rate
 Raised Height (30mm Lift)

1



C23-073

C



TYPE: CRV
MODEL: CR-V 10
YEAR: 2001 - 01/2007
DETAIL: 2.4L



FRONT				REAR			
	QTY	PART NUMBER	PRICE		QTY	PART NUMBER	PRICE
COIL SPRING				COIL SPRING			
Linear Rate				Linear Rate			
Lowered Height (35mm Drop)	1	C23-100	B	Lowered Height (35mm Drop)	1	C23-101	B
 Linear Rate				 Linear Rate			
Standard Height (10mm Lift)	1	C23-102	B	Standard Height (10mm Lift)	1	C23-103	B
Linear Rate				Linear Rate			
Raised Height (40mm Lift)	1	C23-104	B	Raised Height (40mm Lift)	1	C23-105	B



TYPE: CRV
MODEL:
YEAR: 2012 on
DETAIL:



FRONT

QTY	PART NUMBER	PRICE
-----	-------------	-------

COIL SPRING



Linear Rate
 Raised Height (35mm Lift)

1

C23-194

C

REAR

QTY	PART NUMBER	PRICE
-----	-------------	-------

COIL SPRING



Linear Rate
 Raised Height (35mm Lift)

1



C23-195

B



TYPE: HRV Joy Machine
MODEL: GH
YEAR: 1999 - 2002
DETAIL: 1.6L, 3 & 5 Doors



FRONT				REAR					
	QTY	PART NUMBER	PRICE		QTY	PART NUMBER	PRICE		
COIL SPRING				COIL SPRING					
		Linear Rate				Linear Rate			
		Standard Height	1 C23-090	C			Standard Height	1 C23-091	C
		Linear Rate					Linear Rate		
		Raised Height (20mm Lift)	1 C23-074	C			Raised Height (25mm Lift)	1 C23-075	C



TYPE: Terracan
MODEL: HP
YEAR: 11/2001 - 2008
DETAIL: 3.5L V6, 2.9L



FRONT

QTY	PART NUMBER	PRICE
-----	-------------	-------

TORSION BAR



Heavy Duty Rate Increased Length 1275mm	1	TB25-1248	
---	---	------------------	--

SHOCK ABSORBER



Heavy Duty Twin Tube Gas	2	GS43-082S	
--------------------------	---	------------------	--

REAR

QTY	PART NUMBER	PRICE
-----	-------------	-------

COIL SPRING



Variable Rate Standard Height (10mm Lift)	1	C43-047V	B
--	---	-----------------	---

Variable Rate Raised Height (45mm Lift) Up to 100Kg Constant Load	1	C43-043V	B
---	---	-----------------	---

SHOCK ABSORBER






Heavy Duty Twin Tube Gas	2	GS59-225	
--------------------------	---	-----------------	--



TYPE: Santa Fe
MODEL: SM
YEAR: 2000 - 05/2006
DETAIL: 2.7L V6, 2.4L, 2.0L TD










FRONT			REAR								
	QTY	PART NUMBER	PRICE		QTY	PART NUMBER	PRICE				
COIL SPRING			COIL SPRING								
		Linear Rate Standard Height	1	C25-026	B			Linear Rate Standard Height	1	C25-027	B
		Linear Rate Raised Height (20mm Lift)	1	C25-028	B				Linear Rate Raised Height (35mm Lift)	1	C25-029
SHOCK ABSORBER			SHOCK ABSORBER								
		 Heavy Duty Twin Tube Gas	2	GS59-940							



TYPE: Cherokee
MODEL: XJ
YEAR: (94 - 01 Australia) (84 - 01 Europe)
DETAIL: Classic, Limited, Sport, Midsize










FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE		
COIL SPRING					LEAF SPRING						
CHEROKEE SPORTS models have a higher ride height than LIMITED and CLASSIC models.					CHEROKEE SPORTS models have a higher ride height than LIMITED and CLASSIC models.						
LH Drive models require both sides to be fitted with the RH Spring.											
	Linear Rate Raised Height (45mm Lift) No Accessories	1	C29-016	B		5 Leaves Raised Height (45mm Lift)	1	JEEP-005-R RH			
	Linear Rate Raised Height (35mm Lift) 50-100Kg Accessories (Bullbar AND Winch)	1	C29-016	B		5 Leaves Raised Height (45mm Lift)	1	JEEP-005-R LH			
SHOCK ABSORBER					SHACKLE BUSH KIT						
	Heavy Duty Twin Tube Gas	2	GS29-420			Kit Contains: 2 x SPF969 2 x SPF970 2 x SPF1080	1	PB29-1080K			
STEERING DAMPER						U-BOLT KIT					
	Heavy Duty (Big Bore) Complete with Fittings	1	SD29-840		Suits Chrysler Differential						
SD29-840 is supplied with two styles of mounting pin. Dispose of the pin that is not required.					Kit Contains: 2 x UB45-451					2	UB45-451K
Above part to suit LH and RH Drive Vehicles. DOES NOT SUIT LIMITED MODELS.					Suits Dana 35 Differential						
COIL SPACER					Kit Contains: 2 x UB45-451					2	UB29-900K
	15mm	2	PS29-4014		SHOCK ABSORBER						
	30mm	2	PS29-4015			Heavy Duty Twin Tube Gas	2	GS29-425			



TYPE: Cherokee
MODEL: KJ, Liberty (USA)
YEAR: 10/2001 - 2008
DETAIL: 3.7L V6, 2.4L, 2.8L CRD







FRONT		QTY	PART NUMBER	PRICE
COIL SPRING				
3.7L V6, 2.4L				
	Linear Rate			
	Raised Height (35mm Lift) 50Kg Accessories (Bullbar OR Winch)	1	C29-020	B
	Linear Rate			
	Raised Height (35mm Lift) 50-100Kg Accessories (Bullbar AND Winch)	1	C29-022	B
2.8L CRD				
	Linear Rate			
	Raised Height (35mm Lift) 50Kg Accessories (Bullbar OR Winch)	1	C29-022	B
SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas	2	GS29-723	

REAR		QTY	PART NUMBER	PRICE
COIL SPRING				
	Linear Rate			
	Raised Height (35mm Lift)	1	C29-021	B
	Linear Rate			
	Raised Height (40mm Lift) 180Kg Constant Load	1	C29-023	B
SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas	2	GS29-724	



TYPE: Cherokee
MODEL: KK
YEAR: 02/2008 - 2013
DETAIL: 3.7L V6, 2.8L TD (Limited & Sports Only)







FRONT				REAR				
	QTY	PART NUMBER	PRICE		QTY	PART NUMBER	PRICE	
COIL SPRING				COIL SPRING				
		Linear Rate				Linear Rate		
		Raised Height (10mm Lift)	1 C29-082		B		Raised Height (10mm Lift)	1 C29-083
		Linear Rate				Linear Rate		
		Raised Height (40mm Lift)	1 C29-084	B		Raised Height (40mm Lift)	1 C29-085	B
SHOCK ABSORBER				SHOCK ABSORBER				
		Heavy Duty Twin Tube Gas	2 GS29-723			Heavy Duty Twin Tube Gas	2 GS29-724	



TYPE: Cherokee
MODEL: KL
YEAR: 2014
DETAIL: Trailhawk, Sport, Limited, Longitude, Latitude









FRONT			REAR				
	QTY	PART NUMBER	PRICE		QTY	PART NUMBER	PRICE
COIL SPRING			COIL SPRING				
 Linear Rate Raised Height (45mm Lift) - Over Standard Suspension (25mm Lift) - Over Trail Hawk Suspension	1	C29-150	B	 Linear Rate Raised Height (45mm Lift) - Over Standard Suspension (25mm Lift) - Over Trail Hawk Suspension	1	C29-151	B
SHOCK ABSORBER			SHOCK ABSORBER				
 Heavy Duty Twin Tube Gas	1	GS29-430 RH		 Heavy Duty Twin Tube Gas	2	GS29-431	
Heavy Duty Twin Tube Gas	1	GS29-430 LH					



TYPE: Grand Cherokee
MODEL: ZJ - ZG
YEAR: 04/1996 - 1999
DETAIL: 3.1L 5 Cyl., 4.0L 6 Cyl., 5.7L V8







FRONT		QTY	PART NUMBER	PRICE
COIL SPRING				
3.1L 5 Cyl. 4.0L 6 Cyl.				
	Linear Rate Raised Height (35mm Lift) No Accessories	1	C29-002	B
	Linear Rate Raised Height (35mm Lift) 40-90Kg Accessories (Bullbar AND Winch)	1	C29-016	B
5.7L V8				
	Linear Rate Raised Height (40mm Lift) Up to 70Kg Accessories (Bullbar OR Winch)	1	C29-036	B
	SHOCK ABSORBER			
	Heavy Duty Twin Tube Gas	2	GS29-420	
STEERING DAMPER				
	Heavy Duty (Big Bore) Complete with Fittings	1	SD29-840	
SD29-840 is supplied with two styles of mounting pin. Dispose of the pin that is not required.				



REAR		QTY	PART NUMBER	PRICE
COIL SPRING				
	Linear Rate Raised Height (35mm Lift)	1	C29-003	B
	Linear Rate Raised Height (50mm Lift) 150-200Kg Constant Load	1	C29-005	B
SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas	2	GS29-683	



TYPE: Grand Cherokee
MODEL: WJ (Austria) WG (USA)
YEAR: 1999 - 2004
DETAIL: 4.7L V8, 2.7L D, 4.0L Petrol, 3.1L TD






FRONT		QTY	PART NUMBER	PRICE
COIL SPRING				
4.7L V8				
4.0L Petrol				
	Variable Rate Lowered Height (30mm Drop)	1	C29-018V	B
	Linear Rate Standard Height	1	C29-008	B
	Linear Rate Raised Height (35mm Lift) Up to 40Kg Accessories (Bullbar OR Winch)	1	C29-010	B
	Linear Rate Raised Height (40mm Lift) 40-90Kg Accessories (Bullbar AND Winch)	1	C29-024	B
2.7L Turbo Diesel				
3.1L Turbo Diesel				
	Linear Rate Raised Height (35mm Lift)	1	C29-024	B
	Linear Rate Raised Height (35mm Lift) 60-100Kg Accessories (Bullbar AND Winch)	1	C29-030	B
SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas	2	GS29-424B	
STEERING DAMPER				
	Heavy Duty (Big Bore) Complete with Fittings	1	SD29-840	
SD29-840 is supplied with two styles of mounting pin. Dispose of the pin that is not required.				




REAR		QTY	PART NUMBER	PRICE
COIL SPRING				
	Variable Rate Lowered Height (30mm Drop)	1	C29-019V	B
	Linear Rate Standard Height	1	C29-011	B
	Linear Rate Raised Height (40mm Lift)	1	C29-025	B
	SHOCK ABSORBER			
	Heavy Duty Twin Tube Gas	2	GS59-650C	



TYPE: Grand Cherokee
MODEL: Laredo WH, WK
YEAR: 2005 - 2010
DETAIL: 3.0L TD, 3.7L V6, 4.7L, 5.7L, 6.1L V8



FRONT		QTY	PART NUMBER	PRICE
COIL SPRING				
3.0L TD, 3.7L V6 & 4.7L V8				
	Linear Rate Raised Height (45mm Lift)	1	C21-020	A
5.7L & 6.1L V8				
	Linear Rate Raised Height (45mm Lift)	1	C21-054	B
SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas	2	GS29-726	





REAR		QTY	PART NUMBER	PRICE
COIL SPRING				
	Linear Rate Raised Height (45mm Lift)	1	C29-027	B
	Linear Rate Raised Height (45mm Lift) 180Kg Constant Load	1	C29-029	B
SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas	2	GS29-727	






TYPE: Grand Cherokee
MODEL: WK2 Laredo Limited, Overland
YEAR: 2011 on



DETAIL: Will Not Suit Vehicles Equipped with Quadra-Lift





FRONT		QTY	PART NUMBER	PRICE
COIL SPRING				
3.6L V6 Petrol				
	Linear Rate Raised Height (40mm Lift) Up to 40Kg Accessories (Bullbar)	1	C29-120	B
	Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch)	1	C29-122	B
3.0L CRD V6 Diesel				
5.7L V8 Petrol				
	Linear Rate Raised Height (40mm Lift)	1	C29-128	B
	Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch)	1	C29-148	B
SHOCK ABSORBER				
Suits 2011- 2015 Models WITHOUT Swaybar bracket on lower shock clevis				
	Heavy Duty Twin Tube Gas	2	GS29-730	
	Extra Heavy Duty Twin Tube Gas *Increased Valve Force *HD Forged Clevis	2	GS29-732	
Suits 2016 Models WITH Swaybar bracket on lower shock clevis				
	Extra Heavy Duty Twin Tube Gas	1	GS29-742 LH	
	*HD Forged Clevis	1	GS29-742 RH	




REAR		QTY	PART NUMBER	PRICE
COIL SPRING				
Only to be fitted to vehicles WITH Self Levelling Nivomat Shock Absorber (OE 63mm OD Body)				
	Linear Rate Raised Height (40mm Lift)	1	C29-123T	C
	Linear Rate Raised Height (40mm Lift) 150-300Kg Constant Load	1	C29-143T	C
Only to be fitted to vehicles WITHOUT with Self Levelling Nivomat Shock Absorber (OE 50mm OD Body)				
	Linear Rate Raised Height (40mm Lift)	1	C29-125T	C
	Linear Rate Raised Height (40mm Lift) 150-200Kg Constant Load	1	C29-127T	C
SHOCK ABSORBER				
Will Not Replace Self Levelling Nivomat Shock Absorber on Vehicles with 3.5 Ton Towing Capacity.				
For Nivomat Suspension Conversion, Coil Spring C29-125T and Shock Absorber GS29-731 can be Fitted; PLEASE NOTE - Towing Capacity will be Reduced to 2.5 Ton				
	Heavy Duty Twin Tube Gas	2	GS29-731	
	Note: Check OD of OE Rear Shock Body before Ordering Coil Springs.			



TYPE: Wrangler
MODEL: TJ
YEAR: 10/1996 - 2007
DETAIL: 2.5L 4 Cyl. Sport
 4.0L 6 Cyl. Sahara






FRONT		QTY	PART NUMBER	PRICE
COIL SPRING				
	Linear Rate Raised Height (35mm Lift) No Accessories	1	C29-006	B
	Linear Rate Raised Height (35mm Lift) 40-80Kg Accessories (Bullbar OR Winch)	1	C29-002	B
	Linear Rate Raised Height (40mm Lift) 80-120Kg Accessories (Bullbar AND Winch)	1	C29-016	B
SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas	2	GS29-721	
STEERING DAMPER				
	Heavy Duty (Big Bore) Complete with Fittings	1	SD29-840	
SD29-840 is supplied with two styles of mounting pin. Dispose of the pin that is not required.				
UNDER BODY BUSH KIT				
SEE REAR UNDER BODY BUSH KIT				
COIL SPACER				
	15mm	2	PS29-4014	
	30mm	2	PS29-4015	






REAR		QTY	PART NUMBER	PRICE
COIL SPRING				
	Linear Rate Raised Height (35mm Lift)	1	C29-007	B
SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas	2	GS29-722	
UNDER BODY BUSH KIT				
	1 x Front Panhard Rod to Diff End Only 4 x Front Trailing Arm Upper Bush 4 x Front Trailing Arm Lower Bush 1 x Rear Panhard Rod Bush 4 x Rear Trailing Arm Upper Bush 4 x Rear Trailing Arm Lower Bush	1	PB29-1212K	
COIL SPACER				
	10mm	2	PS29-4016	
	15mm	2	PS29-4017	
	30mm	2	PS29-4018	



TYPE: Wrangler
MODEL: TJ
YEAR: 10/1996 - 2007
DETAIL: 2.5L 4 Cyl. Sport, 4.0L 6 Cyl. Sahara
 75mm (3" Lift)



FRONT		QTY	PART NUMBER	PRICE
COIL SPRING				
	Linear Rate Raised Height (3" Lift)	1	C29-048	B
SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas Suits (3" Lift)	2	GS29-420	
STEERING DAMPER				
	Heavy Duty (Big Bore) Complete with Fittings	1	SD29-840	
SD29-840 is supplied with two styles of mounting pin. Dispose of the pin that is not required.				

REAR		QTY	PART NUMBER	PRICE
COIL SPRING				
	Linear Rate Raised Height (3" Lift)	1	C29-049	B
	Linear Rate Raised Height (3" Lift) 150Kg Constant Load	1	C29-047	B
SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas	2	GS29-425S	
WARNING - 75MM (3") OR HIGHER LIFT				
The suspension components listed on this page are for off-road use only.				
	- Refer to Local Laws before Fitting to Registered/Road Vehicles - An Engineering Certificate may be required - Handling Characteristics will Diminish on Lifts Above 50mm (2")			
The following modifications (but not limited to) need to be made to the vehicle before the kit is fitted.				
	- Adjustable Panhard Rods - Modified Leading/Trailing Arms - Brake Hoses - Extended Bump Stops - Gear Box & Drive Line Modifications - Steering Arms - Swaybar Modification			
Dobinsons Spring & Suspension do not accept any responsibility for injury caused to person or property through the use of the products listed on this page.				
These products do not come with any warranty or guarantee.				



TYPE: Wrangler
MODEL: JK
YEAR: 2007 on
DETAIL: 2 Door, 4 Door



FRONT

QTY	PART NUMBER	PRICE
-----	-------------	-------

COIL SPRING

3.8L V6



Linear Rate Raised Height (50mm Lift)	1	C29-074	B
--	---	----------------	---

2.8LCRD Turbo Diesel



Linear Rate Raised Height (50mm Lift)	1	C29-078	B
--	---	----------------	---

Linear Rate Raised Height (50mm Lift) 70Kg Accessories (Bullbar OR Winch)	1	C29-088	B
--	---	----------------	---

STEERING DAMPER



RH Drive Only Complete with Fittings	1	SD45-022S	
--	---	------------------	--

LH Drive Only Complete with Fittings	1	SD29-840	
--	---	-----------------	--

SHOCK ABSORBER



Heavy Duty Twin Tube Gas	2	GS29-728	
--------------------------	---	-----------------	--

REAR

QTY	PART NUMBER	PRICE
-----	-------------	-------

COIL SPRING

2 Door



Linear Rate Raised Height (60mm Lift)	1	C29-073	B
--	---	----------------	---

4 Door



Linear Rate Raised Height (50mm Lift)	1	C29-075	B
--	---	----------------	---

Linear Rate Raised Height (50mm Lift) 200Kg Constant Load	1	C29-089	B
---	---	----------------	---

Linear Rate Raised Height (50mm Lift) 350Kg Constant Load	1	C29-091	B
---	---	----------------	---

SHOCK ABSORBER












Heavy Duty Twin Tube Gas	2	GS29-729	
--------------------------	---	-----------------	--



TYPE: Wrangler
MODEL: JK
YEAR: 2007 on
DETAIL: 2 Door, 4 Door
 65mm (2.5" Lift), 90mm (3.5" Lift),
 100mm (4" Lift) 110mm (4.5" Lift)







FRONT			REAR				
QTY	PART NUMBER	PRICE	QTY	PART NUMBER	PRICE		
COIL SPRING			COIL SPRING				
4 DOOR			4 DOOR				
	Variable Rate - Flexi Raised Height (65mm Lift) Extra Soft Option	1 C29-166V	B		Variable Rate - Flexi Raised Height (65mm Lift) Extra Soft Option	1 C29-167V	B
	Variable Rate - Flexi Raised Height (65mm Lift)	1 C29-176V	B		Variable Rate - Flexi Raised Height (65mm Lift)	1 C29-177V	B
	Variable Rate - Flexi Raised Height (90mm Lift) Extra Soft Option	1 C29-168V	B		Variable Rate - Flexi Raised Height (90mm Lift) Extra Soft Option	1 C29-169V	B
	Variable Rate - Flexi Raised Height (90mm Lift)	1 C29-170V	B		Variable Rate - Flexi Raised Height (90mm Lift)	1 C29-171V	B
	Linear Rate Raised Height (100mm Lift) Soft Option	1 C29-098	B		Linear Rate Raised Height (100mm Lift) Soft Option	1 C29-099	C
	Linear Rate Raised Height (100mm Lift)	1 C29-086	C		Linear Rate Raised Height (100mm Lift)	1 C29-087	C
	Variable Rate - Flexi Raised Height (110mm Lift)	1 C29-182V	B		Variable Rate - Flexi Raised Height (110mm Lift)	1 C29-181V	B
2 DOOR			2 DOOR				
	Variable Rate - Flexi Raised Height (65mm Lift)	1 C29-172V	B		Variable Rate - Flexi Raised Height (65mm Lift)	1 C29-173V	B
	Variable Rate - Flexi Raised Height (90mm Lift)	1 C29-174V	B		Variable Rate - Flexi Raised Height (90mm Lift)	1 C29-175V	B
	Variable Rate - Flexi Raised Height (65mm Lift) Extra Soft Option	1 C29-178V	B		Variable Rate - Flexi Raised Height (65mm Lift) Extra Soft Option	1 C29-179V	B
	Variable Rate - Flexi Raised Height (90mm Lift) Extra Soft Option	1 C29-166V	B		Variable Rate - Flexi Raised Height (90mm Lift) Extra Soft Option	1 C29-167V	B
	Variable Rate - Flexi Raised Height (110mm Lift) Extra Soft Option	1 C29-170V	B		Variable Rate - Flexi Raised Height (110mm Lift) Extra Soft Option	1 C29-171V	B
STEERING DAMPER			SHOCK ABSORBER				
	RH Drive Only Complete with Fittings	1 SD45-022S			Medium Duty Twin Tube Gas Suits 65mm Lift	2 GS29-717	
	LH Drive Only Complete with Fittings	1 SD29-840			Medium Duty Twin Tube Gas Suits 90mm, 100mm, 110mm Lift (Also Suits 65mm Lift Extra Soft Coil Options)	2 GS29-719	
SHOCK ABSORBER			WARNING - 100MM (4") OR HIGHER LIFT				
	Medium Duty Twin Tube Gas Suits 65mm Lift	2 GS29-716		The suspension components listed on this page are for off-road use only.			
	Medium Duty Suits 90mm, 100mm, 110mm Lift (Also Suits 65mm Lift Extra Soft Coil Options)	2 GS29-718			- Refer to Local Laws before Fitting to Registered/Road Vehicles - An Engineering Certificate may be required - Handling Characteristics will Diminish on Lifts Above 50mm (2")		
			The following modifications (but not limited to) need to be made to the vehicle before the kit is fitted.				
				- Adjustable Panhard Rods - Modified Leading/Trailing Arms - Brake Hoses - Extended Bump Stops			
			- Gear Box & Drive Line Modifications - Steering Arms - Swaybar Modification				
			Dobinsons Spring & Suspension do not accept any responsibility for injury caused to person or property through the use of the products listed on this page.				
			These products do not come with any warranty or guarantee.				



TYPE: Commander
MODEL: XH
YEAR: 2006 on
DETAIL: Petrol & Diesel



FRONT		QTY	PART NUMBER	PRICE
COIL SPRING				
	Linear Rate Raised Height (40mm Lift)	1	C21-020	A
	Linear Rate Raised Height (40mm Lift) 80Kg Accessories (Bullbar OR Winch)	1	C21-054	B
SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas	2	GS29-726	

REAR		QTY	PART NUMBER	PRICE
COIL SPRING				
	Linear Rate Raised Height (40mm Lift)	1	C29-027	B
	Linear Rate Raised Height (40mm Lift) 180Kg Constant Load	1	C29-029	B
SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas	2	GS29-727	

4x4

KIA

KIA-51



TYPE: Sportage
MODEL: JA
YEAR: 04/1994 - 03/2002
DETAIL: 2.0L



FRONT

QTY	PART NUMBER	PRICE
-----	-------------	-------

COIL SPRING

SWB & LWB 2.0L

	Linear Rate		
	Raised Height (40mm Lift)	1 C31-002	A
	Linear Rate		
	Raised Height (70mm Lift)	1 C31-044	A

When Fitting the Above Part Number, Suspension Changes are Required.

REAR

QTY	PART NUMBER	PRICE
-----	-------------	-------

COIL SPRING

**2 Door (Soft & Hard Top)
04/1994 - 2000 Short Body, 5 Door**

Spare Wheel Mounted on Tailgate

	Linear Rate		
	Raised Height (40mm Lift)	1 C31-003	A

2000 - 03/2002 Long Body, 5 Door

Spare Wheel Mounted Inside Vehicle



	Linear Rate		
	Raised Height (40mm Lift)	1 C31-033	A
	Linear Rate		
	Raised Height (70mm Lift)	1 C31-049	A

When Fitting Above Part Number, Suspension Changes are Required.



TYPE: Sportage
MODEL: KM
YEAR: 08/2005 - 04/2010
DETAIL: 2.0L







FRONT				REAR			
	QTY	PART NUMBER	PRICE		QTY	PART NUMBER	PRICE
COIL SPRING				COIL SPRING			
 Linear Rate Raised Height (40mm Lift)	1	C31-062	B	 Variable Rate Raised Height (40mm Lift)	1	C31-063V	B



TYPE: Sportage
MODEL: SL, SL Platinum
YEAR: 04/2010 on
DETAIL: 2.0L/2.4L Unleaded, 2.0L Turbo Diesel



FRONT				REAR			
	QTY	PART NUMBER	PRICE		QTY	PART NUMBER	PRICE
COIL SPRING				COIL SPRING			
AWD Vehicle				AWD Vehicle			
		Linear Rate Raised Height (40mm Lift)				Linear Rate Raised Height (40mm Lift)	
	1	C25-096	B		1	C25-097	B
4x2 Vehicle				4x2 Vehicle			
		Linear Rate Raised Height (40mm Lift)				Linear Rate Raised Height (40mm Lift)	
	1	C31-076	B		1	C31-077	B



TYPE: Sorento
MODEL: BL
YEAR: 2003 -2007
DETAIL:



FRONT

QTY	PART NUMBER	PRICE
-----	-------------	-------

COIL SPRING

3.5L V6 Petrol
 2.5L Diesel



Linear Rate
 Raised Height (35mm Lift)

1	C31-024	B
---	----------------	---

REAR

QTY	PART NUMBER	PRICE
-----	-------------	-------

COIL SPRING

3.5L V6 Petrol
 3.0L Diesel



Linear Rate
 Raised Height (35mm Lift)

1	C31-025	B
---	----------------	---

SHOCK ABSORBER






Heavy Duty Twin Tube Gas

2	GS33-635W	
---	------------------	--



TYPE: Sorento
MODEL: BL (LX, EX)
YEAR: 07/2007 - 2009
DETAIL:








FRONT			QTY	PART NUMBER	PRICE	REAR			QTY	PART NUMBER	PRICE
COIL SPRING						COIL SPRING					
Petrol						Petrol & Diesel					
	Linear Rate		1	C31-024	B		Linear Rate		1	C31-027	B
	Raised Height						Raised Height				
Diesel											
	Linear Rate		1	C31-026	B						
	Raised Height										



TYPE: Sorento
MODEL: LX, EX, SX
YEAR: 2010 on
DETAIL: 2nd Generation XMA



FRONT			REAR		
QTY	PART NUMBER	PRICE	QTY	PART NUMBER	PRICE
COIL SPRING					
2010 - 2015 Models					
	Linear Rate Raised Height (35mm Lift)	1	C31-074	B	
2016 on Models					
	Linear Rate Raised Height (35mm Lift)	1	C31-042	B	
COIL SPRING					
2010 - 2015 MODELS					
With self levelling Rear Suspension					
	Linear Rate Raised Height (40mm Lift)	1	C31-029	B	
Without self levelling Rear Suspension					
	Linear Rate Raised Height (40mm Lift)	1	C31-075	B	
2016 on Models					
	Linear Rate Raised Height (35mm Lift)	1	C31-043	B	



TYPE: Niva
MODEL: 2121
YEAR: 1978 on
DETAIL:



FRONT

QTY	PART NUMBER	PRICE
-----	-------------	-------

COIL SPRING



Linear Rate
 Raised Height (35mm Lift)

1	C33-002	B
---	----------------	---

SHOCK ABSORBER



Heavy Duty Twin Tube Gas

2	GS33-087B	
---	------------------	--

Front Lower Shock Mount Requires Strengthening.

REAR

QTY	PART NUMBER	PRICE
-----	-------------	-------

COIL SPRING



Linear Rate
 Raised Height (35mm Lift)

1	C33-003	B
---	----------------	---

SHOCK ABSORBER



Heavy Duty Twin Tube Gas

2	GS33-635W	
---	------------------	--















TYPE:

MODEL: Series II, IIA, III

YEAR: 1958 - 1984

DETAIL: LWB Pickup & Station Wagon,
Snatana 109,
SWB Santana 88

FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE
LEAF SPRING									
	9 Leaves	1	LAND-9L-FRH			Suits SWB			
	Raised Height (40mm Lift)	1	LAND-9L-FLH			11 Leaves	1	LAND-SWB-R RH	
SHACKLE BUSH KIT									
SWB Series II, IIA, III									
LWB Series II, IIA									
	Kit Contains: 4 x SPF2154 2 x SPF2212	1	PB51-1029K			Suits LWB			
	1973 on, Series III, LWB only					8 Leaves	1	LAND-8L-RRH	
	Kit Contains: 4 x SPF2154 2 x SPF2155	1	PB51-1081K			Raised Height (45mm Lift)	1	LAND-8L-RLH	
	SHACKLE BUSH KIT								
	Kit Contains: 6 x SPF2154	1	PB51-1030K		U-BOLT KIT				
	Series II, IIA								
	Kit Contains: RHS - 1 x UB51-601-1 1 x UB51-901	1	UB51-901K			Series III			
	LHS - 2 x UB51-601-1	1	UB51-601-1K			Kit Contains: 2 x UB51-904	2	UB51-904K	
	Kit Contains: RHS - 2 x UB51-903 LHS - 1 x UB51-902 1 x UB51-903	1	UB51-903K		SHOCK ABSORBER				
		1	UB51-902K		Suits SWB, (LWB pre 1958)				
SHOCK ABSORBER									
	Heavy Duty Twin Tube Gas	2	GS51-090			Suits LWB (1958 on)			
						Heavy Duty Twin Tube Gas	2	GS59-631	
STEERING DAMPER									
	Heavy Duty (Big Bore) Complete with Fittings	1	SD51-811						










TYPE: Range Rover

MODEL:

YEAR: 1971 - 1998

DETAIL: Coil Spring Suspension
(Not With Air Suspension)









FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE
COIL SPRING					COIL SPRING				
	Linear Rate Raised Height (20mm Lift)	1	C51-016	B		Linear Rate Standard Height (20mm Lift)	1	C51-017	B
	Linear Rate Raised Height (45mm Lift)	1	C51-014	B		Linear Rate Raised Height (45mm Lift)	1	C51-015	B
	Linear Rate Raised Height (40mm Lift)					Linear Rate Raised Height (45mm Lift) 150Kg Constant Load	1	C51-022	B
	Diesel Engine Up to 50Kg Accessories (Bullbar OR Winch)	1	C51-018	B					
SHOCK ABSORBER					SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas	2	GS51-116			Heavy Duty Twin Tube Gas	2	GS51-117	
STEERING DAMPER					UNDER BODY BUSH KIT				
	Heavy Duty (Big Bore) Complete with Fittings	1	SD51-811		Kit Includes Front & Rear Under Body Bushes				
UNDER BODY BUSH KIT					Non EFI, Pre 01/1986				
See Rear Under Body Bush Kit					4 x Front Radius Arm to Chassis Bush 4 x Front Radius Arm to Diff Bush 2 x Front Panhard Rod Bush 2 x Rear Upper Arm to Chassis Bush 2 x Rear Lower Arm to Diff Bush 4 x Rear Lower Arm to Chassis Bush				
CASTOR KIT					With EFI, 02/1986 on				
Front Radius Arm Castor Kit ±2.5° 4 x Polyurethane Eccentric Bushes					4 x Front Radius Arm to Chassis Bush 4 x Front Radius Arm to Diff Bush 2 x Front Panhard Rod Bush 2 x Rear Upper Arm to Chassis Bush 2 x Rear Lower Arm to Diff Bush 4 x Rear Lower Arm to Chassis Bush				
	Pre 1986 Suits 38mm Wide Leading Arm	1	PB51-501K		1 PB51-1242K				
	After 1986 Suits 44mm Wide Leading Arm	1	PB51-502K		1 PB51-1243K				
Raising Vehicle Will Effect Castor Angle. A Wheel Alignment is Recommended to Determine if a Castor Kit is Required. Do NOT Fit to Automatic Models as Vibration May Occur.					COIL SPACER				
	5mm	2	PS59-4001			5mm	2	PS59-4001	
	10mm	2	PS59-4002			10mm	2	PS59-4002	
	20mm	2	PS59-4003			20mm	2	PS59-4003	
	30mm	2	PS59-4004			30mm	2	PS59-4004	



TYPE: Discovery
MODEL: Series I
YEAR: 1991 - 03/1999
DETAIL:








FRONT			QTY	PART NUMBER	PRICE	REAR			QTY	PART NUMBER	PRICE
COIL SPRING						COIL SPRING					
	Linear Rate Standard Height (20mm Lift)	1	C51-016	B		Variable Rate Standard Height (20mm Lift)	1	C51-023V	B		
	Linear Rate Raised Height (45mm Lift)	1	C51-014	B		Linear Rate Raised Height (35mm Lift)	1	C51-015	B		
	Linear Rate Raised Height (40mm Lift)					Linear Rate Raised Height (50mm Lift) Up to 50Kg Constant Load	1	C51-022	B		
	Diesel Engine Up to 50Kg Accessories (Bullbar OR Winch)	1	C51-018	B		Variable Rate Raised Height (50mm Lift) Extra Heavy Duty 100-220Kg Constant Load	1	C51-027V	B		
SHOCK ABSORBER						SHOCK ABSORBER					
	Heavy Duty Twin Tube Gas	2	GS51-116				Heavy Duty Twin Tube Gas	2	GS51-117		
STEERING DAMPER						STEERING DAMPER					
	Heavy Duty (Big Bore) Complete with Fittings	1	SD51-811								
UNDER BODY BUSH KIT						UNDER BODY BUSH KIT					
See Rear Under Body Bush Kit						Kit Includes Front & Rear Under Body Bushes					
CASTOR ADJUSTMENT PART						CASTOR ADJUSTMENT PART					
Front Radius Arm Castor Kit ($\pm 2.0^\circ$) 4 x Polyurethane Eccentric Bushes						4 x Front Radius Arm to Chassis Bush 4 x Front Radius Arm to Diff Bush 2 x Front Panhard Rod Bush 2 x Rear Upper Arm to Chassis Bush 2 x Rear Lower Arm to Diff Bush 4 x Rear Lower Arm to Chassis Bush					
Suits 44mm Wide Leading Arm						1					
PB51-502K						PB51-1243K					
Raising Vehicle Will Effect Castor Angle. A Wheel Alignment is Recommended to Determine if a Castor Kit is Required.											
Do NOT Fit to Automatic Models as Vibration May Occur.											
COIL SPACER						COIL SPACER					
	5mm	2	PS59-4001				5mm	2	PS59-4001		
	10mm	2	PS59-4002				10mm	2	PS59-4002		
	20mm	2	PS59-4003				20mm	2	PS59-4003		
	30mm	2	PS59-4004				30mm	2	PS59-4004		



TYPE: Discovery II
MODEL: Series II
YEAR: 03/1999 - 2004
DETAIL: TD5, V8







FRONT			REAR				
	QTY	PART NUMBER	PRICE		QTY	PART NUMBER	PRICE
COIL SPRING			COIL SPRING				
		Linear Rate Standard Height (20mm Lift)	1	C51-032	B		
		Linear Rate Raised Height (45mm Lift) Up to 40Kg Accessories (Bullbar OR Winch) Recommended	1	C51-042	B		
		Linear Rate Raised Height (45mm Lift) Extra Heavy Duty 40-100Kg Accessories (Bullbar AND Winch)	1	C51-052	B		
SHOCK ABSORBER			SHOCK ABSORBER				
		Heavy Duty Twin Tube Gas	2	GS51-118			
SHOCK ABSORBER			SHOCK ABSORBER				
		Heavy Duty Twin Tube Gas	2	GS51-119			
STEERING DAMPER			STEERING DAMPER				
		Heavy Duty (Big Bore) Complete with Fittings	1	SD51-802			



TYPE: Discovery III
MODEL: LR3
YEAR: 01/2005 - 2009
DETAIL: 2.7L V6 TD, 4.0L V6 Petrol
 Coil Spring Models Only










FRONT		QTY	PART NUMBER	PRICE
COIL SPRING				
	Linear Rate Raised Height (45mm Lift)	1	C51-066	C
SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas	2	GS51-120	

REAR		QTY	PART NUMBER	PRICE
COIL SPRING				
	Linear Rate Raised Height (45mm Lift)	1	C51-067	C
	Linear Rate Raised Height (45mm Lift) 200Kg Constant Load	1	C51-079	C
	Linear Rate Raised Height (45mm Lift) 400Kg Constant Load	1	C51-065	D
SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas	2	GS51-121	



TYPE: Defender
MODEL: 90 Series
YEAR: 1984 - 1990
DETAIL: SWB











FRONT			QTY	PART NUMBER	PRICE	REAR			QTY	PART NUMBER	PRICE
COIL SPRING						COIL SPRING					
Petrol											
	Linear Rate Raised Height (40mm Lift)	1	C51-014		B		Linear Rate Raised Height (45mm Lift) Up to 50Kg Constant Load	1	C51-015		B
	Linear Rate Raised Height (45mm Lift) 50-80Kg Accessories (Bullbar AND Winch)	1	C51-018		B		Variable Rate Raised Height (50mm Lift) 100-220Kg Constant Load	1	C51-027V		B
Diesel											
	Linear Rate Raised Height (45mm Lift) Up to 80Kg Accessories (Bullbar OR Winch)	1	C51-018		B						
SHOCK ABSORBER						SHOCK ABSORBER					
	Heavy Duty Twin Tube Gas	2	GS51-116				Heavy Duty Twin Tube Gas	2	GS51-117		
STEERING DAMPER						UNDER BODY BUSH KIT					
	Heavy Duty (Big Bore) Complete with Fittings	1	SD51-832			Kit Includes Front & Rear Under Body Bushes					
						Chassis Number up to LA930455					
						4 x Front Radius Arm to Chassis Bush 4 x Front Radius Arm to Diff Bush 2 x Front Panhard Rod Bush 2 x Rear Upper Arm to Chassis Bush 2 x Rear Lower Arm to Diff Bush 4 x Rear Lower Arm to Chassis Bush					
						1 PB51-1244K					
						Chassis Number LA930456 on					
						4 x Front Radius Arm to Chassis Bush 4 x Front Radius Arm to Diff Bush 2 x Front Panhard Rod Bush 2 x Rear Upper Arm to Chassis Bush 2 x Rear Lower Arm to Diff Bush 4 x Rear Lower Arm to Chassis Bush					
						1 PB51-1243K					
CASTOR KIT											
Front Radius Arm Castor Kit (±2.0°) 4 x Polyurethane Eccentric Bushes											
Pre 1986											
	Suits 38mm Wide Leading Arm	1	PB51-501K								
After 1986											
	Suits 44mm Wide Leading Arm	1	PB51-502K								
Raising Vehicle Will Effect Castor Angle. A Wheel Alignment is Recommended to Determine if a Castor Kit is Required. Do NOT Fit to Automatic Models as Vibration May Occur.											
COIL SPACER											
	5mm	2	PS59-4001								
	10mm	2	PS59-4002								
	20mm	2	PS59-4003								
	30mm	2	PS59-4004								



TYPE: Defender
MODEL: 110 Series
YEAR: 1984 - 1992
DETAIL: Pickup, 110 Country Wagon, Trayback










FRONT		QTY	PART NUMBER	PRICE
COIL SPRING				
Suits: 110 V8 Petrol 2.5L Diesel				
	Linear Rate Raised Height (40mm Lift)	1	C51-017	B
	Linear Rate Raised Height (40mm Lift) 80-100Kg Accessories (Bullbar AND Winch)	1	C51-015	B
Suits: 110 Isuzu Diesel (Pickup)				
	Linear Rate Raised Height (30mm Lift)	1	C51-015	B
	Linear Rate Raised Height (40mm Lift) 80-100Kg Accessories (Bullbar AND Winch)	1	C51-022	B
SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas	2	GS51-116	
STEERING DAMPER				
	Heavy Duty (Big Bore) Complete with Fittings	1	SD51-832	
UNDER BODY BUSH KIT				
See Rear Under Body Bush Kit				
CASTOR ADJUSTMENT PART				
Front Radius Arm Castor Kit (±2.0°) 4 x Polyurethane Eccentric Bushes				
Isuzu Diesel Engine				
	Suits 38mm Wide Leading Arm	1	PB51-501K	
Petrol Only				
	Suits 38mm Wide Leading Arm	1	PB51-501K	
	Suits 44mm Wide Leading Arm	1	PB51-502K	
Raising Vehicle Will Effect Castor Angle. A Wheel Alignment is Recommended to Determine if a Castor Kit is Required.				
COIL SPACER				
	5mm	2	PS59-4001	
	10mm	2	PS59-4002	
	20mm	2	PS59-4003	
	30mm	2	PS59-4004	

REAR		QTY	PART NUMBER	PRICE
COIL SPRING				
Suits: 110 Wagon & Pickup with Self Levelling Suspension				
	Linear Rate Raised Height (30mm Lift)	1	C51-001	B
Suits: 110 Wagon & Pickup without Self Levelling Suspension				
	Linear Rate Raised Height (45mm Lift) Up to 250Kg Constant Load	1	C51-019	B
	Linear Rate Raised Height (45mm Lift) 350Kg Constant Load	1	C51-011	C
SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas	2	GS51-117	
UNDER BODY BUSH KIT				
Kit Includes Front & Rear Under Body Bushes				
Chassis Number up to LA930434				
	4 x Front Radius Arm to Chassis Bush			
	4 x Front Radius Arm to Diff Bush			
	2 x Front Panhard Rod Bush			
	2 x Rear Upper Arm to Chassis Bush			
	2 x Rear Lower Arm to Diff Bush			
	4 x Rear Lower Arm to Chassis Bush	1	PB51-1244K	
Chassis Number LA930435 on				
	4 x Front Radius Arm to Chassis Bush			
	4 x Front Radius Arm to Diff Bush			
	2 x Front Panhard Rod Bush			
	2 x Rear Upper Arm to Chassis Bush			
	2 x Rear Lower Arm to Diff Bush			
	4 x Rear Lower Arm to Chassis Bush	1	PB51-1243K	



TYPE: Defender
MODEL: 110 & 130 Series
YEAR: 1992 - 2001
DETAIL: LWB 110" Wheel Base 300 TDi
 130" Wheel Base Double Cab









FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE
COIL SPRING					COIL SPRING				
Suits: 110 Series 130 Series					Suits: 110 Series				
	Linear Rate Standard Height	1	C51-020	B	Linear Rate Standard Height	1	C51-051	B	
	Linear Rate Raised Height (30mm Lift) Up to 50Kg Accessories (Bullbar OR Winch)	1	C51-018	B	Linear Rate Raised Height (45mm Lift) Up to 250Kg Constant Load	1	C51-019	B	
	Linear Rate Raised Height (45mm Lift) 80-120Kg Accessories (Bullbar AND Winch)	1	C51-026	B	Linear Rate Raised Height (45mm Lift) Up to 350Kg Constant Load	1	C51-011	C	
SHOCK ABSORBER					SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas	2	GS51-116			Linear Rate Raised Height (45mm Lift)	1	C51-009T	C
STEERING DAMPER					STEERING DAMPER				
	Heavy Duty (Big Bore) Complete with Fittings	1	SD51-832			Linear Rate Raised Height (45mm Lift) 500Kg Constant Load	1	C51-059T	C
UNDER BODY BUSH KIT					SHOCK ABSORBER				
See Rear Under Body Bush Kit						Heavy Duty Twin Tube Gas	2	GS51-117	
CASTOR KIT					UNDER BODY BUSH KIT				
Front Radius Arm Castor Kit (±2.0°) 4 x Polyurethane Eccentric Bushes					Kit Includes Front & Rear Under Body Bushes				
110 Series					Chassis Number LA930435 on				
Suits 38mm Wide Leading Arm	1	PB51-501K		4 x Front Radius Arm to Chassis Bush					
Suits 44mm Wide Leading Arm	1	PB51-502K		4 x Front Radius Arm to Diff Bush					
130 Series					2 x Front Panhard Rod Bush				
Suits 44mm Wide Leading Arm	1	PB51-502K		2 x Rear Upper Arm to Chassis Bush					
Raising Vehicle Will Effect Castor Angle. A Wheel Alignment is Recommended to Determine if a Castor Kit is Required.					2 x Rear Lower Arm to Diff Bush				
COIL SPACER					4 x Rear Lower Arm to Chassis Bush	1	PB51-1243K		
	5mm	2	PS59-4001						
	10mm	2	PS59-4002						
	20mm	2	PS59-4003						
	30mm	2	PS59-4004						



TYPE: Defender
MODEL: 110 & 130 Series
YEAR: 2007 on
DETAIL: TD4 2.4 Turbo Diesel







FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE
COIL SPRING					COIL SPRING				
	Linear Rate Standard Height	1	C51-020	B	Suits: 110 Series				
	Linear Rate Raised Height (40mm Lift) Up to 50Kg Accessories (Bullbar OR Winch)	1	C51-018	B	Linear Rate Standard Height	1	C51-051	B	
	Linear Rate Raised Height (50mm Lift) 50-80Kg Accessories (Bullbar OR Winch)	1	C51-017	B	Linear Rate Raised Height (45mm Lift) Up to 250Kg Constant Load	1	C51-019	B	
	Linear Rate Raised Height (50mm Lift) 80-120Kg Accessories (Bullbar AND Winch)	1	C51-026	B	Linear Rate Raised Height (45mm Lift) Up to 350Kg Constant Load	1	C51-011	C	
STEERING DAMPER					Suits: 130 Series				
	Heavy Duty (Big Bore) Complete with Fittings	1	SD51-832		Linear Rate Raised Height (45mm Lift)	1	C51-009T	C	
SHOCK ABSORBER						Linear Rate Raised Height (45mm Lift) 500Kg Constant Load	1	C51-059T	C
	Heavy Duty Twin Tube Gas	2	GS51-116		Replace Inner Coil Helper for Maximum Load Carrying Capacity.				
UNDER BODY BUSH KIT					SHOCK ABSORBER				
See Rear Under Body Bush Kit						Heavy Duty Twin Tube Gas	2	GS51-117	
COIL SPACER					UNDER BODY BUSH KIT				
	5mm	2	PS59-4001		Kit Includes Front & Rear Under Body Bushes				
	10mm	2	PS59-4002		Chassis Number up to LA930435 on				
	20mm	2	PS59-4003		4 x Front Radius Arm to Chassis Bush				
	30mm	2	PS59-4004		4 x Front Radius Arm to Diff Bush				
					2 x Front Panhard Rod Bush				
					2 x Rear Upper Arm to Chassis Bush				
					2 x Rear Lower Arm to Diff Bush				
					4 x Rear Lower Arm to Chassis Bush	1	PB51-1243K		



TYPE: Freelander
MODEL:
YEAR: 1997 - 1999, 1999 - 2006
DETAIL: Petrol & TD4



FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE
COIL SPRING					COIL SPRING				
1997 - 1999 1.8L Petrol 2.0L Turbo Diesel (To Chassis No WA624944)					1997 - 1999 1.8L Petrol 2.0L Turbo Diesel (To Chassis No WA624944)				
	Linear Rate Raised Height (30mm Lift)	1	C51-012	B		Linear Rate Raised Height (30mm Lift)	1	C51-013	B
1999 - 2006 2.5L V6 Petrol 2.0L TD DOHC (From Chassis No WA624945)					1999 - 2006 2.5L V6 Petrol 2.0L TD DOHC (From Chassis No WA624945)				
	Linear Rate Raised Height (30mm Lift)	1	C51-046	B		Linear Rate Raised Height (30mm Lift)	1	C51-047	B

4x4**MAHINDRA****MAH-51****TYPE:** Scorpio (Goa, Getaway)**MODEL:****YEAR:** 2002 on**DETAIL:** 4x4 Wagon**FRONT**

QTY	PART NUMBER	PRICE
-----	-------------	-------

TORSION BAR

Heavy Duty
Rate Increased
Length 1063mm

1	TB38-1673	
---	------------------	--

SHOCK ABSORBER

Heavy Duty Twin Tube Gas

2	GS21-463	
---	-----------------	--

REAR

QTY	PART NUMBER	PRICE
-----	-------------	-------

COIL SPRING

Linear Rate
Raised Height (40mm Lift)
Up to 100Kg Constant Load

1	C38-003	B
---	----------------	---

SHOCK ABSORBER








Heavy Duty Twin Tube Gas

2	GS21-015BC	
---	-------------------	--



TYPE: Scorpio (Getaway)
MODEL: CRDE Pick-Up
YEAR: 2008 on
DETAIL: 4x4 2.5L











FRONT			REAR				
	QTY	PART NUMBER	PRICE		QTY	PART NUMBER	PRICE
TORSION BAR							
		Heavy Duty Rate Increased Length 1063mm	1	TB38-1673			
SHOCK ABSORBER							
		Heavy Duty Twin Tube Gas	2	GS43-082S			
LEAF SPRING							
		4+2 Leaves Raised Height (40mm Lift) Up to 100Kg Constant Load	2	L38-220-R			
SHACKLE BUSH KIT							
		Kit Contains: 12 x SPF2260	1	PB59-1019K			
U-BOLT KIT							
		Kit Contains: 2 x UB59-415	2	UB59-415K			
SHOCK ABSORBER							
		Heavy Duty Twin Tube Gas	2	GS21-015BC			
SHACKLE							
		Right Hand Side (Anti-Reverse)	1	SK59-048			
		Left Hand Side (Anti-Reverse)	1	SK59-047			



TYPE: Bravo
MODEL: B2200/2500/2600/4000
YEAR: 03/1987 - 11/2006
DETAIL: Pickup, Ford Raider/Courier, Proceed
 Suspension Fits 4x2 Highrider & 4x4 B4000 4.0L V6











FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE
TORSION BAR					LEAF SPRING				
	Heavy Duty Rate Increased Length 926mm	1	TB39-1546			5+2 Leaves Raised Height (35mm Lift) Up to 100Kg Constant Load	2	MAZ-003-R	
SHOCK ABSORBER					SHOCKLE BUSH KIT				
	Heavy Duty Twin Tube Gas	2	GS19-082P			Kit Contains: 2 x SPF311 4 x SPF502 4 x SPF753	1	PB39-1058K	
SHOCK ABSORBER					U-BOLT KIT				
	Heavy Duty Twin Tube Gas	2	GS19-081T			Kit Contains: 2 x UB59-453-3	2	UB59-453-3K	
SHOCKLE					SHOCKLE				
	Greasable: Fit In Pairs	2	SK59-010			Greasable: Fit In Pairs	2	SK59-010	



TYPE: BT-50 (Series I)
MODEL: BT-50
YEAR: 2007 - 10/2011
DETAIL: Pickup/Dual Cab, Ford Ranger PJ, PK
 Suspension Fits 4x4 & 4x2 Highrider








FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE
TORSION BAR					LEAF SPRING				
	Heavy Duty Rate Increased Length 1024mm x 27mm	1	TB39-1551			3+2 Leaves Medium Duty Raised Height (40mm Lift) Up to 100Kg Constant Load	2	L39-030-R	
	Heavy Duty Rate Increased Length 926mm	1	TB39-1546			4+2 Leaves Heavy Duty Raised Height (45mm Lift) 280Kg Constant Load	2	L39-031-R	
<p>Note: For Latin American models check the OE Torsion Bar length before ordering, as there are some models with a 926mm long Torsion Bar.</p>									
SHOCK ABSORBER					SHACKLE BUSH KIT				
	Heavy Duty Twin Tube Gas	2	GS19-082P			Kit Contains: 2 x PB59-1503 4 x SPF502 4 x SPF753	1	PB39-1056K	
SHOCK ABSORBER					U-BOLT KIT				
						Kit Contains: 2 x UB21-466	2	UB21-466K	
SHOCK ABSORBER					SHOCK ABSORBER				
						Heavy Duty Twin Tube Gas	2	GS19-081T	
SHOCK ABSORBER					SHACKLE				
						Greasable: Fit in Pairs	2	SK59-010	
SHOCK ABSORBER					PIN				
						Greasable: Fit in Pairs	2	SP59-060	



TYPE: BT-50 (Series II)
MODEL: BT-50
YEAR: 10/2011 on
DETAIL: 3.2L Pickup/Well Back/Tray Back
 Also Suits 4x2 Highrider

















FRONT			REAR		
QTY	PART NUMBER	PRICE	QTY	PART NUMBER	PRICE
COIL SPRING			LEAF SPRING		
XT Pickup (Dual Cab) XTR Pickup (Extra Cab) 4x2 High Rider			3+3 Leaves Medium Duty Raised Height (40mm Lift) Up to 100Kg Constant Load		
	Linear Rate Raised Height (40mm Lift) No Accessories	1 C19-420	B	2 L19-131-R	
	Linear Rate Raised Height (40mm Lift) 50-90Kg Accessories	1 C19-422	B	4+3 Leaves Heavy Duty Raised Height (40mm Lift) 280Kg Constant Load (Recommended)	2 L19-132-R
XT Trayback (Single Cab, Extra Cab & Dual Cab) XTR & GT Pickup (Dual Cab)			5+3 Leaves Super Heavy Duty Raised Height (40mm Lift) 500Kg Constant Load		
	Linear Rate Raised Height (40mm Lift) No Accessories	1 C19-422	B	2 L19-133-R	
	Linear Rate Raised Height (40mm Lift) 50-90Kg Accessories	1 C19-424	B	TAILSHAFT SPACER KIT	
SHOCK ABSORBER			Tailshaft Centre Bearing Spacer Kit Helps to Reduce Driveline Vibration in Lifted Vehicles		
	Heavy Duty Twin Tube Gas Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of X = 190mm/7.48" (X - Centre of Eye to Spring Seat)	2 GS19-092		1 WA19-526K	
		2 MR19-50092		SHACKLE BUSH KIT	
STRUT CAP			Kit Contains: 2 x PB19-1523 4 x PB19-1524 4 x PB19-1525		
	Strut Top Cap	2 SC19-009		1 PB19-1104K	
			U-BOLT KIT		
			Kit Contains: 2 x UB21-466		
			2 UB21-466K		
			SHOCK ABSORBER		
			Heavy Duty Twin Tube Gas		
			2 GS19-081T		
			Monotube Remote Reservoir Shock Heavy Duty		
			2 MR19-50081T		
			SHACKLE		
			Greasable: Fit in Pairs		
			2 SK19-058		
			PIN		
			Greasable: Fit in Pairs		
			2 SP59-060		



TYPE: BT-50 (Series II)
MODEL: BT-50
YEAR: 10/2011 on
DETAIL: 3.2L Pickup/Well Back/Tray Back
 Also Suits 4x2 Highrider
 3" Lift








FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE
COIL SPRING					PARABOLIC LEAF SPRING				
XT Pickup (Dual Cab) XTR Pickup (Extra Cab) 4x2 High Rider					 3 + 1 Leaves Raised Height (60mm Lift)				
	Linear Rate Raised Height (3" Lift)	1	C19-442	B	2	L19-135-RP			
XT Trayback (Single Cab, Extra Cab & Dual Cab) XTR & GT Pickup (Dual Cab)					3 + 1 Leaves Raised Height (3" Lift)				
	Linear Rate Raised Height (3" Lift)	1	C19-458	B	2	L19-139-RP			
SHOCK ABSORBER					TAILSHAFT SPACER KIT				
	Heavy Duty Twin Tube Gas Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty	2	GS19-092		Tailshaft Centre Bearing Spacer Kit Helps to Reduce Driveline Vibration in Lifted Vehicles				
	Original Setting of X = 190mm/7.48" X = Centre of Eye to Spring Seat	2	MR19-50092		1 WA19-526K				
SHOCK ABSORBER					SHACKLE BUSH KIT				
	Strut Top Caps	2	SC19-009		Kit Contains: 2 x PB19-1523 4 x PB19-1524 4 x PB19-1525				
					1	PB19-1104K			
SHOCK ABSORBER					U-BOLT KIT				
	Heavy Duty Twin Tube Gas	2	GS19-081T		Kit Contains: 2 x UB21-466				
	Monotube Remote Reservoir Shock Heavy Duty	2	MR19-50081T		2	UB21-466K			
SHOCK ABSORBER					SHACKLE				
	Strut Top Caps	2	SC19-009		 Greasable: Fit in Pairs				
					2	SK19-058			
SHOCK ABSORBER					PIN				
	Strut Top Caps	2	SC19-009		 Greasable: Fit in Pairs				
					2	SP59-060			
WARNING - LIFTS EXCEEDING 50MM (2") The suspension components listed on this page are for off-road use only.									
 <ul style="list-style-type: none"> - Refer to Local Laws before Fitting to Registered/Road Vehicles - An Engineering Certificate may be required - Handling Characteristics will Diminish on Lifts Above 50mm (2") 									
The following modifications (but not limited to) need to be made to the vehicle before the kit is fitted.									
 <ul style="list-style-type: none"> - Diff Drop Kits - Upper Control Arms - Brake Hoses - Extended Bump Stops - Gear Box & Drive Line Modifications - Steering Arms - Swaybar Modification 									
Dobinsons Spring & Suspension do not accept any responsibility for injury caused to person or property through the use of the products listed on this page.									
These products do not come with any warranty or guarantee.									



TYPE: G-Class
MODEL: G230, G300
YEAR: 1982 - 2001
DETAIL: G230: 2.3L & 2.8L Petrol
 G300: 3.0L Turbo Diesel







FRONT		QTY	PART NUMBER	PRICE
COIL SPRING				
	Linear Rate Raised Height (45mm Lift)	1	C41-042	B
SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas	2	G545-125B	

REAR		QTY	PART NUMBER	PRICE
COIL SPRING				
	Variable Rate Raised Height (45mm Lift) Comfort Spring	1	C43-045VE	B
	Variable Rate Raised Height (45mm Lift) Extra Heavy Duty 250Kg Constant Load	1	C41-055V	B
SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas	2	GS43-784D	



TYPE: G-Wagon
MODEL: G55
YEAR: 2005 on
DETAIL: 4 Door Station Wagon







FRONT			REAR				
	QTY	PART NUMBER	PRICE		QTY	PART NUMBER	PRICE
COIL SPRING							
		Linear Rate Raised Height (45mm Lift)	1	C41-060			B
		Linear Rate Raised Height (75mm Lift)	1	C41-062			B
SHOCK ABSORBER							
		Heavy Duty Twin Tube Gas	2	GS51-117S			
COIL SPRING							
		Variable Rate Raised Height (45mm Lift) Comfort Spring	1	C43-045VE			B
		Variable Rate Raised Height (45mm Lift) Extra Heavy Duty 250Kg Constant Load	1	C41-055V			B
SHOCK ABSORBER							
		Heavy Duty Twin Tube Gas	2	GS43-784D			



TYPE: G-Wagon
MODEL: G550
YEAR: 2005 on
DETAIL: 5.6L V8



FRONT				REAR			
	QTY	PART NUMBER	PRICE		QTY	PART NUMBER	PRICE
COIL SPRING				COIL SPRING			
 Linear Rate Raised Height (45mm Lift)	1	C41-048	B	 Linear Rate Raised Height (50mm Lift)	1	C41-055V	B
SHOCK ABSORBER				SHOCK ABSORBER			
 Heavy Duty Twin Tube Gas	2	GS45-125B		 Heavy Duty Twin Tube Gas	2	GS43-784D	













TYPE: Triton

MODEL: ME, MF, MG, MH, MJ, MK

YEAR: 1987 - 09/2006

DETAIL: Pickup, Colt Rodeo (South Africa)
Mighty Max, L200 (PNG)

















FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE			
TORSION BAR					LEAF SPRING							
Petrol & Diesel (Pre 1992)					 3+2 Leaves Raised Height (35mm Lift) Up to 100Kg Constant Load							
 Heavy Duty Rate Increased Length 1282mm Check Length Before Ordering					1	TB43-200		2	TRIT-3+2-R			
V6 Petrol (06/1991 - 2000) Turbo Diesel (1992 on) Diesel (1997 - 2000)					4+2 Leaves Raised Height (40mm Lift) 300Kg Constant Load							
 Heavy Duty Rate Increased Length 1370mm Check Length Before Ordering					1	TB43-204		2 TRIT-003-R				
SHOCK ABSORBER					Above Springs Have a 36mm Front Spring Eye. For Bush Kit Use PB43-1075K							
1987 - 11/1996					SHACKLE BUSH KIT							
 Heavy Duty Twin Tube Gas					2	GS43-082		Suits: 36mm Front Spring Eye Check Eye ID Before Ordering				
11/1996 on					Kit Contains: 2 x SPF713 4 x SPF187 4 x SPF192							
 Heavy Duty Twin Tube Gas					2	GS43-082S		Suits: 41mm Front Spring Eye Check Eye ID Before Ordering				
STEERING DAMPER					Kit Contains: 2 x PB43-1508 4 x SPF187 4 x SPF192							
 Heavy Duty Complete with Fittings					1	SD45-022		1 PB43-1085K				
U-BOLT KIT					SHOCK ABSORBER							
72mm Diameter (Pre 02/2005)					 Heavy Duty Twin Tube Gas							
 Kit Contains: 2 x UB43-671					2	UB43-671K						
77mm Diameter (MK 02/2005 on)					SHACKLE							
 Kit Contains: 2 x UB45-451					2	UB45-451K		 Greasable: Fit in Pairs		2	SK43-037	



TYPE: Triton, L200
MODEL: ML, MN
YEAR: 05/2006 - 2015
DETAIL: Warrior, 4x2 Highrider












FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE
COIL SPRING					LEAF SPRING				
4x2 Highrider					3+2 Leaves				
4x4 MN 2.5 T/D Single Cab Only					Raised Height (40mm Lift) Comfort Spring				
	Linear Rate Raised Height (40mm Lift) Up to 70Kg Accessories	1	C43-186	B		4+2 Leaves Raised Height (45mm Lift) Medium Duty 100Kg Constant Load	2	L43-014-R	
	Linear Rate Raised Height (45mm Lift) 70-120Kg Accessories (Bullbar AND Winch)	1	C43-192	B		5+2 Leaves Raised Height (45mm Lift) Heavy Duty 350Kg Constant Load	2	L43-015-R	
4x4 ML 3.5 V6 Petrol					6+2 Leaves				
4x4 MN 2.5 T/D Dual Cab GL/GLX/GLX-R					Raised Height (45mm Lift) Extra Heavy Duty 550Kg Constant Load				
	Linear Rate Raised Height (40mm Lift) Up to 70Kg Accessories	1	C43-192	B	After Fitting These Springs We Recommend Adjusting the Brake Proportioning Valve				
	Linear Rate Raised Height (45mm Lift) 70-120Kg Accessories (Bullbar AND Winch)	1	C43-188	B					
4x4 ML 3.2 T/D					SHACKLE BUSH KIT				
	Linear Rate Raised Height (40mm Lift) Up to 70Kg Accessories	1	C43-188	B		Kit Contains: 2 x PB43-1508 4 x SPF187 4 x SPF192	1	PB43-1085K	
	Linear Rate Raised Height (45mm Lift) 70-120Kg Accessories (Bullbar AND Winch)	1	C43-190	B					
SHOCK ABSORBER					U-BOLT KIT				
	Heavy Duty Twin Tube Gas	2	GS43-800		05-2006 - 04/2013				
	Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of X = 210mm/8.26" (X - Centre of Eye to Spring Seat)	2	MR43-50800			Kit Contains: 2 x UB43-701	2	UB43-701K	
STRUT CAP						04/2013 on			
	Strut Top Cap	2	SC43-005			Kit Contains: 2 x UB45-800	2	UB45-800K	
	SHOCK ABSORBER					SHOCK ABSORBER			
	Heavy Duty Twin Tube Gas	2	GS43-801			Heavy Duty Twin Tube Gas	2	GS43-801	
	Heavy Duty Long Travel Twin Tube Gas (Big Bore)	2	GS59-651				Monotube Remote Reservoir Shock Heavy Duty	2	MR43-50801
SHACKLE					PIN				
	Greasable: Fit in Pairs	2	SK43-037			Greasable: Fit in Pairs	2	SP59-060	
	TAILSHAFT SPACER					TAILSHAFT SPACER			
Tailshaft Spacer					Tailshaft Spacer				
		1	S43-001		When Fitting Raised Suspension a Tailshaft Spacer is Required to Align the Centre Bearing and Prolong Life in Models with a 2 Piece Tailshaft				



TYPE: Triton, L200
MODEL: MQ 5th Generation
YEAR: 03/2015 on
DETAIL: 4x4
 Also Suits 4x2 Highrider







FRONT			REAR		
QTY	PART NUMBER	PRICE	QTY	PART NUMBER	PRICE
COIL SPRING					
	Linear Rate Raised Height (30mm Lift) Up to 40Kg Accessories	1	C43-314	B	
	Linear Rate Raised Height (30mm Lift) 40-90Kg Accessories	1	C43-316	B	
<i>Can Not Exceed 30mm Lift Due to Suspension Geometry Restrictions</i>					
SHOCK ABSORBER					
	Heavy Duty Twin Tube Gas	2	GS43-800		
STRUT CAP					
	Strut Top Cap	2	SC43-005		
LEAF SPRING					
	3+2 Leaves Raised Height (30mm Lift) Comfort Option Minimal Load	2	L43-163-R		
	4+1 Leaves Raised Height (30mm Lift) Medium Duty Up to 80Kg Constant Load	2	L43-162-R		
	4+2 Leaves Raised Height (30mm Lift) 200-250Kg Constant Load	2	L43-164-R		
	5+2 Leaves Raised Height (30mm Lift) Heavy Duty 350-400Kg Constant Load	2	L43-165-R		
	SHACKLE BUSH KIT				
	Kit Contains: 2 x PB43-1550 4 x PB43-1551 4 x PB43-1528	1	PB43-1109K		
U-BOLT KIT					
	Kit Contains: L43-162-R 2 x UB59-453-2 L43-163-R 2 x UB59-453-2 L43-164-R 2 x UB59-437 L43-165-R 2 x UB59-437	2	UB59-453-2K		
SHOCK ABSORBER					
	Heavy Duty Twin Tube Gas	2	GS43-801		
SHACKLE					
	Greasable: Fit in Pairs	2	SK43-063		
PIN					
	Greasable: Fit in Pairs	2	SP59-060		
TAILSHAFT SPACER					
	When Fitting Raised Suspension a Tailshaft Spacer is Required to Align the Centre Bearing and Prolong Life in Models with a 2 Piece Tailshaft	1	S43-001		



TYPE: Challenger
MODEL: PA
YEAR: 06/2000 - 2006
DETAIL: 2.8L TD, 3.0L V6, Nativa



FRONT		QTY	PART NUMBER	PRICE
TORSION BAR				
	Heavy Duty Rate Increased Length 1307mm	1	TB43-203	
SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas	2	GS43-082S	

REAR		QTY	PART NUMBER	PRICE
COIL SPRING				
	Variable Rate Raised Height (20mm Lift)	1	C43-065V	B
	Variable Rate Raised Height (30mm Lift) 200Kg Constant Load	1	C43-043V	B
SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas	2	GS43-785	










TYPE: Challenger (Australia)

MODEL:

YEAR: 2008 - 2015 PB, PC

DETAIL: Montero Sport (South America), Nativa Pajero Sport (Thailand, USA)



FRONT			REAR		
QTY	PART NUMBER	PRICE	QTY	PART NUMBER	PRICE
COIL SPRING			COIL SPRING		
4x2 Variants			Linear Rate		
4x4 3.5 V6, 3.0 V6, 2.4 I4 Petrol			Standard Height		
4x4 2.5 T/D			1	C43-099	B
	Linear Rate	1	C43-192	B	
	Raised Height (40mm Lift) Up to 70Kg Accessories				
	Linear Rate	1	C43-188	B	
	Raised Height (45mm Lift) 70-120Kg Accessories (Bullbar AND Winch)				
4x4 3.2 T/D			Linear Rate		
Linear Rate			Raised Height (20mm Lift)		
Raised Height (40mm Lift) Up to 70Kg Accessories			1	C43-097	B
	Linear Rate	1	C43-043V	B	
	Raised Height (35mm Lift)				
	Linear Rate	1	C43-203	B	
	Raised Height (40mm Lift)				
Variable Rate			Variable Rate		
Raised Height (40mm Lift) 125Kg Constant Load			1	C43-045V	B
Linear Rate			Linear Rate		
Raised Height (40mm Lift) 250Kg Constant Load			1	C43-165	B
SHOCK ABSORBER					
Heavy Duty Twin Tube Gas					
Monotube Remote Reservoir					
Adjustable Spring Seat					
Heavy Duty					
Original Setting of					
X = 210mm/8.26"					
(X - Centre of Eye to Spring Seat)					
2 GS43-785					
					
2 MR43-50785					
SHOCK ABSORBER HEAVY DUTY TWIN TUBE GAS					
Heavy Duty Twin Tube Gas					
Monotube Remote Reservoir					
Adjustable Spring Seat					
Heavy Duty					
Original Setting of					
X = 210mm/8.26"					
(X - Centre of Eye to Spring Seat)					
2 GS43-800					
					
2 MR43-50800					
STRUT CAP					
					
Strut Top Cap					
2 SC43-005					









TYPE: Pajero Sport

MODEL:

YEAR: 2016 on

DETAIL: Montero Sport (South America), Nativa,
Pajero Sport (Thailand, USA)



FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE
COIL SPRING					COIL SPRING				
	Linear Rate Raised Height (35mm Lift) No Accessories	1	C43-186	B		Linear Rate Standard Height	1	C43-099	B
	Linear Rate Raised Height (35mm Lift) 50-100Kg Accessories	1	C43-204	B		Linear Rate Raised Height (20mm Lift)	1	C43-097	B
SHOCK ABSORBER					SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of X = 210mm/8.26" (X - Centre of Eye to Spring Seat)	2	GS43-800			Linear Rate Raised Height (40mm Lift)	1	C43-203	B
		2	MR43-50800			Variable Rate Raised Height (40mm Lift) 125Kg Constant Load	1	C43-043V	B
STRUT CAP					SHOCK ABSORBER				
	Strut Top Caps	2	SC43-005			Heavy Duty Twin Tube Gas Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of X = 210mm/8.26" (X - Centre of Eye to Spring Seat)	2	GS43-785	
							2	MR43-50785	











TYPE: Pajero

MODEL: NA - NF, NH, NJ, NK, NL

YEAR: 05/1998 - 2000, Pre 1991 (NA - NF)

DETAIL: SWB & LWB Shogun, Montero
Rear Coil Spring Suspension













FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE
TORSION BAR					COIL SPRING				
Suits: V6 SWB & LWB (05/1991 - 1994)					Suits: SWB				
	Heavy Duty Rate Increased Length 1282mm Check Length Before Ordering	1	TB43-200			Linear Rate Raised Height (25mm Lift)	1	C43-097	B
Suits: V6 & Tdi NF & NL (1995 on)					Variable Rate Raised Height (25mm Lift) 1 C43-063V B				
	Heavy Duty Rate Increased Length 1307mm Check Length Before Ordering	1	TB43-203		Suits: LWB				
SHOCK ABSORBER					Linear Rate Raised Height (35mm Lift) Up to 100Kg Constant Load (Recommended) 1 C43-101 B				
NA-NF (Pre 05/1991)					Variable Rate Raised Height (30mm Lift) Up to 100Kg Constant Load 1 C43-043V B				
	Heavy Duty Twin Tube Gas	2	GS43-082		Variable Rate Raised Height (30mm Lift) Extra Heavy Duty Option 125Kg Constant Load 1 C43-045V B				
NH, NJ, NK, NL (05/1991 - 2000)					Linear Rate Raised Height (40mm Lift) Extra Heavy Duty Option 250Kg Constant Load 1 C43-165 B				
	Heavy Duty Twin Tube Gas	2	GS43-082S		SHOCK ABSORBER				
STEERING DAMPER					NA-NF (Pre 05/1991)				
	Heavy Duty Complete with Fittings	1	SD43-017			Heavy Duty Twin Tube Gas	2	GS43-785	
					NH, NJ, NK, NL (05/1991 - 2000)				
						Heavy Duty Twin Tube Gas	2	GS43-781	
						Heavy Duty Twin Tube Gas Big Bore	2	GS43-788	
					UNDER BODY BUSH KIT				
					Kit Includes Rear Bushes Only				
					4 x Radius Arm to Diff Mount Bush 2 x Panhard Rod Bush 2 x Swaybar Link Bush				
					Kit Contains Extra Trailing Arm Bushes to Suit Two Styles of Trailing Arms				
					4 x Trailing Arm to Chassis Bush (Suits Pressed Steel Bracket with Bushes) OR 4 x Trailing Arm to Chassis Bush (Suits Cast Steel Bracket without Washers) 1 PB43-1226K				



TYPE: Pajero
MODEL: NA - NF, NH, NJ, NK
YEAR: 1983 - 2000, Pre-1991 (NA - NF)
DETAIL: SWB & LWB
 Rear Leaf Spring Suspension












FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE
TORSION BAR					LEAF SPRING				
NA - NF 4 Cyl (1983 - 1991) NH, NJ 4 Cyl (1991 - 1994) NF - NG V6 (1988 - 1991) LWB					SWB				
	Heavy Duty Rate Increased Length 1282mm Check Length Before Ordering	1	TB43-200			3+1 Leaves Raised Height (40mm Lift) Up to 100Kg Constant Load	2	PAJ-3+1-R	
V6 & TDi (1995 - 2000)					LWB				
	Heavy Duty Rate Increased Length 1307mm Check Length Before Ordering	1	TB43-203			4+1 Leaves Raised Height (40mm Lift) Up to 100Kg Constant Load	2	PAJ-4+1-R	
SHOCK ABSORBER					SHACKLE BUSH KIT				
Pre 06/1991					Kit Contains: 4 x SPF244 4 x SPF187 4 x SPF192				
	Heavy Duty Twin Tube Gas	2	GS43-082				1	PB43-1015K	
07/1991 on					U-BOLT KIT				
	Heavy Duty Twin Tube Gas	2	GS43-082S		Kit Contains: 2 x UB43-671				
STEERING DAMPER					SHOCK ABSORBER				
Pre 06/1991					Comfort Option Twin Tube Gas Medium Load				
	Heavy Duty Complete with Fittings	1	SD43-017			Heavy Duty Twin Tube Gas	2	GS59-651	
					SHACKLE				
									
					Greasable: Fit in Pairs				
					2				
					SK43-037				



TYPE: Pajero V7
MODEL: NM, NP, NS, NT, NW
YEAR: 2000 on
DETAIL: SWB, LWB V78, Station Wagon
 3.5L V6, 3.8L V6, 3.2L Tdi







FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE			
COIL SPRING					COIL SPRING							
SWB & LWB					SWB							
NM - NP 3.5L V6					Linear Rate							
NS - NW 3.8L V6					Standard Height (10mm Lift)							
	Linear Rate Standard Height (10mm Lift)	1	C43-122	B	1	C43-123	B					
	Linear Rate Raised Height (45mm Lift) No Accessories Recommended	1	C43-124	B		Linear Rate Raised Height (45mm Lift) Up to 100Kg Constant Load Recommended	1	C43-191	B			
	Linear Rate Raised Height (40mm Lift) Extra Heavy Duty Up to 100Kg Accessories (Bullbar AND Winch)	1	C43-126	B		Linear Rate Raised Height (50mm Lift) 200Kg Constant Load	1	C43-125	B			
SWB & LWB					LWB							
NM - NW 3.2L Tdi					Linear Rate Standard Height (10mm Lift)							
	Linear Rate Raised Height (40mm Lift) No Accessories	1	C43-126	B	1	C43-189	C					
	Linear Rate Raised Height (40mm Lift) 50-80Kg Accessories (Bullbar AND Winch)	1	C43-148	B		Linear Rate Raised Height (45mm Lift) Extra Heavy Duty 180Kg Constant Load	1	C43-193	C			
	Linear Rate Raised Height (40mm Lift) 80-120Kg Accessories (Bullbar AND Winch)	1	C43-144	B		Linear Rate Raised Height (45mm Lift) Extra Heavy Duty 250Kg Constant Load	1	C43-195	C			
We recommend a wheel alignment be carried out after fitting springs.					Linear Rate Raised Height (45mm Lift) Extra Heavy Duty 400Kg Constant Load					1	C43-197	C
SHOCK ABSORBER					SHOCK ABSORBER							
	Heavy Duty Twin Tube Gas	2	GS43-783			Heavy Duty Twin Tube Gas	2	GS43-784				
	Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of X = 241mm/9.49" (X - Centre of Eye to Spring Seat)	2	MR43-50783			Monotube Remote Reservoir Shock Heavy Duty	2	MR43-50784				
UNDER BODY BUSH KIT					UNDER BODY BUSH KIT							
See Rear Under Body Bush Kit					Kit Includes Front & Rear Under Body Bushes							
STRUT CAP					UNDER BODY BUSH KIT							
	Strut Top Cap	2	SC43-008		4 x Front Control Arm Lower Inner 4 x Front Control Arm Upper Inner 4 x Rear Control Arm Lower Inner & Outer 4 x Rear Control Arm Upper Inner 2 x Rear Toe Control Arm Inner 2 x Rear Trailing Arm Lower Rear 2 x Rear Trailing Arm Lower Front					1	PB43-1262K	



TYPE: Pajero iO (Pinin)
MODEL: Pajero iO
YEAR: 03/1999 - 07/2003
DETAIL: SWB: 1.6L & 2.0L
 LWB: 1.8L & 2.0L











FRONT			QTY	PART NUMBER	PRICE	REAR			QTY	PART NUMBER	PRICE			
COIL SPRING						COIL SPRING								
QA H65 1.6L SWB QA H67 2.0L SWB						QA H65 1.6L SWB QA H67 2.0L SWB								
	Linear Rate	Standard Height	1	C43-120	B		Linear Rate	Raised Height (35mm Lift)	1	C43-135	B			
	Linear Rate	Raised Height (28mm Lift)	1	C43-114	B		QA H65 1.6L SWB QA H67 2.0L SWB							
QA H76 1.8L LWB QA H77 2.0L LWB							Linear Rate	Standard Height	1	C43-121	B			
Linear Rate Raised Height (30mm Lift)							1	C43-240	B		Linear Rate	Raised Height (35mm Lift)	1	C43-115
CAMBER ADJUSTMENT KIT														
Kit Contains: 2 x Cam Bolts ±1.2° for Lower Control Arm Camber Adjustment						1	WA57-506K							



TYPE: Outlander (Airtrek)
MODEL: Outlander
YEAR: 2002 - 2015
DETAIL: CU 4, 2.0L (2002 - 12/2006)
 ZG - ZH, 3.0L (2007 - 2011)
 ZJ - (2012 - 2015)









FRONT				REAR			
	QTY	PART NUMBER	PRICE		QTY	PART NUMBER	PRICE
COIL SPRING				COIL SPRING			
ZE, ZF 2002 - 12/2006				CU4 Platform 2002 - 12/2006			
CU2 & CU4 Platform							
	Linear Rate				Linear Rate		
	Standard Height	1	C55-032		B	Standard Height	1
	Linear Rate				Linear Rate		
	Raised Height (30mm Lift)	1	C43-120		B	Raised Height (30mm Lift)	1
ZG, ZH 2007 - 2011				ZG, ZH 2007 - 2011			
GS Platform				GS Platform			
	Linear Rate				Linear Rate		
	Raised Height (30mm Lift)	1	C43-254		B	Raised Height (30mm Lift)	1
ZJ 2012 - 2015				ZJ 2012 - 2015			
	Linear Rate				Linear Rate		
	Raised Height (35mm Lift)	1	C43-172		B	Raised Height (35mm Lift)	1



TYPE: L300
MODEL: P23/24, V, W, P35
YEAR: 11/1986 - 1994
DETAIL: Express Van, Star Wagon



FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE
TORSION BAR					LEAF SPRING				
	Heavy Duty Rate Increased Length 971mm	1	TB43-300			3+1 Leaves Raised Height	2	MIT-018-R	
SHOCK ABSORBER					SHACKLE BUSH KIT				
	Heavy Duty Twin Tube Gas	2	GS43-082			Kit Contains: 2 x SPF1323 4 x SPF187 4 x SPF192	1	PB43-1079K	
					U-BOLT KIT				
						Kit Contains: 2 x UB43-671	2	UB43-671K	
					SHACKLE KIT				
						Greasable: Fit in Pairs	2	SK43-037	



TYPE: L400 Spacegear, Delica








MODEL: MV - P Series

YEAR: 05/1994 - 03/2007

DETAIL: 4x4

Series I 05/1994 - 05/1997, Series II 06/1997 - 05/1999,
Series III 06/1999 - 05/2002, Series IV 06/2002 - 03/2007



FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE
TORSION BAR					COIL SPRING				
05-1994 - 05/1999									
	Heavy Duty Rate Increased Length 1165mm	1	TB43-031			Linear Rate Standard Height	1	C43-111	B
06/1999 - 03/2007									
	Heavy Duty Rate Increased Length 1065mm	1	TB43-032			Linear Rate Raised Height (40mm Lift)	1	C43-109	B
SHOCK ABSORBER									
	Heavy Duty Twin Tube Gas	2	GS43-082S		SHOCK ABSORBER				
					We recommend a visual inspection to verify the type of shock absorber prior to ordering				
					Suits Non-ECS Suspension Eye to Eye				
						Heavy Duty Twin Tube Gas	2	GS43-081B	
					Suits ECS Suspension Pin to Eye				
						Heavy Duty Twin Tube Gas	2	GS21-637S	
					ADJUSTABLE PANHARD ROD				
						Complete with Bushes	1	PR43-1417	



TYPE: Delica
MODEL: D5
YEAR: 2007 on
DETAIL: 2.4L Petrol Van



FRONT

QTY	PART NUMBER	PRICE
-----	-------------	-------

COIL SPRING



	Linear Rate Standard Height	1	C43-270	B
	Linear Rate Raised Height (40mm Lift)	1	C43-272	B

REAR

QTY	PART NUMBER	PRICE
-----	-------------	-------

COIL SPRING













	Linear Rate Standard Height	1	C43-271	B
	Linear Rate Raised Height (40mm Lift)	1	C43-273	B



TYPE: NP300, Navara
MODEL: MD21 - D22, NP300
YEAR: 09/1985 on
DETAIL: Pickup, Single/Dual Cab, King Cab,
 J66 Hardbody, Bakkie



FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE
TORSION BAR					LEAF SPRING				
D21 (1986 - 1997)					 3+3 Leaves Raised Height (40mm Lift) Up to 70Kg Constant Load				
	Heavy Duty Rate Increased Length 1202mm	1	TB45-1456		2	NAV-4WD-R			
D22 (1997 on) J66 Hardbody, NP300					4+3 Leaves Raised Height (40mm Lift) 350Kg Constant Load				
	Heavy Duty Rate Increased Length 892mm	1	TB45-1446		2	NAV-005-R			
SHOCK ABSORBER					SHACKLE BUSH KIT				
	Heavy Duty Twin Tube Gas	2	GS45-097			Kit Contains: 2 x PT255 8 x SPF203	1	PB45-1068K	
STEERING DAMPER					U-BOLT KIT				
	Heavy Duty Complete with Fittings	1	SD45-035			Kit Contains: 2 x UB45-788	2	UB45-788K	
					SHOCK ABSORBER				
					 Comfort Option Twin Tube Gas Medium Load				
					Heavy Duty Twin Tube Gas				
					2 GS59-649				
					2 GS59-651				
					SHACKLE				
					 Greasable: Fit in Pairs				
					2 SK45-052				
					PIN				
					 Greasable: Fit in Pairs				
					2 SP45-061				



TYPE: Navara

MODEL: D40 STX (Does Not Suit 550 Model)

YEAR: 11/2005 on

DETAIL: 4x4 Single Cab, Dual Cab, Extra Cab, Frontier
2.5I Turbo Diesel, 4.0L V6 Petrol



FRONT

QTY PART NUMBER PRICE

COIL SPRING

2.5L Turbo Diesel
4.0L V6 Petrol



Linear Rate Standard Height (10mm Lift)	1	C45-252	B
Linear Rate Raised Height (40mm Lift) Up to 50Kg Accessories (Bullbar OR Winch)	1	C45-256	B
Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch)	1	C45-254	B



Note: The 550 Model has a Wider Chassis to Fit the 3.0L V6 Diesel.
The Front Spring and Shock Absorbers ARE NOT the Same as the
2.5L TD Models

SHOCK ABSORBER



Heavy Duty Twin Tube Gas Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of X = 106mm/4.17"	2	GS45-642	
X - Centre of Eye to Spring Seat	2	MR45-50642	



STRUT CAP



Strut Top Cap	2	SC45-004	
---------------	---	----------	--

REAR

QTY PART NUMBER PRICE

LEAF SPRING



3+2 Leaves Raised Height (35mm Lift) Medium Duty Up to 70Kg Constant Load	2	L45-002-R	
4+2 Leaves Raised Height (50mm Lift) Heavy Duty 250Kg Constant Load	2	L45-003-R	
5+2 Leaves Raised Height (50mm Lift) Super Heavy Duty 380Kg Constant Load	2	L45-004-R	

SHACKLE BUSH KIT



Kit Contains: 2 x SPF972 4 x SPF203 4 x PB45-1507	1	PB45-1095K	
--	---	------------	--

U-BOLT KIT

Kit Contains: L45-002-R	2 x UB59-667	2	UB59-667K
L45-003-R	2 x UB59-453-2	2	UB59-453-2K
L45-004-R	2 x UB59-453-2	2	UB59-453-2K

Select Correct U-Bolt to Suit Appropriate Spring Selection

SHOCK ABSORBER



Heavy Duty Twin Tube Gas	2	GS45-645	
Monotube Remote Reservoir Shock Heavy Duty	2	MR45-50645	

SHACKLE



Greasable: Fit in Pairs	2	SK45-054	
-------------------------	---	----------	--

PIN



Greasable: Fit in Pairs	2	SP59-060	
-------------------------	---	----------	--













TYPE: Navara

MODEL: D40A STX550 (Only Suits 550 Model)

YEAR: 04/2010 on

DETAIL: 3.0L V6 Turbo Diesel, 4x4 Single Cab
Dual Cab, Extra Cab (Frontier USA)
















FRONT			REAR		
QTY	PART NUMBER	PRICE	QTY	PART NUMBER	PRICE
COIL SPRING			LEAF SPRING		
3.0L V6 Turbo Diesel					
	Linear Rate Standard Height (10mm Lift)	1 C45-276	B		
	Linear Rate Raised Height (40mm Lift) Up to 50Kg Accessories (Bullbar OR Winch)	1 C45-278	B		3+2 Leaves Raised Height (35mm Lift) Medium Duty Up to 70Kg Constant Load
	Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch)	1 C45-280	B		4+2 Leaves Raised Height (50mm Lift) Heavy Duty 250Kg Constant Load
<p>Note: The 550 Model has a Wider Chassis to Fit the 3.0L v6 Diesel. The Front Spring and Shock Absorbers are Not the Same as the 2.5L TD Models.</p>					
SHOCK ABSORBER			SHACKLE BUSH KIT		
	Heavy Duty Twin Tube Gas	2 GS45-644			Kit Contains: 2 x SPF972 4 x SPF203 4 x PB45-1507
STRUT CAP			U-BOLT KIT		
	Strut Top Cap	2 SC45-004			Kit Contains: 2 x UB59-667 2 x UB59-453-2 2 x UB59-453-2
<p>Select Correct U-Bolt to Suit Appropriate Spring Selection</p>					
SHOCK ABSORBER			SHOCK ABSORBER		
	Heavy Duty Twin Tube Gas	2 GS45-645			Heavy Duty Twin Tube Gas
	Monotube Remote Reservoir Shock Heavy Duty	2 MR45-50645			Monotube Remote Reservoir Shock Heavy Duty
SHACKLE			SHACKLE		
	Greasable: Fit in Pairs	2 SK45-054			Greasable: Fit in Pairs
PIN			PIN		
	Greasable: Fit in Pairs	2 SP59-060			Greasable: Fit in Pairs



TYPE: Navara
MODEL: D23, NP300
YEAR: 08/2014 on
DETAIL: 4x4 Single Cab/Dual Cab/Extra Cab, Frontier
 Leaf Spring Rear Suspension Models










FRONT			REAR		
QTY	PART NUMBER	PRICE	QTY	PART NUMBER	PRICE
COIL SPRING			LEAF SPRING		
2.3L & 2.5L Turbo Diesel					
	Linear Rate Standard Height (10mm Lift)	1 C45-252	B		
	Linear Rate Raised Height (35-40mm Lift)	1 C45-440	B		
	Linear Rate Raised Height (35-40mm Lift) Up to 50Kg Accessories	1 C45-254	B		
	Linear Rate Raised Height (35-40mm Lift) 60-90Kg Accessories Comfort Option	1 C45-248X	C		
	Linear Rate Raised Height (40mm Lift) 80-120Kg Accessories (Bullbar AND Winch)	1 C45-442	B		
					
 Due to the Restricted Suspension Geometry, a Maximum of 40mm Lift is Achievable in the Front of this Vehicle.					
SHOCK ABSORBER			SHACKLE BUSH KIT		
	Heavy Duty Twin Tube Gas	2 GS45-642		Kit Contains: 2 x SPF972 8 x SPF203	1 PB45-1108K
					
STRUT CAP			U-BOLT KIT		
	Strut Top Cap	2 SC45-004		Kit Contains: 2 x UB59-453-3	2 UB59-453-3K
					
			SHOCK ABSORBER		
	Long Travel Heavy Duty Twin Tube Gas	2 GS43-081B			
					
			SHACKLE		
	Greasable: Fit in Pairs	2 SK45-062			
					
			PIN		
	Greasable: Fit in Pairs	2 SP59-060			
					



TYPE: Navara
MODEL: D23, NP300
YEAR: 08/2014 on
DETAIL: 4x4 Single Cab/Dual Cab/Extra Cab, Frontier (USA)
Coil Spring Rear Suspension Models



FRONT			QTY	PART NUMBER	PRICE	REAR			QTY	PART NUMBER	PRICE
COIL SPRING						COIL SPRING					
2.3L & 2.5L Turbo Diesel						Remove OE Coil Spring Insulator and Fit to Dobinsons Coil Spring					
	Linear Rate Standard Height (10mm Lift)	1	C45-252	B			Variable Rate Raised Height (40mm Lift) Up to 80Kg Constant Load Comfort Option	1	C45-441V	B	
	Linear Rate Raised Height (40mm Lift)	1	C45-440	B			Variable Rate Raised Height (40mm Lift) 250-300Kg Constant Load	1	C45-443V	B	
	Linear Rate Raised Height (40mm Lift) Up to 50Kg Accessories	1	C45-254	B			Variable Rate Raised Height (40mm Lift) 450-550Kg Constant Load	1	C45-445V	C	
	Linear Rate Raised Height (40mm Lift) 60-90Kg Accessories Comfort Option	1	C45-248X	C							
	Linear Rate Raised Height (40mm Lift) 60-120Kg Accessories (Bullbar OR Winch)	1	C45-442	B							
Due to the Restricted Suspension Geometry, a Maximum of 40mm Lift is Achievable in the Front of this Vehicle.											
SHOCK ABSORBER						SHOCK ABSORBER					
	Heavy Duty Twin Tube Gas	2	GS45-642				Heavy Duty Twin Tube Gas	2	GS45-646		
	Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of X	2	MR45-50642				Heavy Duty Monotube Remote Reservoir	2	MR45-50646		
X - Centre of Eye to Spring Seat											
STRUT CAP						ADJUSTABLE PANHARD ROD					
	Strut Top Cap	2	SC45-004				Adjustable Panhard Rod	1	PR45-1425		
SWAY BAR EXTENSION & BRAKE EXTENSION BRACKET						SWAY BAR EXTENSION & BRAKE EXTENSION BRACKET					
						Sway Bar Extension & Brake Extension Bracket					
						1 SE45-523K					








TYPE: Pathfinder

MODEL: WD21

YEAR: 10/1987 - 1995

DETAIL: Terrano I, Bakkie, Tracker 4x4
2.4L, 3.0L V6, 2.7L TD





FRONT			REAR				
	QTY	PART NUMBER	PRICE		QTY	PART NUMBER	PRICE
TORSION BAR							
		Heavy Duty Rate Increased Length 1232mm	1	TB45-1458			
SHOCK ABSORBER							
		Heavy Duty Twin Tube Gas	2	GS43-082S			
STEERING DAMPER							
		Heavy Duty Complete with Fittings	1	SD45-035			
COIL SPRING							
		Linear Rate Standard Height	1	C45-091			B
		Linear Rate Raised Height (20mm Lift) Up to 100Kg Constant Load	1	C45-089			B
		Linear Rate Raised Height (35mm Lift) Extra Heavy Duty	1	C45-083			B
Damage will Occur to the Drive Line Carrier Bearing if More than 20mm Lift is Applied.							
SHOCK ABSORBER							
		Comfort Option Twin Tube Gas Medium Load	2	GS59-649			
		Heavy Duty Twin Tube Gas	2	GS59-651			
UNDER BODY BUSH KIT							
Kit Includes Front & Rear Under Body Bushes							
		2 x Front Upper Arm Bush 2 x Front Lower Arm Bush 2 x Front Radius Rod Bush 8 x Rear Upper & Lower Trailing Arm Bush 2 x Rear Panhard Rod Bush	1	PB45-1229K			



TYPE: Pathfinder
MODEL: R50
YEAR: 1995 -2005
DETAIL: Terrano RX



FRONT			REAR							
	QTY	PART NUMBER	PRICE		QTY	PART NUMBER	PRICE			
COIL SPRING			COIL SPRING							
		Linear Rate Standard Height	1 C45-220	B			Linear Rate Standard Height	1 C45-221	B	
		Linear Rate Raised Height (30mm Lift) 60-100Kg Accessories (Bullbar AND Winch)	1 C45-168	B				Linear Rate Raised Height (35mm Lift)	1 C45-169	B
		Linear Rate Raised Height (35mm Lift) Extra Heavy Duty 50-90Kg Accessories (Bullbar AND Winch)	1 C45-170	B						
CAMBER ADJUSTMENT KIT										
		Kit Contains: 2 x Cam Bolts ±1.2° for Lower Control Arm Camber Adjustment	1 WA57-506K							







TYPE: Pathfinder

MODEL: R51 (Does Not Suit Ti 550)

YEAR: 2005 on

DETAIL: Station Wagon, Diesel 2.5L Tdi
4.0L V6 Petrol



FRONT			REAR					
	QTY	PART NUMBER	PRICE		QTY	PART NUMBER	PRICE	
COIL SPRING				COIL SPRING				
2.5L Tdi, 4 Cyl								
		Linear Rate Lowered Height	1	C45-250	B			
		Linear Rate Standard Height	1	C45-252	B			
		Linear Rate Raised Height (40mm Lift) Up to 50Kg Accessories (Bullbar OR Winch)	1	C45-254	B			
SHOCK ABSORBER				SHOCK ABSORBER				
		Heavy Duty Twin Tube Gas	2	GS45-642				
STRUT CAP				SHOCK ABSORBER				
		Strut Top Cap	2	SC45-004				
						Heavy Duty Twin Tube Gas	2	GS45-643








TYPE: Pathfinder

MODEL: R51 Ti 550 (Only Suits Ti 550)

YEAR: 2010 - 2013

DETAIL: Station Wagon, Diesel 3.0L Tdi



FRONT			REAR				
	QTY	PART NUMBER	PRICE		QTY	PART NUMBER	PRICE
COIL SPRING			COIL SPRING				
3.0L Turbo Diesel							
		Linear Rate Standard Height	1	C45-276	B		
		Linear Rate Raised Height (40mm Lift) Up to 50Kg Accessories (Bullbar OR Winch)	1	C45-278	B		
		Linear Rate Raised Height (40mm Lift) 50-100Kg Constant Load (Bullbar AND Winch)	1	C45-280	B		
SHOCK ABSORBER			SHOCK ABSORBER				
		Heavy Duty Twin Tube Gas	2	GS45-644			Heavy Duty Twin Tube Gas 2 GS45-643
STRUT CAP							
		Strut Top Cap	2	SC45-004			



TYPE: Pathfinder
MODEL: R52
YEAR: 2013 on
DETAIL: 4x4



FRONT

QTY **PART NUMBER** **PRICE**

COIL SPRING



Linear Rate			
Raised Height (30mm Lift)	1	C45-420	C
Linear Rate			
Raised Height (30mm Lift)			
50-80Kg Accessories (Bullbar OR Winch)	1	C45-422	C

REAR

QTY **PART NUMBER** **PRICE**

COIL SPRING







Linear Rate			
Standard Height			
150-250Kg Constant Load	1	C45-421	B
Linear Rate			
Raised Height (30mm Lift)	1	C45-421	B
Linear Rate			
Raised Height (30mm Lift)			
150-250Kg Constant Load	1	C45-423	B



TYPE: Terrano
MODEL: R20
YEAR: 07/1993 on (Europe), 03/1997 on (Australia)
DETAIL: Terrano II, Mistral, Ford Maverick (Europe)
 2.4L, 2.7L TD, 3.0L TDi


















FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE
TORSION BAR					COIL SPRING				
	Heavy Duty Rate Increased Length 1232mm	1	TB45-1458			Linear Rate Standard Height	1	C45-091	B
SHOCK ABSORBER					SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas	2	GS21-463			Linear Rate Raised Height (20mm Lift) Up to 100Kg Constant Load	1	C45-089	B
						Comfort Option Twin Tube Gas Medium Load	2	GS59-649	
						Heavy Duty Twin Tube Gas	2	GS59-651	



TYPE: Patrol
MODEL: G160 MQ (Ebro, Safari)
YEAR: 1980 - 11/1983
DETAIL: Round Headlights


















FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE
LEAF SPRING					LEAF SPRING				
MQ - Petrol & Diesel					SWB & LWB Station Wagon				
	6 Leaves	1	MQ-6L-F RH			5+2 Leaves	1	MQ-WAG-R LH	
	Raised Height (30mm Lift)	1	MQ-6L-F LH			Raised Height (45mm Lift)	1	MQ-WAG-R RH	
	7 Leaves	1	MQ-7L-F RH			5+2 Leaves	1	MQ-UTE-R RH	
	Raised Height (40mm Lift) Up to 50Kg Accessories (Bullbar OR Winch)	1	MQ-7L-F LH			Raised Height (35mm Lift)	1	MQ-UTE-R LH	
SHACKLE BUSH KIT					SHACKLE BUSH KIT				
Suits MQ					Suits MQ				
	Kit Contains:					Kit Contains:			
	2 x SPF2054 4 x (22x16x58)	1	PB45-1021K			2 x SPF2054 4 x SPF5051 4 x SPF2052	1	PB45-1022K	
U-BOLT KIT					U-BOLT KIT				
Right Hand Side					U-BOLT KIT				
	Kit Contains:					Kit Contains:			
	2 x UB45-682	1	UB45-682K			2 x UB45-453	2	UB45-453K	
Left Hand Side					SHOCK ABSORBER				
	Kit Contains:					Heavy Duty Twin Tube Gas	2	GS45-076	
	2 x UB45-451	1	UB45-451K			SHACKLE			
SHOCK ABSORBER					SHACKLE				
	Heavy Duty Twin Tube Gas	2	GS45-077			Greasable: Fit in Pairs	2	SK45-028	
	STEERING DAMPER					PIN			
	Heavy Duty Complete with Fittings	1	SD45-022			Greasable: Fit in Pairs	2	SP45-027	
	SHACKLE					SHACKLE			
Suits MQ					Suits MQ				
	Kit Contains:				PIN				
	2 x Greasable Pins & Nuts 2 x Plates & 2 x Metal Bushes	2	SK45-029		PIN				
PIN					PIN				
	Fit in Pairs	2	SP45-027		PIN				
	PIN					PIN			
PIN					PIN				



TYPE: Patrol
MODEL: G160 MK SWB & LWB
YEAR: 08/1983 - 1988
DETAIL: Square Headlights

















FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE
LEAF SPRING					LEAF SPRING				
MK - Petrol & Diesel					SWB & LWB Station Wagon				
	6 Leaves	1	MK-6L-F RH			5+2 Leaves	1	MQ-WAG-RLH	
	Raised Height (30mm Lift)	1	MK-6L-F LH			Raised Height (45mm Lift)	1	MQ-WAG-RRH	
	7 Leaves	1	MK-7L-F RH			5+2 Leaves	1	MQ-UTE-RRH	
	Raised Height (40mm Lift) 50-80Kg Accessories (Bullbar OR Winch)	1	MK-7L-F LH			Raised Height (35mm Lift)	1	MQ-UTE-R LH	
SHACKLE BUSH KIT					SHACKLE BUSH KIT				
Suits MK					Suits MK				
	Kit Contains:					Kit Contains:			
	4 x SPF2053 2 x SPF2054 2 x (22x16x58)	1	PB45-1024K			2 x SPF2054 4 x SPF2051 4 x SPF2052	1	PB45-1022K	
U-BOLT KIT					U-BOLT KIT				
Right Hand Side					U-BOLT KIT				
	Kit Contains:					Kit Contains:			
	2 x UB45-682	1	UB45-682K			2 x UB45-453	2	UB45-453K	
Left Hand Side					SHOCK ABSORBER				
	Kit Contains:					Heavy Duty Twin Tube Gas	2	GS45-076	
	2 x UB45-451	1	UB45-451K						
SHOCK ABSORBER					SHACKLE				
	Heavy Duty Twin Tube Gas	2	GS45-077			Greasable: Fit in Pairs	2	SK45-028	
STEERING DAMPER					PIN				
	Heavy Duty Complete with Fittings	1	SD45-022			Greasable: Fit in Pairs	2	SP45-027	
SHACKLE					PIN				
Suits MK					Suits MK				
	Kit Contains:					Fit in Pairs	2	SP45-027	
	2 x Greasable Pins & Nuts 2 x Plates & 1 x Metal Bushes	2	SK45-025						



TYPE: Patrol
MODEL: Y260
YEAR: 1989 on
DETAIL: 2.8L TD, SWB & LWB
 Grand Sud, Baroud









FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE
LEAF SPRING					LEAF SPRING				
	6 Leaves Raised Height (35mm Lift)	2	NIS-260-F			5+2 Leaves Raised Height (35mm Lift)	1	MQ-WAG-RRH	
SHACKLE BUSH KIT					SHACKLE BUSH KIT				
	Kit Contains: 4 x SPF2053 2 x SPF2054 2 x (22x16x58)	1	PB45-1024K			Kit Contains: 2 x SPF2054 4 x SPF2051 4 x SPF2052	1	PB45-1022K	
U-BOLT KIT					U-BOLT KIT				
Right Hand Side					U-BOLT KIT				
	Kit Contains: 2 x UB45-682	1	UB45-682K			Kit Contains: 2 x UB45-453	2	UB45-453K	
Left Hand Side					SHOCK ABSORBER				
	Kit Contains: 2 x UB45-451	1	UB45-451K			Heavy Duty Twin Tube Gas	2	GS45-115A	
SHOCK ABSORBER					SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas	2	GS51-116		SHACKLE				
STEERING DAMPER					SHACKLE				
	Heavy Duty (Big Bore) Complete with Fittings	1	SD45-810			Greasable: Fit in Pairs	2	SK45-028	
SHACKLE					PIN				
	Kit Contains: 2 x Greasable Pins & Nuts 2 x Plates 1 x Metal Bushes	2	SK45-025			Fit in Pairs	2	SP45-027	
PIN					PIN				
	Fit in Pairs	2	SP45-027						



TYPE: Patrol
MODEL: Y60 GQ
YEAR: 08/1987 - 1998
DETAIL: LWB Station Wagon, GR, Safari, WYG60





FRONT		QTY	PART NUMBER	PRICE
COIL SPRING				
3.0L Petrol				
	Linear Rate Standard Height	1	C45-092	B
	Linear Rate Raised Height (40mm Lift)	1	C45-094	B
	Variable Rate Raised Height (40mm Lift)	1	C45-096V	B
	Linear Rate Raised Height (50mm Lift) 50-80Kg Accessories (Bullbar OR Winch)	1	C45-102	B
	Linear Rate Raised Height (75mm Lift)	1	C45-108	B
	4.2L Petrol & 2.8L TD			
	Linear Rate Standard Height	1	C45-098	B
	Linear Rate Raised Height (45mm Lift) Up to 50Kg Accessories (Bullbar OR Winch)	1	C45-102	B
	Linear Rate Raised Height (75mm Lift)	1	C45-108	B
4.2L Diesel				
	Variable Rate Raised Height (45mm Lift)	1	C45-110V	B
	Linear Rate Raised Height (45mm Lift) Extra Heavy Duty 70-120Kg Accessories (Bullbar AND Winch)	1	C45-104	B
SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas	2	GS45-114	
	Heavy Duty Monotube Remote Reservoir	2	MR45-60114	
STEERING DAMPER				
1988 - 08/1989				
Heavy Duty (Big Bore) Complete with Fittings	1	SD45-834		
08/1989 - 1999				
Heavy Duty (Big Bore) Complete with Fittings	1	SD45-836		
RUBBER COIL SEAT				
Replacement upper rubber coil seat	2	RS45-4026		
UNDER BODY BUSH KIT				
See Rear Under Body Bush Kit				
DRAGLINK				
38mm Solid Adjustable	1	SA45-1422		
CONTINUED ON NEXT PAGE				



REAR		QTY	PART NUMBER	PRICE	
COIL SPRING					
	Linear Rate Standard Height	1	C45-323	B	
	Variable Rate Standard Height (10mm Lift) Extra Heavy Duty 100-200Kg Constant Load	1	C45-145VT	C	
	Linear Rate Raised Height (45mm Lift)	1	C45-103	B	
	Variable Rate Raised Height (45mm Lift) Up to 100Kg Constant Load	1	C45-111VT	B	
	Variable Rate Raised Height (50mm Lift) Extra Heavy Duty 100-150Kg Constant Load	1	C45-115VT	C	
	Linear Rate Raised Height (50mm Lift) 250Kg Constant Load	1	C45-129	B	
	Linear Rate Raised Height (45mm Lift) Extra Heavy Duty 450Kg Constant Load	1	C45-105T	C	
	SHOCK ABSORBER				
		Heavy Duty Twin Tube Gas	2	GS45-115	
		Extra Heavy Duty Twin Tube Gas For Loaded Vehicles	2	GS59-703	
Heavy Duty Monotube Remote Reservoir		2	MR45-60115		
RUBBER COIL SEAT					
Replacement upper rubber coil seat	2	RS45-4027			
UNDER BODY BUSH KIT					
Kit Includes Front & Rear Under Body Bushes					
*Excludes Spherical Panhard Rod Bush for Wagon Models 02/2000 on					
Pre 1989					
4 x Front Radius Arm to Chassis Bush 4 x Front Radius Arm to Diff Bush 2 x Front Panhard Rod Bush 2 x Rear Panhard Rod Bush 8 x Rear Trailing Arm Bush	1	PB45-1231K			
1989 on					
4 x Front Radius Arm to Chassis Bush 4 x Front Radius Arm to Diff Bush 4 x Front & Rear Panhard Rod Bush 8 x Rear Upper & Lower Trailing Arm Bush	1	PB45-1239K			
BUMP STOP					
Adjustable Soft-hit bump stop (Suits 0-56mm extension)	2	BS45-529			
CONTINUED ON NEXT PAGE					



TYPE: Patrol
MODEL: Y60 GQ
YEAR: 08/1987 - 1998
DETAIL: LWB Station Wagon, GR, Safari, WYG60



FRONT	QTY	PART NUMBER	PRICE
CONTINUED FROM PREVIOUS PAGE			
PANHARD ROD BUSH			
Does Not Fit OE Upper/Chassis Bush	1	RB45-6025	
Does Not Fit OE Lower/Diff Bush	1	RB45-6027	
RADIUS ARM BUSH			
0 Degree Standard Radius Arm Bush Kit Arm to Diff 4 x Rubber Bushes	1	RB59-536K	
Arm to Chassis Bush Kit 4 x Rubber Bushes	1	RB45-535K	
CASTOR ADJUSTMENT PART			
Adjustable Front Radius Arm Castor Kit Angle Settings: ±0°, ±2.5° or ±3.5° 4 x Polyurethane Eccentric Bushes	1	PB59-503K	
Fixed Rubber Front Radius Arm Castor Kit Angle Setting: ±2.5° 4 x Rubber Eccentric Bushes	1	RB59-522K	
Raising Vehicle Will Effect Castor Angle. A Wheel Alignment is Recommended to Determine if a Castor Kit is Required.			
BUMP STOP			
Adjustable Soft-hit bump stop (Suits 0-56mm extension)	2	BS45-528	
SWAYBAR EXTENSION			
Adjustable Swaybar Extension (Suits 2-6" Lift)	2	SE45-520	
GEARBOX SPACER KIT			
Drive Line Vibration May Occur with Raised Suspension. To Reduce Vibration We Recommend Fitting the Above Kit.	1	TC45-001K	
COIL SPACER			
 15mm	2	PS45-4010	
 30mm	2	PS45-4011	

REAR	QTY	PART NUMBER	PRICE
CONTINUED FROM PREVIOUS PAGE			
SWAY BAR EXTENSION			
Adjustable Swaybar Extension Suits 2" - 6" Lift Stem Upper/Right Angle Lower Joint	1*	SE45-520	
Adjustable Swaybar Extension Suits 2" - 6" Lift Right Angle Upper/Right Angle Lower Joint	1*	SE45-521	
*Check Swaybar Link Configuration - Some Vehicles Require 2 of the Same Swaybar and Other Vehicles Require 1 of Each Swaybar			
BRAKE ADJUSTER			
Recommended when Raising Vehicle (Suits 2 - 6" Lift)	1	BA45-005	
COIL SPACER			
 15mm	2	PS45-4012	
 30mm	2	PS45-4013	



TYPE: Patrol
MODEL: Y60 GQ
YEAR: 02/1988 - 1998
DETAIL: SWB GR, Safari, KYY60



FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE
COIL SPRING					COIL SPRING				
	Linear Rate Standard Height	1	C45-092	B		Linear Rate Standard Height	1	C45-093	B
	Linear Rate Raised Height (45mm Lift)	1	C45-094	B		Linear Rate Raised Height (45mm Lift)	1	C45-095	B
	Variable Rate Raised Height (45mm Lift)	1	C45-096V	B		Variable Rate Raised Height (45mm Lift)	1	C45-101V	C
	Variable Rate Raised Height (50mm Lift)	1	C45-110V	B		Linear Rate Raised Height (50mm Lift)	1	C45-189	B
	50-100Kg Constant Load								
SHOCK ABSORBER					SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas	2	GS45-114			Heavy Duty Twin Tube Gas	2	GS45-115	
	Heavy Duty Monotube Remote Reservoir	2	MR45-60114			Heavy Duty Monotube Remote Reservoir	2	MR45-60115	
STEERING DAMPER					RUBBER COIL SEAT				
1988 - 08/1989					Replacement upper rubber coil seat				
	Heavy Duty (Big Bore) Complete with Fittings	1	SD45-834		2	RS45-4027			
08/1989 - 1999					UNDER BODY BUSH KIT				
	Heavy Duty (Big Bore) Complete with Fittings	1	SD45-836		<p>Kit Includes Front & Rear Under Body Bushes *Excludes Spherical Panhard Rod Bush for Wagon Models 02/2000 on</p>				
RUBBER COIL SEAT					Pre 1989				
	Replacement upper rubber coil seat	2	RS45-4026		4 x Front Radius Arm to Chassis Bush				
UNDER BODY BUSH KIT					4 x Front Radius Arm to Diff Bush				
See Rear Under Body Bush Kit					2 x Front Panhard Rod Bush				
BUMP STOP					2 x Rear Panhard Rod Bush				
	Adjustable Soft-hit bump stop (Suits 0-56mm extension)	2	BS45-528		8 x Rear Trailing Arm Bush	1	PB45-1231K		
CASTOR ADJUSTMENT PART					1989 on				
	Adjustable Front Radius Arm Castor Kit	1	PB59-503K		4 x Front Radius Arm to Chassis Bush				
	Angle Settings: $\pm 0^\circ$, $\pm 2.5^\circ$ or $\pm 3.5^\circ$								
	4 x Polyurethane Eccentric Bushes				4 x Front Radius Arm to Diff Bush				
	Fixed Rubber Front Radius Arm Castor Kit	1	RB59-522K		4 x Front & Rear Panhard Rod Bush				
	Angle Setting: $\pm 2.5^\circ$								
	4 x Rubber Eccentric Bushes				8 x Rear Upper & Lower Trailing Arm Bush	1	PB45-1239K		
Raising Vehicle Will Effect Castor Angle. A Wheel Alignment is Recommended to Determine if a Castor Kit is Required.					BUMP STOP				
					Adjustable Soft-hit bump stop (Suits 0-56mm extension)				
					2				
					BS45-529				
					SWAY BAR EXTENSION				
					Adjustable Swaybar Extension Suits 2" - 6" Lift				
					Stem Upper/Right Angle Lower Joint				
					1*				
					SE45-520				
					Adjustable Swaybar Extension Suits 2" - 6" Lift				
					Right Angle Upper/Right Angle Lower Joint				
					1*				
					SE45-521				
					*Check Swaybar Link Configuration - Some Vehicles Require 2 of the Same Swaybar and Other Vehicles Require 1 of Each Swaybar				
					SWAYBAR EXTENSION				
					Adjustable Swaybar Extension (Suits 2-6" Lift)				
					2				
					SE45-520				
					GEARBOX SPACER KIT				
					Drive Line Vibration May Occur with Raised Suspension. To Reduce Vibration We Recommend Fitting the Above Kit.				
					1				
					TC45-001K				
					CONTINUED ON NEXT PAGE				
					COIL SPACER				
					15mm				
					2				
					PS45-4012				
					30mm				
					2				
					PS45-4013				



TYPE: Patrol
MODEL: Y60 GQ
YEAR: 02/1988 - 1998
DETAIL: SWB GR, Safari, KYY60








FRONT			REAR				
	QTY	PART NUMBER	PRICE		QTY	PART NUMBER	PRICE
CONTINUED FROM PREVIOUS PAGE							
DRAGLINK							
38mm Solid Adjustable	1	SA45-1422					
PANHARD ROD BUSH							
Does Not Fit OE Upper/Chassis Bush	1	RB45-6025					
Does Not Fit OE Lower/Diff Bush	1	RB45-6027					
RADIUS ARM BUSH							
0 Degree Standard Radius Arm Bush Kit Arm to Diff 4 x Rubber Bushes	1	RB59-536K					
Arm to Chassis Bush Kit 4 x Rubber Bushes	1	RB45-535K					



TYPE: Patrol
MODEL: Y60 GQ/Y61 GU
YEAR: 1989 on
DETAIL: SWB
 75mm (3" Lift), 100mm (4" Lift)



FRONT			QTY	PART NUMBER	PRICE	REAR			QTY	PART NUMBER	PRICE
COIL SPRING						COIL SPRING					
PETROL ENGINE						COIL SPRING					
	Linear Rate Raised Height (3" Lift) No Accessories	1	C45-136	B		Linear Rate Raised Height (3" Lift)	1	C45-189	B		
	Linear Rate Raised Height (3" Lift) 60-100kg Accessories (Bullbar AND Winch)	1	C45-134	B		Linear Rate Raised Height (4" Lift)	1	C45-193	C		
	Linear Rate Raised Height (4" Lift) No Accessories	1	C45-304	B		SHOCK ABSORBER					
	Linear Rate Raised Height (4" Lift) 50-100kg Accessories	1	C45-314	B		Heavy Duty Twin Tube Gas	2	GS45-913			
DIESEL ENGINE						SHOCK ABSORBER					
	Linear Rate Raised Height (3" Lift) No Accessories	1	C45-134	B		Heavy Duty Monotube Remote Reservoir (3" Lift)	2	MR45-60913			
	Linear Rate Raised Height (3" Lift) 50-100kg Accessories	1	C45-304	B		Heavy Duty Monotube Remote Reservoir (4" Lift)	2	MR45-60915			
	Linear Rate Raised Height (4" Lift) No Accessories	1	C45-314	B		UNDER BODY BUSH KIT					
	Linear Rate Raised Height (4" Lift) 50-100kg Accessories	1	C45-316	B		Kit Includes Front & Rear Under Body Bushes *Excludes Spherical Panhard Rod Bush for Wagon Models 02/2000 on					
SHOCK ABSORBER						UNDER BODY BUSH KIT					
	Heavy Duty Twin Tube Gas	2	GS51-116		Post 1989						
	Heavy Duty Monotube Remote Reservoir (3" Lift) (4" Lift)	2	MR51-60116 MR45-60914		4 x Front Radius Arm to Chassis Bush 4 x Front Radius Arm to Diff Bush 4 x Front & Rear Panhard Rod Bush 8 x Rear Upper & Lower Trailing Arm Bush						
STEERING DAMPER						RUBBER COIL SEAT					
Heavy Duty (Big Bore) - Complete with Fittings						Replacement upper rubber coil seat					
Y60 GQ	1988 - 08/1989	1	SD45-834		2 RS45-4027						
Y60 GQ	08/1989 - 1999	1	SD45-836		ADJUSTABLE PANHARD ROD						
Y61 GU	12/1997 - 02/2000	1	SD51-811		Suits Y60 GQ & Y61 GU (to 02/2000)						
Y61 GU	02/2000 on	1	SD45-801		RH Drive & LH Drive Complete with Bushes						
Some 02/2000 on Latin American Wagons may Require SD51-811. Check End Configuration before Ordering.						Suits Y61 GU Only (02/2000 on) Ball Joint to Chassis Mount					
RUBBER COIL SEAT						Complete with Ball Joint and Bush					
Replacement upper rubber coil seat						2 PR45-1403					
CONTINUED ON NEXT PAGE						PANHARD ROD BUSH					
						Does Not Fit OE Upper/Chassis Bush					
						Does Not Fit OE Lower/Diff Bush					
						Does Not Fit OE Ball Joint-Upper/Chassis Bush					
						1 RB45-6025					
						1 RB45-6027					
						1 BJ45-6026					
						SWAY BAR EXTENSION					
						Adjustable Swaybar Extension Suits 2" - 6" Lift Stem Upper/Right Angle Lower Joint					
						Adjustable Swaybar Extension Suits 2" - 6" Lift Right Angle Upper/Right Angle Lower Joint					
						1* SE45-520					
						1* SE45-521					
						*Check Swaybar Link Configuration - Some Vehicles Require 2 of the Same Swaybar and Other Vehicles Require 1 of Each Swaybar					
						2 x Upper Adjustable Trailing Arms with Bushes					
						1 WA45-510K					
						BRAKE ADJUSTER					
						Recommended when Raising Vehicle (Suits 2-6" Lift)					
						1 BA45-005					
						CONTINUED ON NEXT PAGE					



TYPE: Patrol
MODEL: Y60 GQ/Y61 GU
YEAR: 1989 on
DETAIL: SWB
 75mm (3" Lift), 100mm (4" Lift)



FRONT

QTY

PART
NUMBER

PRICE

CONTINUED FROM PREVIOUS PAGE

ADJUSTABLE PANHARD ROD

Suits Y60 GQ & Y61 GU (to 02/2000)

RH Drive Complete with Bushes 1 **PR45-1402**
LH Drive Complete with Bushes 1 **PR45-1407**

Suits Y61 GU Only (02/2000 on)
Ball Joint to Chassis Mount

RH Drive Complete with Ball Joint and Bush 1 **PR45-1416**
LH Drive Complete with Ball Joint and Bush 1 **PR45-1409**

PANHARD ROD BUSH

Does Not Fit OE
Upper/Chassis Bush 1 **RB45-6025**

Does Not Fit OE
Lower/Diff Bush 1 **RB45-6027**

Does Not Fit OE
Ball Joint-Upper/Chassis Bush 1 **BJ45-6026**

CASTOR ADJUSTMENT PART

Adjustable Front Radius Arm Castor Kit
Angle Settings: $\pm 0^\circ$, $\pm 2.5^\circ$ or $\pm 3.5^\circ$
 4 x Polyurethane Eccentric Bushes 1 **PB59-503K**

Fixed Rubber Front Radius Arm Castor Kit
Angle Setting: $\pm 2.5^\circ$
 4 x Rubber Eccentric Bushes 1 **RB59-522K**

Raising Vehicle Will Effect Castor Angle. A Wheel Alignment is Recommended to Determine if a Castor Kit is Required.

REAR

QTY

PART
NUMBER

PRICE

CONTINUED FROM PREVIOUS PAGE

BUMP STOP

Adjustable Soft-hit bump stop
 (Suits 0-56mm extension) 2 **BS45-529**

WARNING - 75MM (3") OR HIGHER LIFT

The suspension components listed on this page are for off-road use only.



- Refer to Local Laws before Fitting to Registered/Road Vehicles
- An Engineering Certificate may be required
- Handling Characteristics will Diminish on Lifts Above 50mm (2")

The following modifications (but not limited to) need to be made to the vehicle before the kit is fitted.



- Adjustable Panhard Rods
- Modified Leading/Trailing Arms
- Brake Hoses
- Extended Bump Stops
- Gear Box & Drive Line Modifications
- Steering Arms
- Swaybar Modification














Dobinsons Spring & Suspension do not accept any responsibility for injury caused to person or property through the use of the products listed on this page.

These products do not come with any warranty or guarantee.



TYPE: Patrol
MODEL: Y60 GQ
YEAR: 1988 - 05/1999
DETAIL: Pickup, GR
 Leaf Spring Suspension



FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE
LEAF SPRING									
	7 Leaves Raised Height (45mm Lift) No Accessories	2	Y60-7L-F			5+2 Leaves Raised Height (50mm Lift) Up to 150Kg Constant Load	1	Y60-5+2-RRH	
	8 Leaves Raised Height (45mm Lift) 50-100Kg Accessories (Bullbar AND Winch) Recommended	2	Y60-8L-F			6+2 Leaves Raised Height (50mm Lift) 300Kg Constant Load Recommended	1	Y60-6+2-RRH	
SHACKLE BUSH KIT									
	Kit Contains: 8 x SPF2260 4 x SPF2270	1	PB45-1018K			Kit Contains: 12 x SPF2260	1	PB59-1019K	
	U-BOLT KIT								
	Kit Contains: 2 x UB45-669	2	UB45-669K			Kit Contains: 2 x UB45-670-1	2	UB45-670-1K	
	SHOCK ABSORBER								
	Heavy Duty Twin Tube Gas	2	GS45-640			Heavy Duty Twin Tube Gas (Big Bore)	2	GS45-125	
	STEERING DAMPER								
	Heavy Duty Complete with Fittings	1	SD45-022		SHACKLE				
	SHACKLE KIT								
	Greasable: Fit in Pairs	2	SK59-019			Greasable: Fit in Pairs	2	SK59-019	
	Can be substituted by: Right Hand Side (Anti-Reverse)	1	SK59-048			Greasable: Fit in Pairs Right Hand Side (Anti-Reverse)	1	SK59-048	
	Left Hand Side (Anti-Reverse)	1	SK59-047			Left Hand Side (Anti-Reverse)	1	SK59-047	
PIN									
	Greasable: Fit in Pairs	2	SP45-026			Greasable: Fit in Pairs	2	SP45-026	



TYPE: Patrol
MODEL: Y60 GQ
YEAR: 1992 - 05/1999
DETAIL: Pickup
 Coil Spring Suspension




FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE
COIL SPRING					COIL SPRING				
	Linear Rate Raised Height (20mm Lift) Up to 30Kg Accessories (Bullbar OR Winch)	1	C45-098	B		Variable Rate Standard Height (20mm Lift) Up to 100Kg Constant Load	1	C45-145VT	C
	Linear Rate Raised Height (35mm Lift) Up to 50Kg Accessories (Bullbar OR Winch) Recommended	1	C45-102	B		Linear Rate Raised Height (45mm Lift) Recommended	1	C45-103	B
	Linear Rate Raised Height (60mm Lift) Extra Heavy Duty 70-120Kg Accessories (Bullbar AND Winch)	1	C45-104	B		Variable Rate Raised Height (50mm Lift)	1	C45-115VT	C
	Linear Rate Raised Height (75mm Lift)	1	C45-108	B		Variable Rate Raised Height (50mm Lift) 200Kg Constant Load	1	C45-123VT	C
4.2L Petrol & 2.8L TD									
	Linear Rate Standard Height	1	C45-098	B	SHOCK ABSORBER				
	Linear Rate Raised Height (45mm Lift) Up to 50Kg Accessories (Bullbar OR Winch)	1	C45-102	B		Heavy Duty Twin Tube Gas	2	GS45-115	
	Linear Rate Raised Height (75mm Lift)	1	C45-108	B			Extra Heavy Duty Twin Tube Gas For Loaded Vehicles	2	GS59-703
4.2L Diesel					Heavy Duty Monotube Remote Reservoir				
	Variable Rate Raised Height (45mm Lift)	1	C45-110V	B	RUBBER COIL SEAT				
	Linear Rate Raised Height (45mm Lift) Extra Heavy Duty 70-120Kg Accessories (Bullbar AND Winch)	1	C45-104	B	Replacement upper rubber coil seat				
	Linear Rate Raised Height (75mm Lift) Heavy Duty 60-110Kg Accessories (Bullbar AND Winch)	1	C45-108	B	BUMP STOP				
SHOCK ABSORBER					Adjustable Soft-hit bump stop (Suits 0-56mm extension)				
	Heavy Duty Twin Tube Gas	2	GS45-114		UNDER BODY BUSH KIT				
	Heavy Duty Monotube Remote Reservoir	2	MR45-60114		Kit Includes Front & Rear Under Body Bushes *Excludes Spherical Panhard Rod Bush for Wagon Models 02/2000 on				
STEERING DAMPER					4 x Front Radius Arm to Chassis Bush 4 x Front Radius Arm to Diff Bush 4 x Front & Rear Panhard Rod Bush 8 x Rear Upper & Lower Trailing Arm Bush				
	Heavy Duty (Big Bore) Complete with Fittings	1	SD45-836		1				
	RUBBER COIL SEAT					COIL SPACER			
Replacement upper rubber coil seat					15mm				
2					2				
UNDER BODY BUSH KIT					PS45-4012				
See Rear Under Body Bush Kit					30mm				
					PS45-4013				
BUMP STOP									
Replacement upper rubber coil seat									
2									
CONTINUED ON NEXT PAGE									



TYPE: Patrol
MODEL: Y60 GQ
YEAR: 1992 - 05/1999
DETAIL: Pickup
 Coil Spring Suspension



FRONT			REAR		
	QTY	PART NUMBER		QTY	PART NUMBER
CONTINUED FROM PREVIOUS PAGE					
CASTOR ADJUSTMENT PART					
<p>Adjustable Front Radius Arm Castor Kit Angle Settings: ±0°, ±2.5° or ±3.5° 4 x Polyurethane Eccentric Bushes 1 PB59-503K</p> <p>Fixed Rubber Front Radius Arm Castor Kit Angle Setting: ±2.5° 4 x Rubber Eccentric Bushes 1 RB59-522K</p> <p style="color: red; font-size: small;">Raising Vehicle Will Effect Castor Angle. A Wheel Alignment is Recommended to Determine if a Castor Kit is Required.</p>					
COIL SPACER					
 <p>15mm 2 PS45-4010</p> <p>30mm 2 PS45-4011</p>					
DRAGLINK					
38mm Solid Adjustable 1 SA45-1422					
PANHARD ROD BUSH					
<p>Does Not Fit OE Upper/Chassis Bush 1 RB45-6025</p> <p>Does Not Fit OE Lower/Diff Bush 1 RB45-6027</p>					
RADIUS ARM BUSH					
<p>0 Degree Standard Radius Arm Bush Kit Arm to Diff 4 x Rubber Bushes 1 RB59-536K</p> <p>Arm to Chassis Bush Kit 4 x Rubber Bushes 1 RB45-535K</p>					















TYPE: Patrol

MODEL: Y61 GU, VRGY61, TCSY61, WRGY61,
WYY61, WTY61, WGY61

YEAR: 12/1997 on

DETAIL: SWB & LWB Station Wagon



FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE
COIL SPRING					COIL SPRING				
SWB					SWB GU Patrol Series I, II, III, IV (97-06)				
	Linear Rate Raised Height (30mm Lift)	1	C45-004	B		Linear Rate Raised Height (40mm Lift)	1	C45-121	B
LWB					LWB GU Patrol Series I, II, III, IV (97-06)				
Suits 2.8L & 3.0L TD, 4.2 Diesel									
	Linear Rate Standard Height	1	C45-140	B		Linear Rate Standard Height	1	C45-323	B
	Linear Rate Raised Height (40mm Lift) Recommended	1	C45-138	B		Linear Rate Raised Height (45mm Lift) Up to 100Kg Constant Load (Recommended)	1	C45-103	B
	Linear Rate Raised Height (50mm Lift) No Accessories	1	C45-130	B		Linear Rate Raised Height (60mm Lift) No Load	1	C45-129	B
	Linear Rate Raised Height (50mm Lift) 60-100Kg Accessories (Bullbar AND Winch)	1	C45-232	B		Linear Rate Raised Height (45mm Lift) 200Kg Constant Load	1	C45-129	B
Suits 4.5L & 4.8L Petrol, 4.2L TD					GU Patrol Series V on (07 on)				
	Linear Rate Standard Height	1	C45-132	B		Raised Height (45mm Lift) No Accessories	1	C45-129	B
	Linear Rate Raised Height (30mm Lift) Recommended	1	C45-130	B		Raised Height (45mm Lift) 200Kg Constant Load	1	C45-329	C
	Linear Rate Raised Height (50mm Lift) 0-50Kg Accessories	1	C45-232	B	SHOCK ABSORBER				
	Linear Rate Raised Height (60mm Lift) No Accessories	1	C45-134	B		Heavy Duty Twin Tube Gas	2	GS45-115	
	Linear Rate Raised Height (45mm Lift) 60-110Kg Accessories (Bullbar AND Winch)	1	C45-134	B		Extra Heavy Duty Twin Tube Gas For Loaded Vehicles	2	GS59-703	
SHOCK ABSORBER					RUBBER COIL SEAT				
	Heavy Duty Twin Tube Gas	2	GS45-114		Replacement upper rubber coil seat 2 RS45-4027				
	Heavy Duty Monotube Remote Reservoir	2	MR45-60114		UNDER BODY BUSH KIT				
STEERING DAMPER					Kit Includes Front & Rear Under Body Bushes				
12/1997 - 02/2000					*Excludes Spherical Panhard Rod Bush for Wagon Models 02/2000 on				
	Heavy Duty (Big Bore) Complete with Fittings	1	SD51-811		4 x Front Radius Arm to Chassis Bush				
02/2000 on					4 x Front Radius Arm to Diff Bush				
	Heavy Duty (Big Bore) Complete with Fittings	1	SD45-801		4 x Front & Rear Panhard Rod Bush				
					8 x Rear Upper & Lower Trailing Arm Bush 1 PB45-1239K				
RUBBER COIL SEAT					SWAY BAR EXTENSION				
Replacement upper rubber coil seat 2 RS45-4026					Adjustable Swaybar Extension Suits 2" - 6" Lift				
UNDER BODY BUSH KIT					Stem Upper/Right Angle Lower Joint 1* SE45-520				
See Rear Under Body Bush Kit					Adjustable Swaybar Extension Suits 2" - 6" Lift				
CONTINUED ON NEXT PAGE					Right Angle Upper/Right Angle Lower Joint 1* SE45-521				
					*Check Swaybar Link Configuration - Some Vehicles Require 2 of the Same Swaybar and Other Vehicles Require 1 of Each Swaybar				
					BUMP STOP				
					Adjustable Soft-hit bump stop (Suits 0-56mm extension) 2 BS45-529				
					CONTINUED ON NEXT PAGE				





TYPE: Patrol

MODEL: Y61 GU, VRGY61, TCSY61, WRGY61, WYY61, WTY61, WGY61

YEAR: 12/1997 on

DETAIL: SWB & LWB Station Wagon



FRONT			QTY	PART NUMBER	PRICE	REAR			QTY	PART NUMBER	PRICE
CONTINUED FROM PREVIOUS PAGE						CONTINUED FROM PREVIOUS PAGE					
PANHARD ROD BUSH						BRAKE ADJUSTER					
<p>Does Not Fit OE Upper/Chassis Bush 1 RB45-6025</p> <p>Does Not Fit OE Lower/Diff Bush 1 RB45-6027</p> <p>Does Not Fit OE Ball Joint-Upper/Chassis Bush 1 BJ45-6026</p>						<p style="color: red;">Recommended when Raising Vehicle (Suits 2-6" Lift) 1 BA45-005</p>					
RADIUS ARM BUSH						COIL SPACER					
<p>0 Degree Standard Radius Arm Bush Kit Arm to Diff 4 x Rubber Bushes 1 RB59-536K</p> <p>Arm to Chassis Bush Kit 4 x Rubber Bushes 1 RB45-535K</p>						<p> 15mm 2 PS45-4012 30mm 2 PS45-4013</p>					
BUMP STOP											
<p style="color: red;">Adjustable Soft-hit bump stop (Suits 0-56mm extension) 2 BS45-528</p>											
DRAGLINK											
<p>38mm Solid Adjustable 1 SA45-1424</p>											
CASTOR KIT											
<p style="color: red;">Adjustable Front Radius Arm Castor Kit Angle Settings: ±0°, ±2.5° or ±3.5° 4 x Polyurethane Eccentric Bushes 1 PB59-503K</p> <p style="color: red;">Fixed Rubber Front Radius Arm Castor Kit Angle Setting: ±2.5° 4 x Rubber Eccentric Bushes 1 RB59-522K</p> <p>Raising Vehicle Will Effect Castor Angle. A Wheel Alignment is Recommended to Determine if a Castor Kit is Required.</p>											
SWAYBAR EXTENSION											
<p style="color: red;">Adjustable Swaybar Extension (Suits 2-6" Lift) 2 SE45-520</p>											
COIL SPACER											
<p> 15mm 2 PS45-4010 30mm 2 PS45-4011</p>											



TYPE: Patrol
MODEL: Y61 GU, UCLY61, UELY61
YEAR: 01/1999 on
DETAIL: Pickup
 Front - Coil Spring, Rear - Leaf Spring





FRONT			REAR		
QTY	PART NUMBER	PRICE	QTY	PART NUMBER	PRICE
COIL SPRING			LEAF SPRING		
3.0L TD (2008 on)			5+2 Leaves		
4.2L Diesel			Raised Height (40mm Lift)		
	Linear Rate		1	Y60-5+2-RRH	
	Standard Height	1 C45-140	B		
	Linear Rate		1	Y60-5+2-R LH	
	Raised Height (40mm Lift)	1 C45-138	B		
	Linear Rate		1	Y60-6+2-R LH	
	Raised Height (50mm Lift)	1 C45-130	B		
	No Accessories	1 C45-130	B		
	Linear Rate		1	Y60-6+2-R LH	
	Raised Height (50mm Lift)	1 C45-232	B		
	60Kg Accessories				
	(Bullbar OR Winch)	1 C45-232	B		
4.2L TD			6+2 Leaves		
	Linear Rate		1	Y60-6+2-R LH	
	Standard Height	1 C45-132	B		
	Linear Rate		1	Y60-6+2-R LH	
	Raised Height (30mm Lift)	1 C45-130	B		
	Linear Rate		1	Y60-7+2-R RH	
	Raised Height (50mm Lift)	1 C45-232	B		
	0-50Kg Accessories	1 C45-232	B		
	Linear Rate		1	Y60-7+2-R LH	
	Raised Height (60mm Lift)	1 C45-134	B		
	No Accessories	1 C45-134	B		
	Linear Rate		1	Y60-7+2-R LH	
	Raised Height (45mm Lift)	1 C45-134	B		
	60-100Kg Accessories				
	(Bullbar AND Winch)	1 C45-134	B		
SHOCK ABSORBER			SHACKLE BUSH KIT		
	Heavy Duty Twin Tube Gas	2 GS45-114			
	Heavy Duty Monotube				
	Remote Reservoir	2 MR45-60114			
STEERING DAMPER			Kit Contains:		
	Heavy Duty (Big Bore)	1 SD51-811			
	Complete with Fittings	1 SD51-811			
RUBBER COIL SEAT			12 x SPF2260		
	Replacement upper rubber coil seat	2 RS45-4026			
ADJUSTABLE PANHARD ROD			U-BOLT KIT		
	RH Drive				
	Complete with Bushes	1 PR45-1402			
	LH Drive				
	Complete with Bushes	1 PR45-1407			
PANHARD ROD BUSH			Kit Contains:		
	Does Not Fit OE				
	Upper/Chassis Bush	1 RB45-6025			
	Does Not Fit OE				
	Lower/Diff Bush	1 RB45-6027			
BUMP STOP			SHOCK ABSORBER		
	Adjustable Soft-hit bump stop				
	(Suits 0-56mm extension)	2 BS45-528			
CONTINUED ON NEXT PAGE			SHACKLE		
			Greasable: Fit in Pairs		
			2 SK59-019		
			Greasable: Fit in Pairs		
			Right Hand Side		
			(Anti-Reverse)		
			1 SK59-048		
			Left Hand Side (Anti-Reverse)		
			1 SK59-047		
			PIN		
			Greasable: Fit in Pairs		
			2 SP45-026		



TYPE: Patrol
MODEL: Y61 GU, UCLY61, UELY61
YEAR: 01/1999 on
DETAIL: Pickup
 Front - Coil Spring, Rear - Leaf Spring










FRONT			REAR		
	QTY	PART NUMBER		QTY	PART NUMBER
		PRICE			PRICE
CONTINUED FROM PREVIOUS PAGE					
RADIUS ARM BUS					
0 Degree Standard Radius Arm Bush Kit Arm to Diff 4 x Rubber Bushes	1	RB59-536K			
Arm to Chassis Bush Kit 4 x Rubber Bushes	1	RB45-535K			
DRAGLINK					
38mm Solid Adjustable	1	SA45-1424			
CASTOR ADJUSTMENT PART					
Adjustable Front Radius Arm Castor Kit Angle Settings: ±0°, ±2.5° or ±3.5° 4 x Polyurethane Eccentric Bushes	1	PB59-503K			
Fixed Rubber Front Radius Arm Castor Kit Angle Setting: ±2.5° 4 x Rubber Eccentric Bushes	1	RB59-522K			
Raising Vehicle Will Effect Castor Angle. A Wheel Alignment is Recommended to Determine if a Castor Kit is Required.					
COIL SPACER					
 15mm	2	PS45-4010			
 30mm	2	PS45-4011			



TYPE: Patrol
MODEL: Y61 GU
YEAR: 05/1999 on
DETAIL: Pickup
 (Coil Spring Suspension)





FRONT		QTY	PART NUMBER	PRICE	
COIL SPRING					
2.8L TD, 4.2L Diesel					
	Linear Rate Standard Height	1	C45-140	B	
	Linear Rate Raised Height (40mm Lift) (Recommended)	1	C45-138	B	
	Linear Rate Raised Height (75mm Lift)	1	C45-134	B	
	Linear Rate Raised Height (50mm Lift) No Accessories	1	C45-130	B	
	Linear Rate Raised Height (50mm Lift) 60-100Kg Accessories (Bullbar OR Winch)	1	C45-232	B	
	4.5L & 4.8L Petrol, 4.2L TD				
	Linear Rate Standard Height	1	C45-132	B	
Linear Rate Raised Height (30mm Lift) (Recommended)	1	C45-130	B		
Linear Rate Raised Height (50mm Lift) 0-50Kg Accessories	1	C45-232	B		
Linear Rate Raised Height (75mm Lift)	1	C45-108	B		
Linear Rate Raised Height (60mm Lift) No Accessories	1	C45-134	B		
Linear Rate Raised Height (45mm Lift) 60-110Kg Accessories (Bullbar AND Winch)	1	C45-134	B		
SHOCK ABSORBER					
	Heavy Duty Twin Tube Gas	2	GS45-114		
	Heavy Duty Monotube Remote Reservoir	2	MR45-60114		
STEERING DAMPER					
	Heavy Duty (Big Bore) Complete with Fittings	1	SD51-811		
RUBBER COIL SEAT					
	Replacement upper rubber coil seat	2	RS45-4026		
UNDER BODY BUSH KIT					
See Rear Under Body Bush Kit					
ADJUSTABLE PANHARD ROD					
	RH Drive Complete with Bushes	1	PR45-1402		
	LH Drive Complete with Bushes	1	PR45-1407		
CONTINUED ON NEXT PAGE					



REAR		QTY	PART NUMBER	PRICE
COIL SPRING				
	Linear Rate Standard Height	1	C45-323	B
	Linear Rate Raised Height (45mm Lift) (Recommended)	1	C45-103	B
	Linear Rate Raised Height (75mm Lift)	1	C45-129	B
	Variable Rate Raised Height (50mm Lift)	1	C45-115VT	C
	Variable Rate Raised Height (50mm Lift) 200Kg Constant Load	1	C45-123VT	C
	Linear Rate Raised Height (45mm Lift) Extra Heavy Duty 450Kg Constant Load	1	C45-105T	C
	RUBBER COIL SEAT			
	Replacement upper rubber coil seat	2	RS45-4027	
SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas	2	GS45-115	
	Extra Heavy Duty Twin Tube Gas For Loaded Vehicles	2	GS59-703	
	Heavy Duty Monotube Remote Reservoir	2	MR45-60115	
SWAY BAR EXTENSION				
	Adjustable Swaybar Extension Suits 2" - 6" Lift Stem Upper/Right Angle Lower Joint	1*	SE45-520	
	Adjustable Swaybar Extension Suits 2" - 6" Lift Right Angle Upper/Right Angle Lower Joint	1*	SE45-521	
*Check Swaybar Link Configuration - Some Vehicles Require 2 of the Same Swaybar and Other Vehicles Require 1 of Each Swaybar				
BRAKE ADJUSTER				
	Recommended when Raising Vehicle (Suits 2 - 6" Lift)	1	BA45-005	
BUMP STOP				
	Adjustable Soft-hit bump stop (Suits 0-56mm extension)	2	BS45-529	
UNDER BODY BUSH KIT				
Kit Includes Front & Rear Under Body Bushes *Excludes Spherical Panhard Rod Bush for Wagon Models 02/2000 on				
	4 x Front Radius Arm to Chassis Bush 4 x Front Radius Arm to Diff Bush 4 x Front & Rear Panhard Rod Bush 8 x Rear Upper & Lower Trailing Arm Bush	1	PB45-1239K	
ADJUSTABLE PANHARD ROD				
	Complete with Bushes	1	PR45-1403	
CONTINUED ON NEXT PAGE				



TYPE: Patrol
MODEL: Y61 GU
YEAR: 05/1999 on
DETAIL: Pickup
 (Coil Spring Suspension)







FRONT	QTY	PART NUMBER	PRICE
CONTINUED FROM PREVIOUS PAGE			
PANHARD ROD BUSH			
Does Not Fit OE Upper/Chassis Bush	1	RB45-6025	
Does Not Fit OE Lower/Diff Bush	1	RB45-6027	
RADIUS ARM BUSH			
0 Degree Standard Radius Arm Bush Kit Arm to Diff 4 x Rubber Bushes	1	RB59-536K	
Arm to Chassis Bush Kit 4 x Rubber Bushes	1	RB45-535K	
BUMP STOP			
Adjustable Soft-hit bump stop (Suits 0-56mm extension)	2	BS45-528	
DRAGLINK			
38mm Solid Adjustable	1	SA45-1424	
CASTOR ADJUSTMENT PART			
Adjustable Front Radius Arm Castor Kit Angle Settings: ±0°, ±2.5° or ±3.5° 4 x Polyurethane Eccentric Bushes	1	PB59-503K	
Fixed Rubber Front Radius Arm Castor Kit Angle Setting: ±2.5° 4 x Rubber Eccentric Bushes	1	RB59-522K	
Raising Vehicle Will Effect Castor Angle. A Wheel Alignment is Recommended to Determine if a Castor Kit is Required.			
SWAYBAR EXTENSION			
Adjustable Swaybar Extension (Suits 2-6" Lift)	2	SE45-520	
COIL SPACER			
 15mm	2	PS45-4010	
 30mm	2	PS45-4011	




REAR	QTY	PART NUMBER	PRICE
CONTINUED FROM PREVIOUS PAGE			
PANHARD ROD BUSH			
Does Not Fit OE Upper/Chassis Bush	1	RB45-6025	
Lower/Diff Bush	1	RB45-6027	
COIL SPACER			
 15mm	2	PS45-4012	
 30mm	2	PS45-4013	



TYPE: Patrol
MODEL: Y60 GQ/Y61 GU
YEAR: 08/1987 on
DETAIL: Station Wagon & Pickup
 75mm (3" Lift)



FRONT		QTY	PART NUMBER	PRICE
COIL SPRING				
4.5L Petrol, 2.8L & 3.0L T/Diesel, 4.2L Diesel				
	No Accessories	1	C45-134	B
	50-100Kg Accessories (Bullbar AND Winch)	1	C45-308	B
4.8L Petrol, 4.2L T/Diesel				
	Up to 40Kg Accessories	1	C45-308	B
	50-100Kg Accessories	1	C45-310	B
	80-120Kg Accessories Extra Heavy Duty	1	C45-108	B
SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas	2	GS51-116	
	Monotube Remote Reservoir Shock Heavy Duty	2	MR51-60116	
STEERING DAMPER				
HEAVY DUTY (BIG BORE) - COMPLETE WITH FITTINGS				
Y60 GQ	1988 - 08/1989 (Wagon)	1	SD45-834	
Y60 GQ	08/1989 - 1999 (Wagon & Pickup)	1	SD45-836	
Y61 GU	12/1997 - 02/2000 (Wagon)	1	SD51-811	
Y60 GQ & Y61 GU	01/1999 on (Pickup)	1	SD51-811	
Y61 GU	02/2000 on (Wagon)	1	SD45-801	
Some 02/2000 on Latin American Wagons May Require SD51-811. Check End Configuration Before Ordering.				
RUBBER COIL SEAT				
	Replacement upper rubber coil seat	2	RS45-4026	
ADJUSTABLE PANHARD ROD				
Suits Y60 GQ & Y61 GU - Complete with Bushes				
RH Drive	to 02/2000 (Wagon)	1	PR45-1402	
RH Drive	1992 on (Pickup)	1	PR45-1402	
LH Drive	to 02/2000 (Wagon)	1	PR45-1407	
LH Drive	1992 on (Pickup)	1	PR45-1407	
Suits Y61 GU Only - Complete with Ball Joint & Bush				
RH Drive	02/2000 on (Wagon)	1	PR45-1416	
LH Drive	02/2000 on (Wagon)	1	PR45-1409	
PANHARD ROD BUSH				
	Does Not Fit OE Upper/Chassis Bush	1	RB45-6025	
	Does Not Fit OE Lower/Diff Bush	1	RB45-6027	
	Does Not Fit OE Ball Joint-Upper/Chassis Bush	1	BJ45-6026	
CONTINUED ON NEXT PAGE				

REAR		QTY	PART NUMBER	PRICE
COIL SPRING				
GQ - GU Series I, II, III, IV				
	No Load	1	C45-129	B
	50-100Kg Constant Load	1	C45-329	C
	100-250Kg Constant Load	1	C45-309T	C
	250-350Kg Constant Load	1	C45-325T	C
GU Series V				
	No Load	1	C45-329	C
	50-100Kg Constant Load	1	C45-309T	C
	150-250Kg Constant Load	1	C45-325T	C
SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas	2	GS45-913	
	Monotube Remote Reservoir Shock Heavy Duty	2	MR45-60913	
UNDER BODY BUSH KIT				
Kit Includes Front & Rear Under Body Bushes *Excludes Spherical Panhard Rod Bush for Wagon Models 02/2000 on				
Post 1989				
	4 x Front Radius Arm to Chassis Bush			
	4 x Front Radius Arm to Diff Bush			
	4 x Front & Rear Panhard Rod Bush			
	8 x Rear Upper & Lower Trailing Arm Bush	1	PB45-1239K	
RUBBER COIL SEAT				
	Replacement upper rubber coil seat	2	RS45-4027	
ADJUSTABLE PANHARD ROD				
Suits Y60 GQ & Y61 GU				
	Complete with Bushes to 02/2000 (Wagon)	1	PR45-1403	
	Complete with Bushes 1992 on (Pickup)	1	PR45-1403	
Suits Y61 GU Only (Ball Joint to Chassis Mount)				
	Complete with Ball Joint and Bush 02/2000 on (Wagon)	1	PR45-1415	
PANHARD ROD BUSH				
	Does Not Fit OE Upper/Chassis Bush	1	RB45-6025	
	Does Not Fit OE Lower/Diff Bush	1	RB45-6027	
	Does Not Fit OE Ball Joint-Upper/Chassis Bush	1	BJ45-6026	
SWAY BAR EXTENSION				
	Adjustable Swaybar Extension Suits 2" - 6" Lift Stem Upper/Right Angle Lower Joint	1*	SE45-520	
	Adjustable Swaybar Extension Suits 2" - 6" Lift Right Angle Upper/Right Angle Lower Joint	1*	SE45-521	
*Check Swaybar Link Configuration - Some Vehicles Require 2 of the Same Swaybar and Other Vehicles Require 1 of Each Swaybar				
	2 x Upper Adjustable Trailing Arms with Bushes	1	WA45-510K	
CONTINUED ON NEXT PAGE				



TYPE: Patrol
MODEL: Y60 GQ/Y61 GU
YEAR: 08/1987 on
DETAIL: Station Wagon & Pickup
 75mm (3" Lift)



FRONT	QTY	PART NUMBER	PRICE
CONTINUED FROM PREVIOUS PAGE			
DRAGLINK			
Suits GQ/Y60			
38mm Solid Adjustable	1	SA45-1422	
Suits GU/Y61			
38mm Solid Adjustable	1	SA45-1424	
RADIUS ARM BUSH			
Adjustable Front Radius Arm Castor Kit Angle Settings: $\pm 0^\circ$, $\pm 2.5^\circ$ or $\pm 3.5^\circ$ 4 x Polyurethane Eccentric Bushes	1	PB59-503K	
Fixed Rubber Front Radius Arm Castor Kit Angle Setting: $\pm 2.5^\circ$ 4 x Rubber Eccentric Bushes	1	RB59-522K	
Raising Vehicle Will Effect Castor Angle. A Wheel Alignment is Recommended to Determine if a Castor Kit is Required.			
BUMP STOP			
Adjustable Soft-hit bump stop (Suits 0-56mm extension)	2	BS45-528	
DROP BOX KIT			
5° Drop Box Kit - Sold as Pair (1 LH & 1 RH)	1	WA45-509K	
May be Required for Vehicles Lifted Closer to 4". Extensive Modifications are Required to Fit the RH and LH Drop Box. Gives a 5° of Castor Adjustment. Leading Arm Modifications are not Required when Fitting this Part Number.			
CASTOR PLATE KITS			
5° Castor Plate Kit (Suits Both Arms)	1	WA45-513K	
SWAYBAR EXTENSION			
Adjustable Swaybar Extension (Suits 2-6" Lift)	2	SE45-520	
GEARBOX SPACER KIT			
Drive Line Vibration May Occur with Raised Suspension. To Reduce Vibration We Recommend Fitting the Above Kit.	1	TC45-001K	
RADIUS ARM BUSH			
0 Degree Standard Radius Arm Bush Kit Arm to Diff 4 x Rubber Bushes	1	RB59-536K	
Arm to Chassis Bush Kit 4 x Rubber Bushes	1	RB45-535K	

REAR	QTY	PART NUMBER	PRICE
CONTINUED FROM PREVIOUS PAGE			
BRAKE ADJUSTER			
Recommended when Raising Vehicle (Suits 2-6" Lift)	1	BA45-005	
BUMP STOP			
Adjustable Soft-hit bump stop (Suits 0-56mm extension)	2	BS45-529	
WARNING - 75MM (3") OR HIGHER LIFT			
The suspension components listed on this page are for off-road use only.			
<ul style="list-style-type: none"> - Refer to Local Laws before Fitting to Registered/Road Vehicles - An Engineering Certificate may be required - Handling Characteristics will Diminish on Lifts Above 50mm (2") 			
The following modifications (but not limited to) need to be made to the vehicle before the kit is fitted.			
<ul style="list-style-type: none"> - Adjustable Panhard Rods - Modified Leading/Trailing Arms - Brake Hoses - Extended Bump Stops - Gear Box & Drive Line Modifications - Steering Arms - Swaybar Modification 			
Dobinsons Spring & Suspension do not accept any responsibility for injury caused to person or property through the use of the products listed on this page.			
These products do not come with any warranty or guarantee.			



TYPE: Patrol
MODEL: Y60 GQ/Y61 GU
YEAR: 1987 on
DETAIL: Station Wagon & Pickup
 100mm (4" Lift)




FRONT			QTY	PART NUMBER	PRICE	REAR			QTY	PART NUMBER	PRICE
COIL SPRING						COIL SPRING					
	Variable Rate Raised Height (4" Lift) 0-70Kg Accessories	1	C45-270V	C		Variable Rate Raised Height (4" Lift) 0-150Kg Accessories	1	C45-271V	C		
	Linear Rate Raised Height (4" Lift) Light Duty 0-70Kg Accessories	1	C45-314	B		Linear Rate Raised Height (4" Lift) Medium Duty 0-100Kg Constant Load	1	C45-311T	C		
	Linear Rate Raised Height (4" Lift) Medium Duty 50-100Kg Accessories	1	C45-316	B		Linear Rate Raised Height (4" Lift) Extra Heavy Duty 100-250Kg Constant Load	1	C45-313T	C		
	Linear Rate Raised Height (4" Lift) Heavy Duty 80-120Kg Accessories	1	C45-100	B		Linear Rate Raised Height (4" Lift) Extra Extra Heavy Duty 250-400Kg Constant Load	1	C45-315T	C		
SHOCK ABSORBER						RUBBER COIL SEAT					
Heavy Duty Twin Tube Gas (Suits All Coils)	2	GS51-116			Replacement upper rubber coil seat	2	RS45-4027				
Heavy Duty Twin Tube Gas (Suits C45-270V)	2	GS45-912			SHOCK ABSORBER						
Heavy Duty Monotube Remote Reservoir (Suits All Coils)	2	MR45-60914			Heavy Duty Twin Tube Gas (Suits All Coils)	2	GS45-913				
Heavy Duty Monotube Remote Reservoir (Suits C45-270V)	2	MR59-60683			Heavy Duty Twin Tube Gas (Suits C45-271V)	2	GS45-915				
GS45-912 Used with C45-270V Allows Coil to Stay Trapped at Full Extension.						Heavy Duty Monotube Remote Reservoir (Suits All Coils)	2	MR45-60913			
						Heavy Duty Monotube Remote Reservoir (Suits C45-271V)	2	MR45-60915			
						GS45-915 Used with C45-271V Allows Coil to Stay Trapped at Full Extension.					
STEERING DAMPER HEAVY DUTY (BIG BORE) - COMPLETE WITH FITTINGS						UNDER BODY BUSH KIT					
Y60 GQ 1988 - 08/1989 (Wagon)	1	SD45-834			Kit Includes Front & Rear Under Body Bushes *Excludes Spherical Panhard Rod Bush for Wagon Models 02/2000 on						
Y60 GQ 08/1989 - 1999 (Wagon & Pickup)	1	SD45-836			Post 1989						
Y61 GU 12/1997 - 02/2000 (Wagon)	1	SD51-811			4 x Front Radius Arm to Chassis Bush						
Y60 GQ & Y61 GU 01/1999 on (Pickup)	1	SD51-811			4 x Front Radius Arm to Diff Bush						
Y61 GU 02/2000 on (Wagon)	1	SD45-801			4 x Front & Rear Panhard Rod Bush						
Some 02/2000 on Latin American Wagons May Require SD51-811. Check End Configuration Before Ordering.						8 x Rear Upper & Lower Trailing Arm Bush	1	PB45-1239K			
						ADJUSTABLE PANHARD ROD					
RUBBER COIL SEAT						Suits Y60 GQ & Y61 GU (to 02/2000)					
Replacement upper rubber coil seat	2	RS45-4026			RH Drive & LH Drive Complete with Bushes	1	PR45-1403				
						Suits Y61 GU Only (02/2000 on)					
						Ball Joint to Chassis Mount Complete with Bull Joint and Bush	1	PR45-1415			
ADJUSTABLE PANHARD ROD						PANHARD ROD BUSH					
Suits Y60 GQ & Y61 GU - Complete with Bushes						Does Not Fit OE					
RH Drive to 02/2000 (Wagon)	1	PR45-1402			Upper/Chassis Bush	1	RB45-6025				
RH Drive 1992 on (Pickup)	1	PR45-1402			Does Not Fit OE						
LH Drive to 02/2000 (Wagon)	1	PR45-1407			Lower/Diff Bush	1	RB45-6027				
LH Drive 1992 on (Pickup)	1	PR45-1407			Does Not Fit OE						
Suits Y61 GU Only - Complete with Ball Joint & Bush						Ball Joint-Upper/Chassis Bush	1	BJ45-6026			
RH Drive 02/2000 on (Wagon)	1	PR45-1416			CONTINUED ON NEXT PAGE						
LH Drive 02/2000 on (Wagon)	1	PR45-1409									




CONTINUED ON NEXT PAGE



TYPE: Patrol
MODEL: Y60 GQ/Y61 GU
YEAR: 1987 on
DETAIL: Station Wagon & Pickup
 100mm (4" Lift)









FRONT	QTY	PART NUMBER	PRICE
CONTINUED FROM PREVIOUS PAGE			
PANHARD ROD BUSH			
Does Not Fit OE Upper/Chassis Bush	1	RB45-6025	
Does Not Fit OE Lower/Diff Bush	1	RB45-6027	
Does Not Fit OE Ball Joint-Upper/Chassis Bush	1	BJ45-6026	
RADIUS ARM BUSH			
0 Degree Standard Radius Arm Bush Kit Arm to Diff 4 x Rubber Bushes	1	RB59-536K	
Arm to Chassis Bush Kit 4 x Rubber Bushes	1	RB45-535K	
DRAGLINK			
Suits GQ/Y60			
38mm Solid Adjustable	1	SA45-1422	
Suits GU/Y61			
38mm Solid Adjustable	1	SA45-1424	
BUMP STOP			
Adjustable Soft-hit bump stop (Suits 0-56mm extension)	2	BS45-528	
CASTOR CORRECTION BUSH			
Adjustable Front Radius Arm Castor Kit Angle Settings: ±0°, ±2.5° or ±3.5° 4 x Polyurethane Eccentric Bushes	1	PB59-503K	
Raising Vehicle Will Effect Castor Angle. A Wheel Alignment is Recommended to Determine if a Castor Kit is Required.			
DROP BOXES			
5° Drop Box Kit (Sold as a Pair) (1 LH & 1 RH)	1	WA45-509K	
Extensive Modifications are Required to fit the LH & RH Drop Box. Gives a 5° of Castor Adjustment. Leading Arm Modifications are not Required when Fitting this Part Number.			
CASTOR PLATE KIT			
5° Castor Plate Kit (Suits Both Arms)	1	WA45-513K	
SWAYBAR EXTENSION			
Adjustable Swaybar Extension (Suits 2-6" Lift)	2	SE45-520	
GEARBOX SPACER KIT			
Drive Line Vibration May Occur with Raised Suspension. To Reduce Vibration We Recommend Fitting the Above Kit.	1	TC45-001K	
COIL SPACER			
	15mm	2	PS45-4010
	30mm	2	PS45-4011

REAR	QTY	PART NUMBER	PRICE
CONTINUED FROM PREVIOUS PAGE			
SWAY BAR EXTENSION			
Adjustable Swaybar Extension Suits 2" - 6" Lift Stem Upper/Right Angle Lower Joint	1*	SE45-520	
Adjustable Swaybar Extension Suits 2" - 6" Lift Right Angle Upper/Right Angle Lower Joint	1*	SE45-521	
*Check Swaybar Link Configuration - Some Vehicles Require 2 of the Same Swaybar and Other Vehicles Require 1 of Each Swaybar			
2 x Upper Adjustable Trailing Arms with Bushes	1	WA45-510K	
BUMP STOP			
Adjustable Soft-hit bump stop (Suits 0-56mm extension)	2	BS45-529	
BRAKE ADJUSTER			
Recommended when Raising Vehicle (Suits 2-6" Lift)	1	BA45-005	
COIL SPACER			
	15mm	2	PS45-4012
	30mm	2	PS45-4013
WARNING - 75MM (3") OR HIGHER LIFT			
The suspension components listed on this page are for off-road use only.			
	<ul style="list-style-type: none"> - Refer to Local Laws before Fitting to Registered/Road Vehicles - An Engineering Certificate may be required - Handling Characteristics will Diminish on Lifts Above 50mm (2") 		
The following modifications (but not limited to) need to be made to the vehicle before the kit is fitted.			
	<ul style="list-style-type: none"> - Adjustable Panhard Rods - Modified Leading/Trailing Arms - Brake Hoses - Extended Bump Stops 	<ul style="list-style-type: none"> - Gear Box & Drive Line Modifications - Steering Arms - Swaybar Modification 	
Dobinsons Spring & Suspension do not accept any responsibility for injury caused to person or property through the use of the products listed on this page.			
These products do not come with any warranty or guarantee.			



TYPE: Patrol
MODEL: Y60 GQ/Y61 GU
YEAR: 1987 on
DETAIL: Station Wagon & Pickup
 150mm (6" Lift)





FRONT			QTY	PART NUMBER	PRICE	REAR			QTY	PART NUMBER	PRICE																		
COIL SPRING						COIL SPRING																							
	Linear Rate Raised Height (6" Lift) Light Duty 0-50Kg Accessories	1	C45-320	B			Linear Rate Raised Height (6" Lift) Light Duty 0-100Kg Constant Load	1	C45-319	C																			
	Linear Rate Raised Height (6" Lift) Heavy Duty 50-90Kg Accessories	1	C45-128	C			Linear Rate Raised Height (6" Lift) Heavy Duty 100-250Kg Constant Load	1	C45-131T	C																			
	Linear Rate Raised Height (6" Lift) Extra Heavy Duty 80-120Kg Accessories	1	C45-322	C			Linear Rate Raised Height (6" Lift) Extra Heavy Duty 300-500Kg Constant Load	1	C45-317T	C																			
SHOCK ABSORBER						SHOCK ABSORBER																							
	Heavy Duty Twin Tube Gas	2	GS45-912				Heavy Duty Twin Tube Gas	2	GS45-915																				
	Heavy Duty Monotube Remote Reservoir	2	MR59-60683				Heavy Duty Monotube Remote Reservoir	2	MR59-60917																				
STEERING DAMPER HEAVY DUTY (BIG BORE) - COMPLETE WITH FITTINGS						UNDER BODY BUSH KIT																							
Y60 GQ	1988 - 08/1989 (Wagon)	1	SD45-834			Kit Includes Front & Rear Under Body Bushes *Excludes Spherical Panhard Rod Bush for Wagon Models 02/2000 on																							
Y60 GQ	08/1989 - 1999 (Wagon & Pickup)	1	SD45-836			1989 on																							
Y61 GU	12/1997 - 02/2000 (Wagon)	1	SD51-811			4 x Front Radius Arm to Chassis Bush 4 x Front Radius Arm to Diff Bush 4 x Front & Rear Panhard Rod Bush 8 x Rear Upper & Lower Trailing Arm Bush																							
Y60 GQ & Y61 GU	01/1999 on (Pickup)	1	SD51-811			1 PB45-1239K																							
Y61 GU	02/2000 on (Wagon)	1	SD45-801			RUBBER COIL SEAT																							
Some 02/2000 on Latin American Wagons May Require SD51-811. Check End Configuration Before Ordering.						Replacement upper rubber coil seat						2	RS45-4027																
RUBBER COIL SEAT						ADJUSTABLE PANHARD ROD																							
Replacement upper rubber coil seat						2 RS45-4026						Suits Y60 GQ & Y61 GU (to 02/2000)																	
ADJUSTABLE PANHARD ROD						Suits Y60 GQ & Y61 GU - Complete with Bushes						RH Drive & LH Drive Complete with Bushes						1	PR45-1403										
RH Drive						to 02/2000 (Wagon)						1						PR45-1403											
RH Drive						1992 on (Pickup)						1						PR45-1402											
LH Drive						to 02/2000 (Wagon)						1						PR45-1407											
LH Drive						1992 on (Pickup)						1						PR45-1407											
Suits Y61 GU Only - Complete with Ball Joint & Bush						PANHARD ROD BUSH																							
RH Drive						02/2000 on (Wagon)						1						PR45-1416											
LH Drive						02/2000 on (Wagon)						1						PR45-1409											
Does Not Fit OE Upper/Chassis Bush						1						RB45-6025																	
Does Not Fit OE Lower/Diff Bush						1						RB45-6027																	
Does Not Fit OE Ball Joint-Upper/Chassis Bush						1						BJ45-6026																	
CONTINUED ON NEXT PAGE						SWAY BAR EXTENSION																							
						Adjustable Swaybar Extension Suits 2" - 6" Lift Stem Upper/Right Angle Lower Joint						1*						SE45-520											
						Adjustable Swaybar Extension Suits 2" - 6" Lift Right Angle Upper/Right Angle Lower Joint						1*						SE45-521											
						*Check Swaybar Link Configuration - Some Vehicles Require 2 of the Same Swaybar and Other Vehicles Require 1 of Each Swaybar						2 x Upper Adjustable Trailing Arms with Bushes						1						WA45-510K					
CONTINUED ON NEXT PAGE																													



TYPE: Patrol
MODEL: Y60 GQ/Y61 GU
YEAR: 1987 on
DETAIL: Station Wagon & Pickup
 150mm (6" Lift)








FRONT			REAR		
QTY	PART NUMBER	PRICE	QTY	PART NUMBER	PRICE
CONTINUED FROM PREVIOUS PAGE			CONTINUED FROM PREVIOUS PAGE		
RADIUS ARM BUSH			BRAKE ADJUSTER		
	0 Degree Standard Radius Arm Bush Kit Arm to Diff 4 x Rubber Bushes	1 RB59-536K		Recommended when Raising Vehicle (Suits 2-6" Lift)	1 BA45-005
	Arm to Chassis Bush Kit 4 x Rubber Bushes	1 RB45-535K	BUMP STOP		
DRAGLINK			Adjustable Soft-hit bump stop (Suits 0-56mm extension)		
Suits GQ/Y60			2 BS45-529		
	38mm Solid Adjustable	1 SA45-1422	WARNING - 75MM (3") OR HIGHER LIFT		
Suits GU/Y61			The suspension components listed on this page are for off-road use only.		
	38mm Solid Adjustable	1 SA45-1424	 <ul style="list-style-type: none"> - Refer to Local Laws before Fitting to Registered/Road Vehicles - An Engineering Certificate may be required - Handling Characteristics will Diminish on Lifts Above 50mm (2") 		
BUMP STOP			The following modifications (but not limited to) need to be made to the vehicle before the kit is fitted.		
	Adjustable Soft-hit bump stop (Suits 0-56mm extension)	2 BS45-528	 <ul style="list-style-type: none"> - Adjustable Panhard Rods - Modified Leading/Trailing Arms - Brake Hoses - Extended Bump Stops - Gear Box & Drive Line Modifications - Steering Arms - Swaybar Modification 		
DROP BOXES			Dobinsons Spring & Suspension do not accept any responsibility for injury caused to person or property through the use of the products listed on this page.		
	5° Drop Box Kit (Sold as a Pair) (1 LH & 1 RH)	1 WA45-509K	These products do not come with any warranty or guarantee.		
Extensive Modifications are Required to fit the LH & RH Drop Box. Gives a 5° of Castor Adjustment. Leading Arm Modifications are not Required when Fitting this Part Number.					
CASTOR PLATE KIT					
	5° Castor Plate Kit (Suits Both Arms)	1 WA45-513K			
SWAYBAR EXTENSION					
	Adjustable Swaybar Extension (Suits 2-6" Lift)	2 SE45-520			
GEARBOX SPACER KIT					
	Drive Line Vibration May Occur with Raised Suspension. To Reduce Vibration We Recommend Fitting the Above Kit.	1 TC45-001K			



TYPE: Patrol
MODEL: Y60 GQ/Y61 GU
YEAR: 08/1987 on
DETAIL: Station Wagon & Pickup
 75mm (3" FLEXI Lift)



FRONT		QTY	PART NUMBER	PRICE
COIL SPRING				
All Coils Variable Rate				
2.8L & 3.0L T/Diesel, 4.2L Diesel				
	No Accessories	1	C45-610V	C
	50-100Kg Accessories	1	C45-612V	C
	80-120Kg Accessories	1	C45-710V	C
4.5L & 4.8L Petrol, 4.2L T/Diesel				
	No Accessories	1	C45-612V	C
	50-100Kg Accessories	1	C45-710V	C
	80-120Kg Accessories	1	C45-730V	C
*Due to the flexi coils design requirements they are not recommended for heavily laden vehicles. The vehicle bump stops MUST be extended regardless of the shock absorber length by a minimum of 40mm to prevent coil bind & over stressing.				
SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas	2	GS59-683	
	Heavy Duty Monotube Remote Reservoir	2	MR59-60683	
RUBBER COIL SEAT				
	Replacement upper rubber coil seat	2	RS45-4026	
STEERING DAMPER				
Heavy Duty (Big Bore) - Complete with Fittings				
Y60 GQ	1988 - 08/1989 (Wagon)	1	SD45-834	
Y60 GQ	08/1989 - 1999 (Wagon & Pickup)	1	SD45-836	
Y61 GU	12/1997 - 02/2000 (Wagon)	1	SD51-811	
Y60 GQ & Y61 GU	01/1999 on (Pickup)	1	SD51-811	
Y61 GU	02/2000 on (Wagon)	1	SD45-801	
Some 02/2000 on Latin American Wagons may Require SD51-811. Check End Configuration before Ordering.				
ADJUSTABLE PANHARD ROD				
Suits Y60 GQ & Y61 GU - Complete with Bushes				
RH Drive	to 02/2000 (Wagon)	1	PR45-1402	
RH Drive	1992 on (Pickup)	1	PR45-1402	
LH Drive	to 02/2000 (Wagon)	1	PR45-1407	
LH Drive	1992 on (Pickup)	1	PR45-1407	
Suits Y61 GU Only - Complete with Ball Joint & Bush				
RH Drive	02/2000 on (Wagon)	1	PR45-1416	
LH Drive	02/2000 on (Wagon)	1	PR45-1409	
PANHARD ROD BUSH				
	Does Not Fit OE Upper/Chassis Bush	1	RB45-6025	
	Does Not Fit OE Lower/Diff Bush	1	RB45-6027	
	Does Not Fit OE Ball Joint-Upper/Chassis Bush	1	BJ45-6026	
CONTINUED ON NEXT PAGE				

REAR		QTY	PART NUMBER	PRICE
COIL SPRING				
All Coils Variable Rate				
	No Load	1	C45-729V	C
	100-200Kg Constant Load	1	C45-731V	C
	200-300Kg Constant Load Heavy Duty	1	C45-725V	C
*Due to the flexi coils design requirements they are not recommended for heavily laden vehicles. The vehicle bump stops MUST be extended regardless of the shock absorber length by a minimum of 40mm to prevent coil bind & over stressing.				
SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas	2	GS45-915	
	Heavy Duty Monotube Remote Reservoir	2	MR59-60915	
UNDER BODY BUSH KIT				
Kit Includes Front & Rear Under Body Bushes				
*Excludes Spherical Panhard Rod Bush for Wagon Models 02/2000 on				
	4 x Front Radius Arm to Chassis Bush			
	4 x Front Radius Arm to Diff Bush			
	4 x Front & Rear Panhard Rod Bush			
	8 x Rear Upper & Lower Trailing Arm Bush	1	PB45-1239K	
RUBBER COIL SEAT				
	Replacement upper rubber coil seat	2	RS45-4027	
ADJUSTABLE PANHARD ROD				
Suits Y60 GQ & Y61 GU				
	Complete with Bushes to 02/2000 (Wagon)	1	PR45-1403	
	Complete with Bushes 1992 on (Pickup)	1	PR45-1403	
Suits Y61 GU Only				
Ball Joint to Chassis Mount				
	Complete with Bull Joint and Bush 02/2000 on (Wagon)	1	PR45-1415	
PANHARD ROD BUSH				
	Does Not Fit OE Upper/Chassis Bush	1	RB45-6025	
	Does Not Fit OE Lower/Diff Bush	1	RB45-6027	
	Does Not Fit OE Ball Joint-Upper/Chassis Bush	1	BJ45-6026	
SWAY BAR EXTENSION				
	Adjustable Swaybar Extension Suits 2" - 6" Lift Stem Upper/Right Angle Lower Joint	1*	SE45-520	
	Adjustable Swaybar Extension Suits 2" - 6" Lift Right Angle Upper/Right Angle Lower Joint	1*	SE45-521	
*Check Swaybar Link Configuration - Some Vehicles Require 2 of the Same Swaybar and Other Vehicles Require 1 of Each Swaybar				
	2 x Upper Adjustable Trailing Arms with Bushes	1	WA45-510K	
CONTINUED ON NEXT PAGE				



TYPE: Patrol
MODEL: Y60 GQ/Y61 GU
YEAR: 08/1987 on
DETAIL: Station Wagon & Pickup
 75mm (3" FLEXI Lift)



FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE
CONTINUED FROM PREVIOUS PAGE					CONTINUED FROM PREVIOUS PAGE				
DRAGLINK					BUMP STOP				
Suits GQ/Y60					Adjustable Soft-hit bump stop (Suits 0-56mm extension)				
38mm Solid Adjustable	1	SA45-1422			2	BS45-529			
Suits GU/Y61					BRAKE ADJUSTER				
38mm Solid Adjustable	1	SA45-1424			Recommended when Raising Vehicle (Suits 2-6" Lift)				
RADIUS ARM BUSH					WARNING - 75MM (3") OR HIGHER LIFT				
0 Degree Standard Radius Arm Bush Kit Arm to Diff 4 x Rubber Bushes	1	RB59-536K			The suspension components listed on this page are for off-road use only.				
Arm to Chassis Bush Kit 4 x Rubber Bushes	1	RB45-535K			<ul style="list-style-type: none"> - Refer to Local Laws before Fitting to Registered/Road Vehicles - An Engineering Certificate may be required - Handling Characteristics will Diminish on Lifts Above 50mm (2") 				
RADIUS ARM BUSH					The following modifications (but not limited to) need to be made to the vehicle before the kit is fitted.				
Adjustable Front Radius Arm Castor Kit Angle Settings: ±0°, ±2.5° or ±3.5° 4 x Polyurethane Eccentric Bushes	1	PB59-503K			<ul style="list-style-type: none"> - Adjustable Panhard Rods - Modified Leading/Trailing Arms - Brake Hoses - Extended Bump Stops - Gear Box & Drive Line Modifications - Steering Arms - Swaybar Modification 				
Fixed Rubber Front Radius Arm Castor Kit Angle Setting: ±2.5° 4 x Rubber Eccentric Bushes	1	RB59-522K			Dobinsons Spring & Suspension do not accept any responsibility for injury caused to person or property through the use of the products listed on this page.				
Raising Vehicle Will Effect Castor Angle. A Wheel Alignment is Recommended to Determine if a Castor Kit is Required.					These products do not come with any warranty or guarantee.				
BUMP STOP					DROP BOX KIT				
Adjustable Soft-hit bump stop (Suits 0-56mm extension)	2	BS45-528			5° Drop Box Kit - Sold as Pair (1 LH & 1 RH)				
*Due to the flexi coils design requirements they are not recommended for heavily laden vehicles. The vehicle bump stops MUST be extended regardless of the shock absorber length by a minimum of 40mm to prevent coil bind & over stressing.					May be Required for Vehicles Lifted Closer to 4". Extensive Modifications are Required to Fit the RH and LH Drop Box. Gives a 5° of Castor Adjustment. Leading Arm Modifications are not Required when Fitting this Part Number.				
CASTOR PLATE KIT					SWAYBAR EXTENSION				
5° Castor Plate Kit (Suits Both Arms)	1	WA45-513K			Adjustable Swaybar Extension (Suits 2-6" Lift)				
GEARBOX SPACER KIT					GEARBOX SPACER KIT				
Drive Line Vibration May Occur with Raised Suspension. To Reduce Vibration We Recommend Fitting the Above Kit.					Drive Line Vibration May Occur with Raised Suspension. To Reduce Vibration We Recommend Fitting the Above Kit.				
	1	TC45-001K							



TYPE: Patrol
MODEL: Y60 GQ/Y61 GU
YEAR: 08/1987 on
DETAIL: Station Wagon & Pickup
 100mm (4" FLEXI Lift)



FRONT

QTY PART NUMBER PRICE

COIL SPRING

All Coils Variable Rate
 2.8L & 3.0L T/Diesel, 4.2L Diesel



No Accessories 1 **C45-710V** C
 50-100Kg Accessories 1 **C45-730V** C
 80-120Kg Accessories 1 **C45-270V** C

4.5L & 4.8L Petrol, 4.2L T/Diesel



No Accessories 1 **C45-730V** C
 50-100Kg Accessories 1 **C45-270V** C
 80-120Kg Accessories 1 **C45-754V** C

*Due to the flexi coils design requirements they are not recommended for heavily laden vehicles. The vehicle bump stops MUST be extended regardless of the shock absorber length by a minimum of 40mm to prevent coil bind & over stressing.

SHOCK ABSORBER



Heavy Duty Twin Tube Gas 2 **GS45-912**



Heavy Duty Monotube Remote Reservoir 2 **MR59-60683**

STEERING DAMPER

Heavy Duty (Big Bore) - Complete with Fittings

Y60 GQ 1988 - 08/1989 (Wagon) 1 **SD45-834**
Y60 GQ 08/1989 - 1999 (Wagon & Pickup) 1 **SD45-836**
Y61 GU 12/1997 - 02/2000 (Wagon) 1 **SD51-811**
Y60 GQ & Y61 GU 01/1999 on (Pickup) 1 **SD51-811**
Y61 GU 02/2000 on (Wagon) 1 **SD45-801**

Some 02/2000 on Latin American Wagons may Require SD51-811. Check End Configuration before Ordering.

RUBBER COIL SEAT

Replacement upper rubber coil seat 2 **RS45-4026**

ADJUSTABLE PANHARD ROD

Suits Y60 GQ & Y61 GU - Complete with Bushes

RH Drive to 02/2000 (Wagon) 1 **PR45-1402**
RH Drive 1992 on (Pickup) 1 **PR45-1402**
LH Drive to 02/2000 (Wagon) 1 **PR45-1407**
LH Drive 1992 on (Pickup) 1 **PR45-1407**

Suits Y61 GU Only - Complete with Ball Joint & Bush

RH Drive 02/2000 on (Wagon) 1 **PR45-1416**
LH Drive 02/2000 on (Wagon) 1 **PR45-1409**

PANHARD ROD BUSH

Does Not Fit OE
 Upper/Chassis Bush 1 **RB45-6025**
Does Not Fit OE
 Lower/Diff Bush 1 **RB45-6027**
Does Not Fit OE
 Ball Joint-Upper/Chassis Bush 1 **BJ45-6026**

CONTINUED ON NEXT PAGE

REAR

QTY PART NUMBER PRICE

COIL SPRING

All Coils Variable Rate



No Load 1 **C45-725V** C
 100-200Kg Constant Load 1 **C45-271V** C
 200-300Kg Constant Load 1 **C45-273V** C
 300-400Kg Constant Load 1 **C45-775V** C

*Due to the flexi coils design requirements they are not recommended for heavily laden vehicles. The vehicle bump stops MUST be extended regardless of the shock absorber length by a minimum of 40mm to prevent coil bind & over stressing.

SHOCK ABSORBER



Heavy Duty Twin Tube Gas 2 **GS45-915**



Heavy Duty Monotube Remote Reservoir 2 **MR59-60917**

UNDER BODY BUSH KIT

Kit Includes Front & Rear Under Body Bushes

*Excludes Spherical Panhard Rod Bush for Wagon Models 02/2000 on

4 x Front Radius Arm to Chassis Bush
 4 x Front Radius Arm to Diff Bush
 4 x Front & Rear Panhard Rod Bush
 8 x Rear Upper & Lower Trailing Arm Bush 1 **PB45-1239K**

RUBBER COIL SEAT

Replacement upper rubber coil seat 2 **RS45-4027**

ADJUSTABLE PANHARD ROD

Suits Y60 GQ & Y61 GU

Complete with Bushes
 to 02/2000 (Wagon) 1 **PR45-1403**

Complete with Bushes
 1992 on (Pickup) 1 **PR45-1403**

Suits Y61 GU Only
 Ball Joint to Chassis Mount

Complete with Ball Joint and Bush
 02/2000 on (Wagon) 1 **PR45-1415**

PANHARD ROD BUSH

Does Not Fit OE
 Upper/Chassis Bush 1 **RB45-6025**

Does Not Fit OE
 Lower/Diff Bush 1 **RB45-6027**

Does Not Fit OE
 Ball Joint-Upper/Chassis Bush 1 **BJ45-6026**

SWAY BAR EXTENSION

Adjustable Swaybar Extension
 Suits 2" - 6" Lift
 Stem Upper/Right Angle Lower Joint 1* **SE45-520**

Adjustable Swaybar Extension
 Suits 2" - 6" Lift
 Right Angle Upper/Right Angle Lower Joint 1* **SE45-521**

*Check Swaybar Link Configuration - Some Vehicles Require 2 of the Same Swaybar and Other Vehicles Require 1 of Each Swaybar

2 x Upper Adjustable Trailing Arms
 with Bushes 1 **WA45-510K**

CONTINUED ON NEXT PAGE



TYPE: Patrol
MODEL: Y60 GQ/Y61 GU
YEAR: 08/1987 on
DETAIL: Station Wagon & Pickup
 100mm (4" FLEXI Lift)



FRONT	QTY	PART NUMBER	PRICE
CONTINUED FROM PREVIOUS PAGE			
DRAGLINK			
Suits GQ/Y60			
38mm Solid Adjustable	1	SA45-1422	
Suits GU/Y61			
38mm Solid Adjustable	1	SA45-1424	
RADIUS ARM BUSH			
0 Degree Standard Radius Arm Bush Kit Arm to Diff 4 x Rubber Bushes	1	RB59-536K	
Arm to Chassis Bush Kit 4 x Rubber Bushes	1	RB45-535K	
RADIUS ARM BUSH			
Adjustable Front Radius Arm Castor Kit Angle Settings: ±0°, ±2.5° or ±3.5° 4 x Polyurethane Eccentric Bushes	1	PB59-503K	
Fixed Rubber Front Radius Arm Castor Kit Angle Setting: ±2.5° 4 x Rubber Eccentric Bushes	1	RB59-522K	
Raising Vehicle Will Effect Castor Angle. A Wheel Alignment is Recommended to Determine if a Castor Kit is Required.			
BUMP STOP			
Adjustable Soft-hit bump stop (Suits 0-56mm extension)	2	BS45-528	
DROP BOX KIT			
5° Drop Box Kit - Sold as Pair (1 LH & 1 RH)	1	WA45-509K	
May be Required for Vehicles Lifted Closer to 4". Extensive Modifications are Required to Fit the RH and LH Drop Box. Gives a 5° of Castor Adjustment. Leading Arm Modifications are not Required when Fitting this Part Number.			
CASTOR PLATE KIT			
5° Castor Plate Kit (Suits Both Arms)	1	WA45-513K	
SWAYBAR EXTENSION			
Adjustable Swaybar Extension (Suits 2-6" Lift)	2	SE45-520	
GEARBOX SPACER KIT			
Drive Line Vibration May Occur with Raised Suspension. To Reduce Vibration We Recommend Fitting the Above Kit.	1	TC45-001K	







REAR	QTY	PART NUMBER	PRICE
CONTINUED FROM PREVIOUS PAGE			
BRAKE ADJUSTER			
Recommended when Raising Vehicle (Suits 2-6" Lift)	1	BA45-005	
BUMP STOP			
Adjustable Soft-hit bump stop (Suits 0-56mm extension)	2	BS45-529	
WARNING - 75MM (3") OR HIGHER LIFT			
The suspension components listed on this page are for off-road use only.			
<ul style="list-style-type: none"> - Refer to Local Laws before Fitting to Registered/Road Vehicles - An Engineering Certificate may be required - Handling Characteristics will Diminish on Lifts Above 50mm (2") 			
The following modifications (but not limited to) need to be made to the vehicle before the kit is fitted.			
<ul style="list-style-type: none"> - Adjustable Panhard Rods - Modified Leading/Trailing Arms - Brake Hoses - Extended Bump Stops - Gear Box & Drive Line Modifications - Steering Arms - Swaybar Modification 			
Dobinsons Spring & Suspension do not accept any responsibility for injury caused to person or property through the use of the products listed on this page.			
These products do not come with any warranty or guarantee.			



TYPE: Patrol
MODEL: Y62
YEAR: 2010 on
DETAIL: LWB Wagon, 5.6L V8 Petrol










These parts do not suit vehicles with Hydraulic Body Motion Control System

FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE	
COIL SPRING					COIL SPRING					
	Linear Rate Raised Height (45mm Lift) No Accessories	1	C45-354	C		Linear Rate Raised Height (45mm Lift)	1	C45-355	C	
	Linear Rate Raised Height (45mm Lift) 50-100Kg Accessories (Bullbar AND Winch)	1	C45-356	C		Excessive Tyre Wear May Occur if the Load is Not Permanent when The Coils Below are Fitted. 4-Wheel Alignment is Recommended for All Coils.				
NOTE: Some Middle Eastern released Y62's are 45mm lower from the factory than other international models. To raise those models 45mm use the coils below. The coils listed above will provide an 80m - 90mm lift.					NOTE: Some Middle Eastern released Y62's are 45mm lower from the factory than other international models. To raise those models 45mm use the coils below. The coils listed above will provide an 80m - 90mm lift.					
	Linear Rate Raised Height (45mm Lift) 0-50Kg Accessories	1	C45-352	B		Linear Rate Raised Height (45mm Lift) 150-250Kg Constant Load	1	C45-357	C	
	Linear Rate Raised Height (45mm Lift) 250-350Kg Constant Load	1	C45-359	C		NOTE: Some Middle Eastern released Y62's are 45mm lower from the factory than other international models. To raise those models 45mm use the coils below. The coils listed above will provide an 80m - 90mm lift.				
SHOCK ABSORBER					SHOCK ABSORBER					
	Heavy Duty Twin Tube Gas	2	GS45-110			Linear Rate Raised Height (45mm Lift) 0-100Kg Accessories	1	C45-353	B	
	MONSTER SHOCK ABSORBER					SHOCK ABSORBER				
Extra Heavy Duty Twin Tube Gas Valve Force Increased to Suit Heavy Loads 45mm Piston 70mm Body for Increased Quantity of Oil and Cooling Capacity Adjustable Spring Seat 4mm Wall Thickness					2	GS45-112		MONSTER SHOCK ABSORBER		
					Extra Heavy Duty Twin Tube Gas Valve Force Increased to Suit Heavy Loads 45mm Piston 70mm Body for Increased Quantity of Oil and Cooling Capacity 4mm Wall Thickness					
					2					GS45-113



TYPE: Xterra
MODEL: N50
YEAR: 2005 on
DETAIL: Station Wagon







FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE
COIL SPRING					LEAF SPRING				
	Linear Rate					4+2 Leaves			
	Raised Height (40mm Lift)	1	C45-256	B		Raised Height (40mm Lift)	2	L45-8185-R	
	Linear Rate					5+2 Leaves			
	Raised Height (40mm Lift)	1	C45-254	B		Raised Height (40mm Lift)	2	L45-8192-R	
	50-100Kg Accessories					200Kg Constant Load			
SHOCK ABSORBER					SHACKLE BUSH KIT				
	Heavy Duty Twin Tube Gas	2	GS45-642			Kit Contains:			
						2 x SPF972			
					4 x SPF203				
					4 x PB45-1507	1	PB45-1095K		
SHOCK ABSORBER					U-BOLT KIT				
						Kit Contains:			
						2 x UB59-453-3	2	UB59-453-3K	
SHOCK ABSORBER					SHACKLE				
						Greasable: Fit in Pairs	2	SK45-054	
SHOCK ABSORBER					SHOCK ABSORBER				
						Heavy Duty Twin Tube Gas	2	GS45-645	



TYPE: Duster
MODEL:
YEAR: 2010 on
DETAIL: 4x4 Wagon








FRONT			QTY	PART NUMBER	PRICE	REAR			QTY	PART NUMBER	PRICE
COIL SPRING						COIL SPRING					
	Linear rate Raised Height (35mm Lift) 0-50kg Accessories	1	C52-010	B			Linear rate Raised Height (35mm Lift) 0-50kg Accessories	1	C52-011	B	
	Linear Rate Raised Height (50mm Lift) Up to 70Kg Accessories	1	C52-004	B			Linear Rate Raised Height (50mm Lift) 50-100Kg Constant Load	1	C52-005	B	
SHOCK ABSORBER						SHOCK ABSORBER					
	Heavy Duty Twin Tube Gas	2	GS52-056				Heavy Duty Twin Tube Gas	2	GS52-057		
CAMBER ADJUSTMENT KIT						CAMBER ADJUSTMENT KIT					
Kit Contains: 2 x Cam Bolts ±1.2° for Lower Control Arm Camber Adjustment						Kit Contains: 2 x Cam Bolts ±1.2° for Lower Control Arm Camber Adjustment					
1 WA57-505K						1 WA57-505K					
Raising Vehicle Will Effect Wheel Alignment. It is Recommended that this Camber Adjustment Kit to be Fitted and a Wheel Alignment Carried Out.						Raising Vehicle Will Effect Wheel Alignment. It is Recommended that this Camber Adjustment Kit to be Fitted and a Wheel Alignment Carried Out.					



TYPE: Musso
MODEL: SUV
YEAR: 1995 - 2006
DETAIL: Station Wagon, Sports Dual Cab Pickup







FRONT		QTY	PART NUMBER	PRICE
TORSION BAR				
	Heavy Duty Rate Increased Length 1040mm	1	TB53-1800	
SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas	2	GS21-463	

REAR		QTY	PART NUMBER	PRICE
COIL SPRING				
Station Wagon				
	Linear Rate Standard Height (10mm Lift)	1	C53-003	B
	Linear Rate Raised Height (40mm Lift) Up to 100Kg Constant Load (Recommended)	1	C53-001	B
Sports Dual Cab Pickup				
	Linear Rate Raised Height (40mm Lift) Up to 100Kg Constant Load	1	C53-005	B
SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas	2	GS21-637S	

4x4**SSANYONG****SSAN-52**

TYPE: Rexton (Series I)
MODEL: RX270, RX290, RX320
YEAR: 2002 - 12/2005
DETAIL: Station Wagon
 RX270 2.7L TD, RX290 2.9L TD, RX320 3.2L Petrol











FRONT				REAR			
	QTY	PART NUMBER	PRICE		QTY	PART NUMBER	PRICE
COIL SPRING				COIL SPRING			
 Linear Rate Raised Height (30mm Lift)	1	C53-010	B	 Linear Rate Raised Height (30mm Lift)	1	C53-011	B
SHOCK ABSORBER				SHOCK ABSORBER			
 Heavy Duty Twin Tube Gas	2	GS53-200		 Heavy Duty Twin Tube Gas	2	GS59-225A	



TYPE: Rexton (Series II)
MODEL: RX270 XDI, RX270 SPR, SX7
YEAR: 2006 on
DETAIL: Station Wagon
 RX270 XDI Rigid Axle
 RX270 SPR Independent Suspension





FRONT		QTY	PART NUMBER	PRICE
COIL SPRING				
	Linear Rate Standard Height	1	C53-002	B
	Linear Rate Raised Height (35mm Lift)	1	C53-004	B
	Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch)	1	C53-010	B
Suits 2012 on SX Models				
	Linear Rate Raised Height (35mm Lift)	1	C53-006	B
SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas	2	GS53-202	



REAR		QTY	PART NUMBER	PRICE
COIL SPRING				
Rigid Axle Models				
	Linear Rate Standard Height	1	C53-009	B
	Linear Rate Raised Height (35mm Lift)	1	C53-011	B
	Independent Suspension			
	Linear Rate Raised Height (40mm Lift)	1	C53-013	B
Suits 2012 on SX Models				
	Linear Rate Raised Height (35mm Lift)	1	C53-029	B
SHOCK ABSORBER				
Rigid Axle Models				
	Heavy Duty Twin Tube Gas	2	GS57-621	
Independent Suspension				
	Heavy Duty Twin Tube Gas	2	GS57-639S	
NOTE: Lifting higher than 35mm may cause rear tailshaft vibration				



TYPE: Kyron
MODEL: M200 XVT
YEAR: 2006 on
DETAIL: D100 Series





FRONT		QTY	PART NUMBER	PRICE
COIL SPRING				
	Linear Rate Standard Height	1	C53-006	B
	Linear Rate Raised Height (40mm Lift)	1	C53-008	B
	SHOCK ABSORBER			
	Heavy Duty Twin Tube Gas	2	GS53-200S	



REAR		QTY	PART NUMBER	PRICE
COIL SPRING				
Suits Rigid Axle Models Only				
	Linear Rate Standard Height	1	C53-007	B
	Linear Rate Raised Height	1	C53-009	B
	SHOCK ABSORBER			
	Heavy Duty Twin Tube Gas	2	GS57-621	



TYPE: Actyon (Sports)
MODEL: A200S, Q100 Series
YEAR: 2007 to 04/2012
DETAIL: Dual Cab Utility, 4 Door 2.0L Diesel
 (Suitable for 4x4 Vehicles Only)





FRONT		QTY	PART NUMBER	PRICE
COIL SPRING				
	Linear Rate Raised Height (40mm Lift)	1	C53-008	B
	Linear Rate Raised Height (40mm Lift) Up to 70Kg Accessories (Bullbar OR Winch)	1	C53-004	B
	Linear Rate Raised Height (40mm Lift) 70-120Kg Accessories (Bullbar AND Winch)	1	C53-010	B
SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas Suits only 4x4	2	GS53-200	



REAR		QTY	PART NUMBER	PRICE
COIL SPRING				
	Linear Rate Raised Height (40mm Lift)	1	C53-003	B
	Linear Rate Raised Height (50mm Lift)	1	C53-005	B
	200Kg Constant Load			
SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas	2	GS57-639S	



TYPE: Actyon (Compact SUV)
MODEL: A200 XDI
YEAR: 2007 - 03/2012
DETAIL: 5 Door Lift Back, Rigid Rear Axle, 2.0L Diesel










FRONT		QTY	PART NUMBER	PRICE
COIL SPRING				
	Linear Rate Raised Height (40mm Lift)	1	C53-002	B
SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas	2	GS53-200	

REAR		QTY	PART NUMBER	PRICE
COIL SPRING				
Suits Rigid Rear Axle				
	Linear Rate Raised Height (45mm Lift)	1	C53-011	B
SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas	2	GS57-621	



TYPE: Forester
MODEL: X, XS, XT - SF, SG, SH
YEAR: 1997 - 2013
DETAIL: 2.0L, 2.5L, 3.0L



FRONT			QTY	PART NUMBER	PRICE	REAR			QTY	PART NUMBER	PRICE
COIL SPRING						COIL SPRING					
1997 - 06/2002						1997 - 07/2002					
SF Models						SF Models					
	Linear Rate	1	C55-044	A			Linear Rate	1	C55-045	A	
	Raised Height (25mm Lift)						Raised Height (30mm Lift)	Up to 80Kg Constant Load			
07/2002 - 2013						07/2002 - 02/2008					
SG & SH, X, XS Models						SG Models					
2.0L & 3.0L (Excluding Turbo)						(Without Self Levelling Suspension)					
	Linear Rate	1	C55-044	A			Linear Rate	1	C55-065	B	
	Raised Height (25mm Lift)						Raised Height (35mm Lift)	Up to 80Kg Constant Load			
07/2002 - 2013						03/2008 - 2013					
SG & SH, XT Models						SH Models					
2.0L & 2.5L Turbo						(Without Self Levelling Suspension)					
	Linear Rate	1	C55-046	A			Linear Rate	1	C55-091	A	
	Raised Height (30mm Lift)						Raised Height (30mm Lift)	Up to 80Kg Constant Load			
07/2002 - 2013						CAMBER ADJUSTMENT KIT					
SG & SH, XT Models						CAMBER ADJUSTMENT KIT					
2.0L & 2.5L Turbo						Kit Contains: 2 x Cam Bolts ±1.2° for Lower Control Arm Camber Adjustment					
	Linear Rate	1	C55-046	A			Linear Rate	1	WA57-506K		
	Raised Height (30mm Lift)						Raised Height (30mm Lift)	Up to 50Kg Accessories (Bullbar/Nudge Bar)			
CAMBER ADJUSTMENT KIT						CAMBER ADJUSTMENT KIT					
Kit Contains: 2 x Cam Bolts ±1.2° for Lower Control Arm Camber Adjustment						Kit Contains: 2 x Cam Bolts ±1.2° for Lower Control Arm Camber Adjustment					




















TYPE: Sierra, Drover QB

MODEL: SJ410, SJ413, SJ50, SJ51, LJ410, LJ413

YEAR: 1981 on

DETAIL: Santana, Samurai, Rhino, Jimny
Different Front U-Bolts on 410 Model





FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE
LEAF SPRING					LEAF SPRING				
Petrol									
	5 Leaves Raised Height (40mm Lift) 0-50Kg Accessories Fit in Pairs	2	SUZ-5L-F			4+1 Leaves Raised Height (40mm Lift) 0-100Kg Accessories Fit in Pairs	1	SUZ-4+1-RRH	
							1	SUZ-4+1-RLH	
Diesel									
	6 Leaves Raised Height (40mm Lift) 0-50kg Accessories Fit in Pairs	2	SUZ-6L-F		SHACKLE BUSH KIT				
						Kit Contains: 2 x SPF176 8 x SPF173	1	PB57-1034K	
SHACKLE BUSH KIT					U-BOLT KIT				
	Kit Contains: 2 x SPF176 8 x SPF173	1	PB57-1034K		SJ410, SJ413, SJ50, SJ51 Models				
						Kit Contains: 2 x UB57-655	2	UB57-655K	
U-BOLT KIT					SHOCK ABSORBER				
	Kit Contains:					Heavy Duty Twin Tube Gas	2	GS57-086	
SJ410 Models					SHACKLE				
	Right Hand Side	2 x UB57-655	1	UB57-655K		Fit in Pairs	2	SK57-041	
	Left Hand Side	2 x UB29-900	1	UB29-900K	SJ413, SJ50, SJ51 Models (1985 - 1996)				
	Right Hand Side	2 x UB57-654	1	UB57-654K		Fit in Pairs	2	SP57-042	
	Left Hand Side	2 x UB57-655	1	UB57-655K	PIN				
SHOCK ABSORBER									
	Heavy Duty Twin Tube Gas	2	GS57-085						
STEERING DAMPER									
	Heavy Duty Complete with Fittings	1	SD57-030						
SHACKLE									
	Fit in Pairs	2	SK57-041						
PIN									
	Fit in Pairs	2	SP57-042						



TYPE: Sierra
MODEL: SJ80
YEAR: 1995 - 11/1998
DETAIL: Coil Spring Suspension












FRONT			QTY	PART NUMBER	PRICE	REAR			QTY	PART NUMBER	PRICE
COIL SPRING						COIL SPRING					
	Linear Rate Raised Height (30mm Lift)	1	C57-024	A			Linear Rate Raised Height (30mm Lift)	1	C57-025	A	
UNDER BODY BUSH KIT						UNDER BODY BUSH KIT					
See Rear Under Body Bush Kit						Kit Includes Front & Rear Under Body Bushes					
						4 x Front and Rear Panhard Rod Bush 4 x Front and Rear Radius Arm to Chassis Mount 4 x Front and Rear Radius Arm to Diff Mount					
						1 PB57-1253K					



TYPE: Jimny
MODEL: SN413, FJB33V
YEAR: 1998 on
DETAIL: 3 Door 1.3L Hard Top/Soft Top, 1.5L TDi









FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE
COIL SPRING					COIL SPRING				
G13BB 1.3L Engine					Linear Rate				
	Linear Rate					Linear Rate			
	Raised Height (30mm Lift) Up to 35Kg Accessories (Bullbar OR Winch)	1	C57-028	A		Raised Height (30mm Lift)	1	C57-029	A
	Linear Rate					Linear Rate			
	Raised Height (40mm Lift) 35-85Kg Accessories (Bullbar AND Winch)	1	C57-046	A		Raised Height (40mm Lift)	1	C57-053	A
Fit Long Travel Shock Absorber GS57-617 With the Above Spring					Fit Long Travel Shock Absorber GS57-618 with the Above Spring.				
M13A 1.3L Petrol					SHOCK ABSORBER				
	Linear Rate					Heavy Duty Twin Tube Gas	2	GS57-616	
	Raised Height (40mm Lift)	1	C57-046	A		To Be Used With Original Suzuki Springs OR C57-029			
Fit Long Travel Shock Absorber GS57-617 With the Above Spring						Heavy Duty Twin Tube Gas Long Travel	2	GS57-618	
K9K 1.5L Turbo Diesel					Can Only Be Used With C57-053				
	Linear Rate				ADJUSTABLE PANHARD ROD				
	Raised Height (40mm Lift)	1	C57-048	A		Complete with Bushes	1	PR57-1413	
Fit Long Travel Shock Absorber GS57-617 With the Above Spring									
SHOCK ABSORBER									
	Heavy Duty Twin Tube Gas	2	GS57-615						
	To Be Used With Original Suzuki Springs OR C57-028								
	Heavy Duty Twin Tube Gas Long Travel	2	GS57-617						
	Can Only Be Used With C57-046 OR C57-048								
ADJUSTABLE PANHARD ROD									
	Complete with Bushes	1	PR57-1412						
	Suits Right-Hand Drive Only								
CASTOR ADJUSTMENT KITS									
Kit Contains:									
4 x Eccentric Bushes									
±2 1/2 - 3° Adjustment									
1 WA57-511K									
Raising Vehicle Will Effect Wheel Alignment. It is Recommended that this Castor Adjustment Kit to be Fitted and a Wheel Alignment Carried Out.									



TYPE: Vitara SWB
MODEL: Escudo, Sidekick
YEAR: 1988 - 1997
DETAIL: 1.6L, 2.0L, 2.0L V6/TD
 3 Door, SWB Santana, Sidekick, Escudo, Geo Tracker













FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE
COIL SPRING					COIL SPRING				
1.6L 8 Valve Engine					Linear Rate				
	Linear Rate	1	C57-012	A		Linear Rate	1	C57-013	A
Raised Height (40mm Lift)					Raised Height (30mm Lift)				
2.0L, 1.6L 16 Valve Engine					SHOCK ABSORBER				
2.0L V6 Petrol					Heavy Duty Twin Tube Gas				
	Linear Rate	1	C57-016	A		Heavy Duty Twin Tube Gas	2	GS57-621	
2.0L TD					UNDER BODY BUSH KIT				
	Linear Rate	1	C57-016	A	<i>Kit Includes Front & Rear Under Body Bushes</i>				
Raised Height (30mm Lift)					Front Lower Control Arm				
SHOCK ABSORBER					2 x Front Bush				
	Heavy Duty Twin Tube Gas	2	GS57-620		2 x Rear Bush				
UNDER BODY BUSH KIT					Rear Control Arm				
<i>See Rear Under Body Bush Kit</i>					2 x Upper Bush				
CAMBER ADJUSTMENT KIT					4 x Lower Bush				
Kit Contains:					COIL SPACER				
2 x Cam Bolts					15mm 2 PS29-4014				
±1.2° for Lower Control Arm					30mm 2 PS29-4015				
Camber Adjustment									
1 WA57-505K									
<i>Raising Vehicle Will Effect Wheel Alignment.</i>									
<i>It is Recommended that this Camber Adjustment Kit to be Fitted and a</i>									
<i>Wheel Alignment Carried Out.</i>									



TYPE: Vitara LWB
MODEL: Escudo, Sidekick
YEAR: 1991 -1998
DETAIL: 1.6L, 2.0L, 2.0L V6, 2.5L V6, 2.0L TDi
 5 Door LWB













FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE
COIL SPRING									
1.6L 8 Valve Engine									
	Linear Rate Raised Height (30mm Lift) Up to 35Kg Accessories (Bullbar OR Winch)	1	C57-012	A		Linear Rate Raised Height (30mm Lift) No Load	1	C57-017	A
1.6L 16 Valve Engine									
	Linear Rate Raised Height (30mm Lift)	1	C57-016	A		Linear Rate Raised Height (35mm Lift) 50-100Kg Constant Load	1	C57-047	A
	Linear Rate Raised Height (30mm Lift) 40-80Kg Accessories (Bullbar AND Winch)	1	C57-018	A	SHOCK ABSORBER				
						Heavy Duty Twin Tube Gas	2	GS57-621	
2.0L 4 Cyl, 2.0L V6									
	Linear Rate Raised Height (30mm Lift) Up to 40Kg Accessories (Bullbar OR Winch)	1	C57-018	A	UNDER BODY BUSH KIT				
					Kit Includes Front & Rear Under Body Bushes				
					Front Lower Control Arm 2 x Front Bush 2 x Rear Bush				
					Rear Control Arm 2 x Upper Bush 4 x Lower Bush				
					1			PB57-1252K	
2.0L TDi, 2.5L V6									
	Linear Rate Raised Height (35mm Lift)	1	C57-034	A	COIL SPACER				
						15mm	2	PS29-4014	
						30mm	2	PS29-4015	
SHOCK ABSORBER									
	Heavy Duty Twin Tube Gas	2	GS57-620		UNDER BODY BUSH KIT				
See Rear Under Body Bush Kit									
CAMBER ADJUSTMENT KIT									
	Kit Contains: 2 x Cam Bolts ±1.2° for Lower Control Arm Camber Adjustment	1	WA57-505K						
Raising Vehicle Will Effect Wheel Alignment. It is Recommended that this Camber Adjustment Kit to be Fitted and a Wheel Alignment Carried Out.									
COIL SPACER									
	15mm	2	PS29-4014						
	30mm	2	PS29-4015						



TYPE: Grand Vitara (Escudo)
MODEL: SQ420W 3 & 5 Door 4 Cyl,
 SQ625W 5 Door 2.5L V6,
 SQ416 3 Door 06/2000 on
YEAR: 1998 - 2005
DETAIL: SWB 1.6L 4 Cyl, 2.0L 4 Cyl, 2.0L TDi
 LWB 2.5L V6, 2.0L 4 Cyl, 2.0L TDi







FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE
COIL SPRING					COIL SPRING				
SWB 3 Door 1.6L Petrol					SWB & LWB				
	Linear Rate Raised Height (30mm Lift)	1	C57-018	A		Linear Rate Raised Height (30mm Lift) Heavy Duty	1	C57-027	A
SWB 3 Door 2.0L Petrol					SWB & LWB				
	Linear Rate Raised Height (30mm Lift) Heavy Duty Up to 35Kg Accessories (Bullbar OR Winch)	1	C57-034	A		Linear Rate Raised Height (35mm Lift) Heavy Duty 35-65Kg Constant Load	1	C57-045	A
LWB 5 Door 2.0L Petrol, 2.5L V6 Petrol					SWB & LWB				
	Linear Rate Raised Height (30mm Lift) Heavy Duty Up to 35Kg Accessories (Bullbar OR Winch)	1	C57-034	A		Linear Rate Raised Height (35mm Lift) Heavy Duty 100-150Kg Constant Load	1	C57-111	B
	Linear Rate Raised Height (30mm Lift) 35-80Kg Accessories (Bullbar AND Winch)	1	C57-042	A					
SWB & LWB 2.0L TD									
	Linear Rate Raised Height (30mm Lift)	1	C57-042	A					
SHOCK ABSORBER					SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas	2	GS57-620			Heavy Duty Twin Tube Gas	2	GS57-621	
CAMBER ADJUSTMENT KIT									
Kit Contains: 2 x Cam Bolts ±1.2° for Lower Control Arm Camber Adjustment									
1 WA57-505K									
Raising Vehicle Will Effect Wheel Alignment. It is Recommended that this Camber Adjustment Kit to be Fitted and a Wheel Alignment Carried Out.									



TYPE: Grand Vitara XL7
MODEL: JA627
YEAR: 10/2001 - 08/2005
DETAIL: 7 Seater 2.7L V6 H27A, 2.0L TD



FRONT			REAR								
	QTY	PART NUMBER	PRICE		QTY	PART NUMBER	PRICE				
COIL SPRING			COIL SPRING								
		Linear Rate Standard Height	1	C57-034	A						
		Linear Rate Raised Height (45mm Lift) Up to 50Kg Accessories (Bullbar OR Winch)	1	C57-036	A						
		Linear Rate Standard Height	1	C57-033	A						
		Linear Rate Raised Height (40mm Lift) Up to 100Kg Constant Load	1	C57-039	A	SHOCK ABSORBER					
SHOCK ABSORBER			SHOCK ABSORBER								
		Heavy Duty Twin Tube Gas	2	GS57-620				Heavy Duty Twin Tube Gas	2	GS57-621	
CAMBER ADJUSTMENT KIT			CAMBER ADJUSTMENT KIT								
		Kit Contains: 2 x Cam Bolts ±1.2° for Lower Control Arm Camber Adjustment	1	WA57-505K		<p>Raising Vehicle Will Effect Wheel Alignment. It is Recommended that this Camber Adjustment Kit to be Fitted and a Wheel Alignment Carried Out.</p>					













TYPE: Grand Vitara

MODEL: JT Series

YEAR: 08/2005 to 2015

DETAIL: SWB 1.6L 4 Cyl, 2.4L 4 Cyl
LWB 2.0L/2.4L 4 Cyl, 2.7L/3.2L V6, 1.9L TDi













FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE
COIL SPRING					COIL SPRING				
SWB					SWB				
1.6L 4 Cyl					1.6L 4 Cyl				
	Linear Rate Raised Height (50mm Lift)	1	C57-118	B		Linear Rate Raised Height (40mm Lift)	1	C57-067	B
2.4L 4 Cyl					LWB				
	Linear Rate Raised Height (40mm Lift)	1	C57-118	B		Linear Rate Raised Height (40mm Lift)	1	C57-065	B
	Linear Rate Raised Height (50mm Lift)	1	C57-116	B		Linear Rate Raised Height (40mm Lift) 100Kg Constant Load	1	C57-075	B
	Linear Rate Raised Height (50mm Lift) 50-100Kg Accessories (Bullbar AND Winch)	1	C57-064	B	SHOCK ABSORBER				
LWB									
1.9L TDi, 2.4L 4 Cyl, 2.7L V6					Heavy Duty Twin Tube Gas				
	Linear Rate Raised Height (40mm Lift)	1	C57-116	B	2	GS57-623			
	Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch)	1	C57-112	B	SHOCK ABSORBER				
2.0L 4 Cyl									
	Linear Rate Raised Height (40mm Lift)	1	C57-118	B	Heavy Duty Twin Tube Gas				
	Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch)	1	C57-112	B	2	GS57-622			
3.2L V6					CAMBER ADJUSTMENT KIT				
	Linear Rate Raised Height (40mm Lift)	1	C57-112	B	Kit Contains: 2 x Cam Bolts ±1.2° for Lower Arm Control Camber Adjustment				
	Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch)	1	C57-114	B	1 WA57-506K				
SHOCK ABSORBER					Raising Vehicle Will Effect Wheel Alignment. It is Recommended that this Camber Adjustment Kit to be Fitted and a Wheel Alignment Carried Out.				
	Heavy Duty Twin Tube Gas	2	GS57-622						



TYPE: Hilux
MODEL: LN/RN/YN 110, LN111 SR5
YEAR: 1988 - 1997
DETAIL: Independent Front Suspension, Extra Cab













FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE
TORSION BAR					LEAF SPRING				
	Heavy Duty Rate Increased Length 1064mm	1	TB59-1646			Linear Rate Raised Height (45mm Lift) Medium Duty Up to 100Kg Constant Load	2	HIL-034-R	
SHOCK ABSORBER					SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas	2	GS59-088			Linear Rate Raised Height (45mm Lift) Heavy Duty 200Kg Constant Load	2	HIL-035-R	
STEERING DAMPER					SHACKLE BUSH KIT				
	Heavy Duty Complete with Fittings	1	SD59-833			Kit Contains: 2 x SPF972 4 x SPF2231 4 x SPF2231A	1	PB59-1084K	
					U-BOLT KIT				
						Kit Contains: 2 x UB59-453-2	2	UB59-453-2K	
					SHOCK ABSORBER				
						Comfort Option Twin Tube Gas Medium Load	2	GS59-649	
						Extra Heavy Duty Twin Tube Gas (Big Bore) 350Kg Constant Load	2	GS59-651	
					SHACKLE				
						Greasable: Fit in Pairs	2	SK59-010	
					PIN				
						Greasable: Fit in Pairs	2	SP59-060	



TYPE: Hilux
MODEL: LN107 SR5, LN108, RN106
YEAR: 09/1991 - 2005
DETAIL: Single Cab, Dual Cab
 Independent Front Suspension












FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE
TORSION BAR					LEAF SPRING				
	Heavy Duty Rate Increased Length 1064mm	1	TB59-1646			3+2 Leaves Raised Height (45mm Lift) Medium Duty Up to 100Kg Constant Load	2	HIL-034-R	
SHOCK ABSORBER					SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas	2	GS59-088			4+2 Leaves Raised Height (45mm Lift) Heavy Duty 200Kg Constant Load	2	HIL-035-R	
STEERING DAMPER					SHACKLE BUSH KIT				
	Heavy Duty Complete with Fittings	1	SD59-833			Kit Contains: 2 x SPF972 4 x SPF2231 4 x SPF2231A	1	PB59-1084K	
SHOCK ABSORBER					U-BOLT KIT				
	Comfort Option Twin Tube Gas Medium Load	2	GS59-649			Kit Contains: 2 x UB59-453-2	2	UB59-453-2K	
	Extra Heavy Duty Twin Tube Gas (Big Bore) 350Kg Constant Load	2	GS59-651		SHACKLE				
						Greasable: Fit in Pairs	2	SK59-010	
SHOCK ABSORBER					PIN				
						Greasable: Fit in Pairs	2	SP59-060	



TYPE: Hilux
MODEL: KZN/LN/RN 165/166/167,
 LN170 (2.4L TD), LN172 3.0L D, RZN169
YEAR: 10/1997 - 2005
DETAIL: Single Cab, Dual Cab, Extra Cab
 Independent Front Suspension

















FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE
TORSION BAR					LEAF SPRING				
	Heavy Duty Rate Increased Length 1064mm	1	TB59-1646			3+2 Leaves Raised Height (50mm Lift) Medium Duty Up to 100Kg Constant Load	2	HIL-034-R	
SHOCK ABSORBER					SHOCKLE BUSH KIT				
	Heavy Duty Twin Tube Gas	2	GS59-088			Kit Contains: 2 x SPF972 4 x SPF2231 4 x SPF2231A	1	PB59-1084K	
STEERING DAMPER					U-BOLT KIT				
	Heavy Duty Complete with Fittings	1	SD59-833			Kit Contains: 2 x UB59-453-2	2	UB59-453-2K	
					SHOCK ABSORBER				
						Comfort Option Twin Tube Gas Medium Load	2	GS59-649	
					SHACKLE				
						Greaseable: Fit in Pairs	2	SK59-010	
					PIN				
						Greaseable: Fit in Pairs	2	SP59-060	



TYPE: Hilux, Vigo (150 Series)
MODEL: KUN, GGN 25/26, KZN 35/36
YEAR: 2005 - Mid 2015
DETAIL: 4x4 Single Cab, Extra Cab, Dual Cab
 75mm (3" Lift)
















FRONT			REAR		
QTY	PART NUMBER	PRICE	QTY	PART NUMBER	PRICE
COIL SPRING					
	Linear Rate Raised Height (3" Lift)	1	C59-354	B	
	Linear Rate Raised Height (3" Lift) 80-120Kg Accessories (Bullbar AND Winch)	1	C59-318	B	
SHOCK ABSORBER					
	Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of X = 226mm/8.89"X - Centre of Eye to Spring Seat	2	MR59-50220		
Please Note That the Diff Drop Kit DD59-527K Must be Fitted When Using The Above Shock Absorber					
	Adjustable Spring Seat Heavy Duty Twin Tube Gas	2	GS59-224		
DIFF DROP KITS					
	Recommended When Raising Vehicle Above 50mm	1	DD59-527K		
STRUT CAP					
	Strut Top Caps	2	SC59-001		
LEAF SPRING					
It is a Requirement that the Brake Adjuster BA59-002 be Fitted When Using These Leaf Springs					
	3+1 Leaves Raised Height (50mm Lift) Medium Duty Up to 100Kg Constant Load	2	L59-047-RP		
L59-047-RP Lifts Only 50mm to Provide a More Level Look					
	3+1 Leaves Raised Height (75mm Lift) Medium Duty Up to 100Kg Constant Load	2	L59-049-RP		
SHACKLE BUSH KIT					
	Kit Contains: 4 x PB59-1501 4 x PB59-1502 2 x PB59-1503	1	PB59-1094K		
U-BOLT KIT					
	Kit Contains: 2 x UB59-437	2	UB59-437K		
SHOCK ABSORBER					
	Heavy Duty Twin Tube Gas (Big Bore)	2	GS59-651		
	Heavy Duty Monotube Remote Reservoir	2	MR59-50649		
BRAKE ADJUSTER					
	Recommended when Raising Vehicle. Not required for vehicles with ABS Brake System	1	BA59-002		
Not Required For Vehicles with ABS Brake System					
SHACKLE					
	Greasable: Fit in Pairs	2	SK59-053		
PIN					
	Greasable: Fit in Pairs	2	SP59-060		
WARNING - 75MM (3") OR HIGHER LIFT					
The suspension components listed on this page are for off-road use only.					
	<ul style="list-style-type: none"> - Refer to Local Laws before Fitting to Registered/Road Vehicles - An Engineering Certificate may be required - Handling Characteristics will Diminish on Lifts Above 50mm (2") 				
The following modifications (but not limited to) need to be made to the vehicle before the kit is fitted.					
	<ul style="list-style-type: none"> - Diff Drop Kits - Upper Control Arms - Brake Hoses - Extended Bump Stops - Gear Box & Drive Line Modifications - Steering Arms - Swaybar Modification 				
Dobinsons Spring & Suspension do not accept any responsibility for injury caused to person or property through the use of the products listed on this page.					
These products do not come with any warranty or guarantee.					



TYPE: Hilux Revo
MODEL: KUN/GGN/GUN 125, KUN/GUN 126, GUN13
YEAR: 2015 on
DETAIL: 4x4
 75mm (3" Lift)

















FRONT			REAR		
QTY	PART NUMBER	PRICE	QTY	PART NUMBER	PRICE
COIL SPRING					
Single Cab					
	Linear Rate Raised Height (75mm Lift) 50-100Kg Accessories	1	C59-350	B	
Dual Cab					
	Linear Rate Raised Height (75mm Lift) Heavy Duty 50-80Kg Accessories	1	C59-354	B	
	Linear Rate Raised Height (75mm Lift) Heavy Duty 80-120Kg Accessories	1	C59-318	B	
SHOCK ABSORBER					
	Heavy Duty Twin Tube Gas Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty	2	GS59-228		
	Original Setting of X = 226mm/8.9"X - Centre of Eye to Spring Seat	2	MR59-50228		
STRUT CAP					
	Strut Top Caps	2	SC59-001		
Diff Drop recommended to improve CV angle. Upper Control Arms recommended to improve wheel alignment.					
LEAF SPRING					
	2+1 Leaves Parabolic Raised Height (50mm Lift) Medium Duty Up to 60Kg Constant Load	2	L59-178-RP		
L59-178-RP Lifts Only 50mm to Provide a More Level Look					
	2+1 Leaves Parabolic Raised Height (75mm Lift) Heavy Duty Up to 60Kg Constant Load	2	L59-179-RP		
SHOCK ABSORBER					
	Heavy Duty Twin Tube Gas	2	GS59-229		
	Heavy Duty Monotube Remote Reservoir	2	MR59-50229		
SHACKLE					
	Rear of Rear Spring	2	SK59-064		
PIN					
	Front of Rear Spring Greasable: Fit in Pairs	2	SP59-060		
This part is recommended with all kits as the fuel tank location inhibits original bolt removal.					
WARNING - 75MM (3") OR HIGHER LIFT					
The suspension components listed on this page are for off-road use only.					
	<ul style="list-style-type: none"> - Refer to Local Laws before Fitting to Registered/Road Vehicles - An Engineering Certificate may be required - Handling Characteristics will Diminish on Lifts Above 50mm (2") 				
The following modifications (but not limited to) need to be made to the vehicle before the kit is fitted.					
	<ul style="list-style-type: none"> - Drop Diff Kits - Upper Control Arms - Brake Hoses - Extended Bump Stops 	<ul style="list-style-type: none"> - Gear Box & Drive Line Modifications - Steering Arms - Swaybar Modification 			
Dobinsons Spring & Suspension do not accept any responsibility for injury caused to person or property through the use of the products listed on this page.					
These products do not come with any warranty or guarantee.					



TYPE: 4 Runner (1st Generation)
MODEL: LN60, RN60, YN60
YEAR: Pre 08/1985
DETAIL: Leaf Spring Suspension












FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE
LEAF SPRING					LEAF SPRING				
	5 Leaves Raised Height (50mm Lift) Petrol	1	HIL-002-F RH			4+2 Leaves Raised Height (50mm Lift)	1	TOY-470-RRH	
	Diesel (No Accessories)	1	HIL-002-F LH					1	TOY-470-R LH
	5 Leaves Raised Height (50mm Lift) Diesel (Bullbar OR Winch)	1	HIL-003-F RH		SHACKLE BUSH KIT				
		1	HIL-003-F LH			Kit Contains: 12 x SPF2231	1	PB59-1033K	
SHACKLE BUSH KIT					U-BOLT KIT				
	Kit Contains: 8 x SPF2231 4 x SPF2240	1	PB59-1032K			Kit Contains: 2 x UB59-667	2	UB59-667K	
U-BOLT KIT					SHOCK ABSORBER				
Right Hand Side					Comfort Option Twin Tube Gas Medium Load				
	Kit Contains: 1 x UB59-437 1 x UB59-449-3	1	UB59-449-3K			Extra Heavy Duty Twin Tube Gas (Big Bore) 350Kg Constant Load	2	GS59-649	
Left Hand Side					SHOCK ABSORBER				
	Kit Contains: 2 x UB59-667	1	UB59-667K			Heavy Duty Twin Tube Gas	2	GS59-639	
SHOCK ABSORBER					SHACKLE				
STEERING DAMPERS					SHACKLE				
	Heavy Duty (Big Bore) Complete with Fittings	1	SD59-821			Greasable: Fit in Pairs	2	SK59-009	
SHACKLE					PIN				
	Greasable: Fit in Pairs	2	SK59-001			Greasable: Fit in Pairs	2	SP59-005	
PIN					PIN				
	Greasable: Fit in Pairs	2	SP59-005						



TYPE: 4 Runner
MODEL: LN61, YN63
YEAR: 08/1985 - 1989
DETAIL: Independent Front Suspension










FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE
TORSION BAR					LEAF SPRING				
	Heavy Duty Rate Increased Length 1064mm	1	TB59-1646			4+2 Leaves Raised Height (50mm Lift) Up to 100Kg Constant Load	1	TOY-470-RRH	
							1	TOY-470-R LH	
SHOCK ABSORBER					SHACKLE BUSH KIT				
	Heavy Duty Twin Tube Gas	2	GS59-088			Kit Contains: 12 x SPF2231	1	PB59-1033K	
STEERING DAMPER					U-BOLT KIT				
	Heavy Duty Complete with Fittings	1	SD59-833			Kit Contains: 2 x UB59-667	2	UB59-667K	
SHOCK ABSORBER					SHOCK ABSORBER				
						Comfort Option Twin Tube Gas Medium Load	2	GS59-649	
						Extra Heavy Duty Twin Tube Gas (Big Bore) 350Kg Constant Load	2	GS59-651	
SHACKLE					PIN				
						Greasable: Fit in Pairs	2	SK59-009	
						Greasable: Fit in Pairs	2	SP59-005	



TYPE: 4 Runner (2nd Generation)
MODEL: LN130, RN130, YN130, VZN130 (V6)
YEAR: 11/1989 - 1997
DETAIL: Surf Independent Front Suspension









FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE
TORSION BAR					COIL SPRING				
	Heavy Duty Rate Increased Length 1064mm	1	TB59-1646			Linear Rate Standard Height	1	C59-163	B
SHOCK ABSORBER					SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas	2	GS59-088			Linear Rate Raised Height (50mm Lift)	1	C59-161	B
STEERING DAMPER					SHOCK ABSORBER				
	Heavy Duty Complete with Fittings	1	SD59-833			Variable Rate Raised Height (50mm Lift)	1	C59-159V	B
					SHOCK ABSORBER				
									
					Heavy Duty Twin Tube Gas (Big Bore)				
					2				
					GS59-225				
					UNDER BODY BUSH KIT				
					Kit Includes Front & Rear Under Body Bushes				
					2 x Rear Panhard Rod Bush				
					2 x Rear Trailing Arm Bush				
					1				
					PB59-1254K				



TYPE: 4 Runner / Surf (3rd Generation)
MODEL: KZN185 3.0L TD, RZN185 2.7L Petrol,
 VZN185 3.4L V6
YEAR: 1996 - 2003
DETAIL: Station Wagon








FRONT		QTY	PART NUMBER	PRICE
COIL SPRING				
RZN185 / VZN185				
	Linear Rate Standard Height	1	C59-132	B
	Linear Rate Raised Height (20mm Lift) (Recommended)	1	C59-274	B
	Linear Rate Raised Height (45mm Lift)	1	C59-276	B
KZN185 TD				
	Linear Rate Standard Height	1	C59-274	B
	Linear Rate Raised Height (30mm Lift) (Recommended)	1	C59-276	B
	Linear Rate Raised Height (50mm Lift)	1	C59-134	B
SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas	2	GS59-222	
STRUT CAP				
	Strut Top Cap	2	SC59-002	

REAR		QTY	PART NUMBER	PRICE
COIL SPRING				
	Linear Rate Raised Height (50mm Lift)	1	C59-131	B
	Variable Rate Raised Height (50mm Lift) Heavy Duty 100Kg Constant Load	1	C59-137V	B
	SHOCK ABSORBER			
	Heavy Duty Twin Tube Gas	2	GS59-225	



TYPE: 4 Runner (4th Generation)
MODEL: GRN215, KDN215, TRN215
YEAR: 2003 - 2009
DETAIL: 4.0L V6 Petrol, 4.7L V8, 3.0L Diesel



FRONT			QTY	PART NUMBER	PRICE	REAR			QTY	PART NUMBER	PRICE
COIL SPRING						COIL SPRING					
4.0L V6 Petrol						Linear Rate					
3.0L Diesel						Raised Height (45mm Lift) 1 C59-325 B					
	Linear Rate		1	C59-300	B	Linear Rate					
	Raised Height (45mm Lift)					Raised Height (45mm Lift) 100-300Kg Constant Load 1 C59-327 B					
4.7L V8						Linear Rate					
	Linear Rate		1	C59-302	B	Raised Height (45mm Lift) 1 C59-329 B					
	Raised Height (45mm Lift)					300-400Kg Constant Load					
SHOCK ABSORBER						SHOCK ABSORBER					
	Heavy Duty Twin Tube Gas		2	GS59-221		Heavy Duty Twin Tube Gas					
	Monotube Remote Reservoir					2 GS59-637					
	Adjustable Spring Seat		2	MR59-50221		Monotube Remote Reservoir Shock Heavy Duty					
	Heavy Duty Original Setting of X = 213mm/8.38"X - Centre of Eye to Spring Seat					2 MR59-50637					
STRUT CAP						ADJUSTABLE PANHARD ROD					
	Strut Top Caps		2	SC59-001		Complete with Bushes					
						1 PR59-1423					













TYPE: 4 Runner (5th Generation)

MODEL: GRN285

YEAR: 2009 on

DETAIL: 4.0L V6 Petrol
45mm Lift
75mm Lift (3")







FRONT			QTY	PART NUMBER	PRICE	REAR			QTY	PART NUMBER	PRICE
COIL SPRING						COIL SPRING					
	Linear Rate Raised Height (45mm Lift)	1	C59-300	B		Linear Rate Raised Height (45mm Lift)	1	C59-325	B		
	Linear Rate Raised Height (45mm Lift) 50-100Kg Accessories (Bullbar AND Winch)	1	C59-302	B		Linear Rate Raised Height (45mm Lift) 100-300Kg Constant Load	1	C59-327	B		
	Linear Rate Raised Height (75mm Lift) No Accessories Comfort Option	1	C59-448	B		Linear Rate Raised Height (45mm Lift) Extra Heavy Duty 300-400Kg Constant Load	1	C59-329	B		
	Linear Rate Raised Height (75mm Lift) 40-70Kgs Accessories	1	C59-314	B		Variable Rate Raised Height (75mm Lift) 0-100Kg Accessories Comfort Option	1	C59-675V	B		
	Linear Rate Raised Height (75mm Lift) 60-120Kg Accessories	1	C59-352	B		Variable Rate Raised Height (75mm Lift) 200-300Kg Accessories Comfort Option	1	C59-677V	B		
SHOCK ABSORBER						SHOCK ABSORBER					
Suits 0-50mm Lift						Suits 0-50mm Lift					
	Heavy Duty Twin Tube Gas	2	GS59-700			Heavy Duty Twin Tube Gas	2	GS59-701			
	Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of X = 213mm/8.38"X - Centre of Eye to Spring Seat	2	MR59-50700			Monotube Remote Reservoir Shock Heavy Duty	2	MR59-50701			
Suits 75mm Lift						Suits 75mm Lift					
	Heavy Duty Twin Tube Gas Extra Long Travel	2	GS59-574			Heavy Duty Twin Tube Gas Extra Long Travel	2	GS59-575			
DIFF DROP KITS						ADJUSTABLE CONTROL ARMS					
	Diff Drop Kit	1	DD59-527K			Rear Lower Adjustable Control Arms (Pair)	1	WA59-520K			
SWAY BAR RELOCATION							Rear Lower Adjustable Control Arms (Pair)	1	WA59-522K		
	Sway Bar Relocation Kit	1	SE59-524K		SWAYBAR EXTENSION						
							Extended Swaybar Link Suits 2-4" Lift	2	SE59-529		
						WARNING - 75MM (3") OR HIGHER LIFT					
						The suspension components listed on this page are for off-road use only.					
						 <ul style="list-style-type: none"> - Refer to Local Laws before Fitting to Registered/Road Vehicles - An Engineering Certificate may be required - Handling Characteristics will Diminish on Lifts Above 50mm (2") 					
						The following modifications (but not limited to) need to be made to the vehicle before the kit is fitted.					
						 <ul style="list-style-type: none"> - Drop Diff Kits - Control Arms - Brake Hoses - Panhard Rod - Extended Bump Stops - Gear Box & Drive Line Modifications - Steering Arms - Swaybar Modification 					
						Dobinsons Spring & Suspension do not accept any responsibility for injury caused to person or property through the use of the products listed on this page.					
						These products do not come with any warranty or guarantee.					



TYPE: Tacoma
MODEL:
YEAR: 1998 - 2004
DETAIL: 4x4 V6 + 4 Cylinder
 Also suits Pre-Runner 4x2 models













FRONT			REAR						
	QTY	PART NUMBER	PRICE		QTY	PART NUMBER	PRICE		
COIL SPRING			SHOCK ABSORBER						
		Linear Rate Standard Height	1	C59-274	B		Heavy Duty Twin Tube Gas Big Bore	2	GS59-649
		Linear Rate Raised Height (35mm Lift) Up to 60Kg Accessories (Bullbar OR Winch)	1	C59-276	B		Extra Heavy Duty Twin Tube Gas Big Bore	2	GS59-651
		Linear Rate Raised Height (35mm Lift) Up to 90Kg Accessories (Bullbar OR Winch)	1	C59-134	B				
SHOCK ABSORBER			SHOCK ABSORBER						
		Heavy Duty Twin Tube Gas	2	GS59-222					
STRUT CAP			STRUT CAP						
		Strut Top Caps	2	SC59-002					



TYPE: Tacoma (240 Series)
MODEL: TRN/GRN 240,245,250
YEAR: 2005 - 2015
DETAIL: 4x4 Single Cab, Extra Cab, Dual Cab



FRONT			REAR		
QTY	PART NUMBER	PRICE	QTY	PART NUMBER	PRICE
COIL SPRING			LEAF SPRING		
Single Cab 2.7L					
	Linear Rate Raised Height (45mm Lift) No Accessories	1 C59-238	B		
	Linear Rate Raised Height (50mm Lift) 80-120Kg Accessories	1 C59-300	B		
Dual Cab 4.0L					
	Linear Rate Raised Height (40mm Lift) No Accessories	1 C59-302	B		
	Linear Rate Raised Height (45mm Lift) 80-120Kg Accessories	1 C59-314	B		
SHOCK ABSORBER			SHACKLE BUSH KIT		
	Heavy Duty Twin Tube Gas Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of X = 213mm/8.38"X - Centre of Eye to Spring Seat	2 GS59-221			Kit Contains: 6 x PB59-1503
		2 MR59-50221		1 PB59-1101K	
STRUT CAP			U-BOLT KIT		
	Strut Top Caps	2 SC59-001			Kit Contains: 2 x UB59-453-2
				1 UB59-453-2K	
			SHOCK ABSORBER		
				Heavy Duty Twin Tube Gas	2 GS59-940
				Monotube Remote Reservoir Shock Heavy Duty	2 MR59-50940
			PIN		
				Greasable: Fit in Pairs	2 SP59-060











TYPE: Tacoma (240 Series)

MODEL:

YEAR: 2016 on

DETAIL: Single Cab, Extra Cab, Dual Cab
4x4
2.7L i4, 3.5L V6















FRONT			QTY	PART NUMBER	PRICE	REAR			QTY	PART NUMBER	PRICE
COIL SPRING						LEAF SPRING					
Single Cab											
	Linear Rate Raised Height (45mm Lift) No Accessories	1	C59-238		B		3+2 Leaves Raised Height (55mm Lift) Medium Duty Up to 100Kg Constant Load	2	L59-110-R		
	Linear Rate Raised Height (50mm Lift) 80-120Kg Accessories	1	C59-300		B		4+2 Leaves Raised Height (55mm Lift) Heavy Duty 280Kg Constant Load	2	L59-111-R		
Dual Cab											
	Linear Rate Raised Height (40mm Lift) No Accessories	1	C59-302		B	3+1 Leaves Parabolic Raised Height (55mm Lift) 0 - 50Kg Constant Load Smooth Ride					
	Linear Rate Raised Height (50mm Lift) 0-50Kg Accessories	1	C59-314		B	SHACKLE BUSH KIT					
	Linear Rate Raised Height (50mm Lift) Comfort Option - Reduced Rate 0-40Kg Accessories	1	C59-448		B	 Kit Contains: 6 x PB59-1503 1 PB59-1101K					
Linear Rate Raised Height (50mm Lift) Heavy Duty 80-120Kg Accessories	1	C59-352		B	U-BOLT KIT						
SHOCK ABSORBER						SHOCK ABSORBER					
	Heavy Duty Twin Tube Gas	2	GS59-221				Heavy Duty Twin Tube Gas	2	GS59-940B		
	Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of X = 210mm/8.25"X - Centre of Eye to Spring Seat	2	MR59-50221				Monotube Remote Reservoir Shock Heavy Duty	2	MR59-50940		
STRUT CAP						PIN					
	Strut Top Caps	2	SC59-001				Greasable: Fit in Pairs	2	SP59-060		



TYPE: Tacoma (240 Series)
MODEL:
YEAR: 2016 on
DETAIL: Single Cab, Extra Cab, Dual Cab
 4x4
 2.7L i4, 3.5L V6
 75mm (3" Lift)





FRONT	QTY	PART NUMBER	PRICE
COIL SPRING			
Dual Cab			
		Linear Rate Raised Height (75mm Lift) No Accessories	1 C59-314 B
		Linear Rate Raised Height (75mm Lift) Comfort Option - Reduced Rate No Accessories	1 C59-448 B
		Linear Rate Raised Height (75mm Lift) Heavy Duty 50-100Kg Accessories	1 C59-352 B
SHOCK ABSORBER			
		Heavy Duty Twin Tube Gas	2 GS59-220
		Heavy Duty Twin Tube Gas Extra Long Travel	2 GS59-574
			Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty
		Original Setting of X = 226mm/8.9"X - Centre of Eye to Spring Seat	
STRUT CAP			
		Strut Top Caps	2 SC59-001






REAR	QTY	PART NUMBER	PRICE
LEAF SPRING			
		3+1 Leaves Raised Height (75mm Lift) Medium Duty Up to 50kg Constant Load	2 L59-117-RP
	SHACKLE BUSH KIT		
		Kit Contains: 6 x PB59-1503	1 PB59-1101K
U-BOLT KIT			
		Kit Contains: 2 x UB59-453-2	1 UB59-453-2K
SHOCK ABSORBER			
		Heavy Duty Twin Tube Gas	2 GS59-940
			Monotube Remote Reservoir Shock Heavy Duty
PIN			
		Greasable: Fit in Pairs	2 SP59-060
WARNING - 75MM (3") OR HIGHER LIFT			
The suspension components listed on this page are for off-road use only.			
	- Refer to Local Laws before Fitting to Registered/Road Vehicles - An Engineering Certificate may be required - Handling Characteristics will Diminish on Lifts Above 50mm (2")		
The following modifications (but not limited to) need to be made to the vehicle before the kit is fitted.			
	- Drop Diff Kits - Upper Control Arms - Brake Hoses - Extended Bump Stops		
	- Gear Box & Drive Line Modifications - Steering Arms - Swaybar Modification		
Dobinsons Spring & Suspension do not accept any responsibility for injury caused to person or property through the use of the products listed on this page.			
These products do not come with any warranty or guarantee.			



TYPE: Tundra
MODEL: UCK, UPK, USK 55/56
YEAR: 03/2007 on
DETAIL: Pickup 4x4, 4.7L & 5.7L





FRONT		QTY	PART NUMBER	PRICE
COIL SPRING				
	Linear Rate Standard Height	1	C59-478	C
	Linear Rate Raised Height (55mm Lift)	1	C59-610	B
	Linear Rate Raised Height (75mm Lift)	1	C59-578	B
	Linear Rate Raised Height (75mm Lift) Comfort Option	1	C59-578	B
<i>C59-578 may require longer shock absorber to maintain down travel.</i>				
SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas	2	GS59-710	



REAR		QTY	PART NUMBER	PRICE
LEAF SPRING				
	4+2 Leaves Raised Height (55m Lift) Heavy Duty	2	L59-120-R	
	5+2 Leaves Raised Height (55m Lift) Heavy Duty	2	L59-121-R	
SHACKLE BUSH KIT				
	Kit Contains: 2 x PB59-1540 2 x PB59-1503 2 x PB59-1514	1	PB59-1102K	
U-BOLT KIT				
	Kit Contains: 2 x UB59-437	2	UB59-437K	
SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas	2	GS59-711	
PIN				
	Greasable: Fit in Pairs	2	SP59-060	



TYPE: Sequoia
MODEL: 4.7L V8
YEAR: 2001 - 2007
DETAIL: Station Wagon





FRONT		QTY	PART NUMBER	PRICE
COIL SPRING				
	Linear Rate Lowered Height	1	C59-340	B
	Linear Rate Standard Height	1	C59-342	B
	Linear Rate Raised Height (45mm Lift)	1	C59-344	B
SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas	2	GS59-710	



REAR		QTY	PART NUMBER	PRICE
COIL SPRING				
	Linear Rate Lowered Height	1	C59-341	B
	Linear Rate Standard Height	1	C59-343	B
	Linear Rate Raised Height (45mm Lift)	1	C59-345	B
SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas	2	GS59-682	



TYPE: Sequoia
MODEL: UCK65 4.7L, USK 5.7L
YEAR: 2008 on
DETAIL: 4x4 Station Wagon
 Does Not Suit Airbag Suspension


















FRONT		QTY	PART NUMBER	PRICE
COIL SPRING				
	Linear Rate Raised Height (45mm Lift)	1	C59-476	B
SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas	2	GS59-710	

REAR		QTY	PART NUMBER	PRICE
COIL SPRING				
	Linear Rate Raised Height (45mm Lift)	1	C59-477	C
SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas	2	GS59-713	



TYPE: Landcruiser 40 Series
MODEL: BJ40, FJ40, HJ40
YEAR: 1960 - 1980
DETAIL: SWB
 25mm Spring Eye

















FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE
LEAF SPRING					LEAF SPRING				
25mm Spring Eye					25mm Spring Eye				
	7 Leaves Raised Height (45mm Lift)	2	HJ40-7L-F			6 Leaves Raised Height (45mm Lift) 25mm Longer Main Leaf	2	TOY-034-R	
	7 Leaves Raised Height (45mm Lift) 200Kg Accessories (Bullbar AND Winch)	2	HJ45-7L-F			7 Leaves Raised Height (50mm Lift) 150Kg Constant Load 25mm Longer Main Leaf	2	TOY-029-R	
SHACKLE BUSH KIT					SHACKLE BUSH KIT				
	Kit Contains: 12 x SPF2230	1	PB59-1013K			Kit Contains: 12 x SPF2230	1	PB59-1013K	
U-BOLT KIT					U-BOLT KIT				
Right Hand Side					U-BOLT KIT				
	Kit Contains:					Kit Contains:			
	1 x UB59-453-1 1 x UB59-453-3	1	UB59-450K			2 x UB59-453-3	2	UB59-453-3K	
Left Hand Side					SHOCK ABSORBER				
	Kit Contains: 2 x UB59-453-3	1	UB59-453-3K		Pre 01/1975				
SHOCK ABSORBER					SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas	2	GS59-635			Heavy Duty Twin Tube Gas	2	GS59-635	
STEERING DAMPER					01/1975 on				
	Heavy Duty (Big Bore) Complete with Fittings	1	SD59-823			Heavy Duty Twin Tube Gas (Big Bore)	2	GS59-651	
SHACKLE					SHACKLE				
	Greasable: Fit in Pairs	2	SK59-002			Greasable: Fit in Pairs	2	SK59-002	
PIN					PIN				
	Greasable: Fit in Pairs	2	SP59-006			Greasable: Fit in Pairs	2	SP59-006	



TYPE: Landcruiser 40 Series
MODEL: BJ42, FJ40
YEAR: 1980 - 1984
DETAIL: SWB
 35mm Spring Eye


















FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE
LEAF SPRING					LEAF SPRING				
35mm Spring Eye					35mm Spring Eye				
	7 Leaves Raised Height (45mm Lift)	2	BJ42-7L-F			6 Leaves Raised Height (50mm Lift) 25mm Longer Main Leaf	2	TOY-035-R	
	7 Leaves Raised Height (45mm Lift) 200Kg Accessories (Bullbar AND Winch)	2	HJ47-7L-F			7 Leaves Raised Height (50mm Lift) Heavy Duty 150Kg Constant Load 25mm Longer Main Leaf	2	TOY-036-R	
SHACKLE BUSH KIT					SHACKLE BUSH KIT				
	Kit Contains: 12 x SPF2260	1	PB59-1019K			Kit Contains: 12 x SPF2260	1	PB59-1019K	
U-BOLT KIT					U-BOLT KIT				
Right Hand Side					U-BOLT KIT				
	Kit Contains:					Kit Contains:			
	1 x UB59-453-3 1 x UB59-449	1	UB59-449K			2 x UB59-453-3	2	UB59-453-3K	
Left Hand Side					SHOCK ABSORBER				
	Kit Contains: 2 x UB59-453-3	1	UB59-453-3K			Heavy Duty Twin Tube Gas (Big Bore)	2	GS59-651	
SHOCK ABSORBER					SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas	2	GS59-635		SHACKLE				
STEERING DAMPER					Use HJ47 Shackle Kits (Left & Right) - Slightly Longer Than Original, Assists Lift on Rear.				
	Heavy Duty (Big Bore) Complete with Fittings	1	SD59-823		Can be Substituted By:				
SHACKLE					SHACKLE				
	Greasable: Fit in Pairs					Right Hand Side (Anti-Reverse)	1	SK59-048	
	Right Hand Side (Anti-Reverse)	1	SK59-048			Left Hand Side (Anti-Reverse)	1	SK59-047	
PIN					PIN				
	Greasable: Fit in Pairs	2	SP59-007			Greasable: Fit in Pairs	2	SP59-007	



TYPE: Landcruiser 45 Series
MODEL: FJ45, HJ45
YEAR: Pre 08/1980
DETAIL: LWB Pickup, Troop Carrier
Note Spring Eye Sizes















FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE
LEAF SPRING					LEAF SPRING				
25mm Spring Eye					25mm Spring Eye				
	7 Leaves Raised Height (40mm Lift) No Accessories	2	HJ45-7L-F			6+3 Leaves Raised Height (40mm Lift)	1	HJ45-6+3-R RH	
	8 Leaves Raised Height (40mm Lift) Heavy Duty 50-80Kg Accessories (Bullbar AND Winch) (Recommended)	2	HJ45-8L-F			7+3 Leaves Raised Height (40mm Lift) Heavy Duty 200Kg Constant Load	1	HJ45-6+3-R LH	
SHACKLE BUSH KIT					SHACKLE BUSH KIT				
	Kit Contains: 12 x SPF2230	1	PB59-1013K			Kit Contains: 12 x SPF2231A	1	PB59-1014K	
	U-BOLT KIT					U-BOLT KIT			
Right Hand Side					U-BOLT KIT				
	Kit Contains: 1 x UB59-453-1 1 x UB59-453-3	1	UB59-450K			Kit Contains: 2 x UB59-453-1	2	UB59-453-1K	
	Left Hand Side					SHOCK ABSORBER			
	Kit Contains: 2 x UB59-453-3	1	UB59-453-3K			Heavy Duty Twin Tube Gas (Big Bore)	2	GS59-651	
	SHOCK ABSORBER					SHACKLE			
	Heavy Duty Twin Tube Gas	2	GS59-635			Greasable: Fit in Pairs			
	STEERING DAMPER					SHACKLE			
	Heavy Duty (Big Bore) Complete with Fittings	1	SD59-823			Right Hand Side	1	SK59-016	
	SHACKLE					PIN			
	Greasable: Fit in Pairs	2	SK59-002			Fit in Pairs	2	SP59-022	
	PIN					PIN			
	Greasable: Fit in Pairs	2	SP59-006						



TYPE: Landcruiser 55 Series
MODEL: FJ55
YEAR: 1970 - 1980
DETAIL: Station Wagon





















FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE
LEAF SPRING					LEAF SPRING				
	6 Leaves Raised Height (45mm Lift)	2	TOY-055-F			8 Leaves Raised Height (45mm Lift)	2	TOY-056-R	
SHACKLE BUSH KIT					SHACKLE BUSH KIT				
	Kit Contains: 12 x SPF2231A	1	PB59-1014K			Kit Contains: 12 x SPF2231A	1	PB59-1014K	
U-BOLT KIT					U-BOLT KIT				
Right Hand Side					U-BOLT KIT				
	Kit Contains: 1 x UB59-453-1 1 x UB59-453-3	1	UB59-450K			Kit Contains: 2 x UB59-453-3	2	UB59-453-3K	
Left Hand Side					SHOCK ABSORBER				
	Kit Contains: 2 x UB59-453-3	1	UB59-453-3K			Heavy Duty Twin Tube Gas	2	GS59-636	
SHOCK ABSORBER					SHACKLE				
	Heavy Duty Twin Tube Gas	2	GS15-639S			Greasable: Fit in Pairs			
STEERING DAMPER						Right Hand Side	1	SK59-015	
	Heavy Duty (Big Bore) Complete with Fittings	1	SD59-823			Left Hand Side	1	SK59-016	
SHACKLE					SHACKLE				
	Greasable: Fit in Pairs								
	Right Hand Side	1	SK59-015						
	Left Hand Side	1	SK59-016						



TYPE: Landcruiser 60 Series
MODEL: FJ60, FJ62, HJ60, HJ61
YEAR: 1980 - 1990
DETAIL: Station Wagon







FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE
LEAF SPRING									
For LH Drive Vehicles fit the Higher Camber Spring to the LH Side of the Vehicle									
	5 Leaves Raised Height (45mm Lift) Petrol (No Accessories)	2	HJ61-5L-F			7 Leaves Raised Height (50mm Lift) Plus 1 Spacer Leaf (Top of Spring Pack)	1	HJ61-7L-R RH	
	6 Leaves Raised Height (45mm Lift) Petrol (With Accessories) Diesel (No Accessories)	2	HJ61-6L-F			1	HJ61-7L-R LH		
	HJ61 Turbo Diesel								
	7 Leaves Raised Height (45mm Lift) Diesel (50-100Kg Accessories)	2	HJ61-7L-F			7 Leaves Raised Height (45mm Lift) Plus 1 Spacer Leaf (Bottom of Spring Pack)	1	HJ61-7L-R RH	
						1	HJ61-7L-R LH		
	7 Leaves Raised Height (45mm Lift)	2	HJ61-7L-F			8 Leaves Raised Height (45mm Lift) Heavy Duty 300Kg Constant Load	1	HJ61-8L-R RH	
						1	HJ61-8L-R LH		
SHACKLE BUSH KIT									
	Kit Contains: 12 x SPF2260	1	PB59-1019K			Kit Contains: 12 x SPF2260	1	PB59-1019K	
U-BOLT KIT									
	Kit Contains: 2 x UB59-436	2	UB59-436K			Kit Contains: 2 x UB59-453-1	2	UB59-453-1K	
SHOCK ABSORBER									
	Heavy Duty Twin Tube Gas	2	GS59-637			Comfort Option Twin Tube Gas	2	GS59-649	
STEERING DAMPER									
	Heavy Duty (Big Bore) Complete with Fittings	1	SD59-824			Heavy Duty Twin Tube Gas (Big Bore)	2	GS59-651	
SHACKLE									
	Greasable: Fit in Pairs	2	SK59-019			Greasable: Fit in Pairs	2	SK59-019	
	Right Hand Side	1	SK59-048			Right Hand Side (Anti-Reverse)	1	SK59-048	
	Left Hand Side	1	SK59-047			Left Hand Side (Anti-Reverse)	1	SK59-047	
PIN									
	Greasable: Fit in Pairs	2	SP59-007			Greasable: Fit in Pairs	2	SP59-007	



TYPE: Landcruiser 70 Series - Bundera
MODEL: LJ70, LJ73, RJ70, RJ73
YEAR: 11/1984 - 12/1989
DETAIL: Round Headlights










FRONT			QTY	PART NUMBER	PRICE	REAR			QTY	PART NUMBER	PRICE
COIL SPRING						COIL SPRING					
	Linear Rate Standard Height	1	C59-084	B		Linear Rate Standard Height	1	C59-085	B		
	Linear Rate Raised Height (45mm Lift) 60-100Kg Accessories (Bullbar AND Winch)	1	C59-082	B		Linear Rate Raised Height (50mm Lift) Up to 100Kg Constant Load	1	C59-083	B		
	Linear Rate Raised Height (60mm Lift) 60-100Kg Accessories (Bullbar AND Winch)	1	C59-404	B		Linear Rate Raised Height (65mm Lift) Up to 100Kg Constant Load	1	C59-405	B		
SHOCK ABSORBER						SHOCK ABSORBER					
	Heavy Duty Twin Tube Gas	2	GS45-114			Kit Contains: 2 Different Part Numbers Heavy Duty Twin Tube Gas (Big Bore)					
STEERING DAMPER						SHOCK ABSORBER					
	Heavy Duty (Big Bore) Complete with Fittings	1	SD59-824			Right Hand Side 1 x GS59-651 (Eye to Eye)					
UNDER BODY BUSH KIT						SHOCK ABSORBER					
See Rear Under Body Bush Kit							Left Hand Side 1 x GS45-640 (Eye to Pin)	1	GS59-652K		
RADIUS ARM BUSH						UNDER BODY BUSH KIT					
Front Radius Arm Castor Kit (±2.5°)						Kit Includes Front & Rear Under Body Bushes					
	4 x Polyurethane Eccentric Bushes Complete with Steel Inner Sleeve (+ 1 Grease Tube)	1	WA59-512K			2 x Front Radius Arm to Chassis Bush 4 x Front Radius Arm to Diff Bush 2 x Front Panhard Rod Bush 2 x Rear Radius Arm to Chassis Bush 4 x Rear Radius Arm to Diff Bush 2 x Rear Panhard Rod Bush	1	PB59-1255K			
Raising Vehicle Will Effect Castor Angle. A Wheel Alignment is Recommended to Determine if a Castor Kit is Required.											



TYPE: Landcruiser 70 Series
MODEL: LJ70, LJ72, LJ73, LJ77,
 (RJ70, RJ73, KZJ 70/73 - 1994 on)
YEAR: 01/1990 - 05/1993
DETAIL: Square Headlights







FRONT			QTY	PART NUMBER	PRICE	REAR			QTY	PART NUMBER	PRICE
COIL SPRING						COIL SPRING					
	Linear Rate Raised Height (40mm Lift) Up to 50Kg Accessories (Bullbar OR Winch)	1	C59-288	B			Linear Rate Raised Height (40mm Lift) (Recommended)	1	C59-289	B	
	Linear Rate Super Raised Height (60mm Lift) Up to 50Kg Accessories (Bullbar AND Winch) (Recommended)	1	C59-244	B			Linear Rate Super Raised Height (65mm Lift) Up to 100Kg Constant Load	1	C59-247	B	
Fit Long Travel Shock Absorber GS59-634 with the Above Spring						Fit Long Travel Shock Absorber GS59-633 with the Above Spring					
SHOCK ABSORBER						SHOCK ABSORBER					
	Heavy Duty Twin Tube Gas	2	GS59-632				Heavy Duty Twin Tube Gas	2	GS59-631		
To Be Used With Original Toyota Springs OR C59-288						To Be Used With Original Toyota Springs OR C59-289					
	Heavy Duty Twin Tube Gas Long Travel	2	GS59-634				Heavy Duty Twin Tube Gas Long Travel	2	GS59-633		
Can Only Be Used with C59-244						Can Only Be Used with C59-247					
STEERING DAMPER						UNDER BODY BUSH KIT					
	Heavy Duty (Big Bore) Complete with Fittings	1	SD59-824			Kit Includes Front & Rear Under Body Bushes					
UNDER BODY BUSH KIT						2 x Front Radius Rod to Chassis Bush 4 x Front Radius Rod to Diff Bush 2 x Front Panhard Rod Bush 2 x Rear Radius Rod to Chassis Bush 4 x Rear Radius Rod to Diff Bush 2 x Rear Panhard Rod Bush					
See Rear Under Body Bush Kit						1 PB59-1260K					
RADIUS ARM BUSH						UNDER BODY BUSH KIT					
Adjustable Front Radius Arm Castor Kit Angle Settings: $\pm 0^\circ$, $\pm 2.5^\circ$ or $\pm 3.5^\circ$ 4 x Polyurethane Eccentric Bushes						See Rear Under Body Bush Kit					
1 PB59-503K											
Fixed Rubber Front Radius Arm Castor Kit Angle Setting: $\pm 2.5^\circ$ 4 x Rubber Eccentric Bushes											
1 RB59-522K											
Raising Vehicle Will Effect Castor Angle. A Wheel Alignment is Recommended to Determine if a Castor Kit is Required.											
RADIUS ARM BUSH											
0 Degree Standard Radius Arm Bush Kit Arm to Diff 4 x Rubber Bushes											
1 RB59-536K											
Arm to Chassis Bush Kit 2 x Rubber Bushes											
1 RB59-534K											



TYPE: 70 Series Prado I, Landcruiser II
MODEL: LJ78/79, RJ77, KZJ78
YEAR: 1987 - 1996
DETAIL: Station Wagon SX5, 2.4L Petrol, 2.4L TD

















FRONT			QTY	PART NUMBER	PRICE	REAR			QTY	PART NUMBER	PRICE
COIL SPRING						COIL SPRING					
	Linear Rate Standard Height	1	C59-290	B		Linear Rate Standard Height	1	C59-291	B		
	Linear Rate Raised Height (45mm Lift) Up to 50Kg Accessories (Bullbar OR Winch)	1	C59-288	B		Linear Rate Raised Height (45mm Lift)	1	C59-289	B		
	Linear Rate Raised Height (45mm Lift) 50-110Kg Accessories (Bullbar AND Winch)	1	C59-206	B		Linear Rate Super Raised Height (65mm Lift) Up to 100Kg Constant Load	1	C59-247	B		
	Linear Rate Raised Height (60mm Lift) Up to 50Kg Accessories (Bullbar AND Winch) (Recommended)	1	C59-244	B	Fit Long Travel Shock Absorber GS59-633 with the Above Spring						
SHOCK ABSORBER						SHOCK ABSORBER					
	Heavy Duty Twin Tube Gas	2	GS59-632			Heavy Duty Twin Tube Gas	2	GS59-631			
To Be Used with Original Toyota Springs OR C59-290, C59-288, C59-206						To Be Used with Original Toyota Springs OR C59-291, C59-289					
	Heavy Duty Twin Tube Gas Long Travel	2	GS59-634			Heavy Duty Twin Tube Gas Long Travel	2	GS59-633			
Can Only Be Used with C59-244						Can Only Be Used with C59-247					
STEERING DAMPER						UNDER BODY BUSH KIT					
	Heavy Duty (Big Bore) Complete with Fittings	1	SD59-824		Kit Includes Front & Rear Under Body Bushes						
CASTOR KIT						2 x Front Radius Rod to Chassis Bush 4 x Front Radius Rod to Diff Bush 2 x Front Panhard Rod Bush 2 x Rear Radius Rod to Chassis Bush 4 x Rear Radius Rod to Diff Bush 2 x Rear Panhard Rod Bush					
	Adjustable Front Radius Arm Castor Kit Angle Settings: ±0° or ±2.5° 4 x Polyurethane Eccentric Bushes	1	PB59-503K		1 PB59-1260K						
	Fixed Rubber Front Radius Arm Castor Kit Angle Setting: ±2.5° 4 x Rubber Eccentric Bushes	1	RB59-522K								
Raising Vehicle Will Effect Castor Angle. A Wheel Alignment is Recommended to Determine if a Castor Kit is Required.											



TYPE: Landcruiser 70 Series
MODEL: FJ/BJ 70, BJ71, FJ/BJ 73, FJ/BJ 74
YEAR: 1985 - 12/1989
DETAIL: Short Wheel Base/Mid Wheel Base

















FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE
LEAF SPRING									
	7 Leaves Raised Height (45mm Lift)	2	HJ75-7L-F			7 Leaves Plus 1 Spacer Leaf Raised Height (50mm Lift)	1	HJ60-7L-R RH	
	8 Leaves Raised Height (45mm Lift) 60-100Kg Accessories (Bullbar AND Winch)	2	HJ75-8L-F			7 Leaves Plus 1 Spacer Leaf Raised Height (50mm Lift) 150Kg Constant Load	1	HJ60-7L-R LH	
SHACKLE BUSH KIT									
	Kit Contains: 12 x SPF2260	1	PB59-1019K			Kit Contains: 12 x SPF2260	1	PB59-1019K	
U-BOLT KIT									
	Kit Contains: 2 x UB59-436	1	UB59-436K			Kit Contains: 2 x UB59-453-3	2	UB59-453-3K	
SHOCK ABSORBER									
	Heavy Duty Twin Tube Gas	2	GS59-637			Comfort Option Twin Tube Gas	2	GS59-649	
STEERING DAMPER									
	Heavy Duty (Big Bore) Complete with Fittings	1	SD59-824			Heavy Duty Twin Tube Gas (Big Bore)	2	GS59-651	
SHACKLE									
	Greasable: Fit in Pairs					Greasable: Fit in Pairs	2	SK59-019	
	Right Hand Side (Anti-Reverse)	1	SK59-048			Right Hand Side (Anti-Reverse)	1	SK59-048	
	Left Hand Side (Anti-Reverse)	1	SK59-047			Left Hand Side (Anti-Reverse)	1	SK59-047	
PIN									
	Greasable: Fit in Pairs	2	SP59-007			Greasable: Fit in Pairs	2	SP59-023	



TYPE: Landcruiser 70 Series
MODEL: HZJ70, HZJ73, PZJ70, PZJ73
YEAR: 1990 - 1999
DETAIL: Short Wheel Base / Mid Wheel Base















FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE
LEAF SPRING					LEAF SPRING				
	7 Leaves Raised Height (45mm Lift)	2	HJ75-7L-F			7 Leaves Plus 1 Spacer Leaf Raised Height (50mm Lift)	1	HJ60-7L-R RH	
	8 Leaves Raised Height (45mm Lift) 60-100Kg Accessories (Bullbar AND Winch)	2	HZJ75-8L-F			7 Leaves Plus 1 Spacer Leaf Raised Height (50mm Lift) 150Kg Constant Load	1	HJ60-7L-R LH	
SHACKLE BUSH KIT					SHACKLE BUSH KIT				
	Kit Contains: 12 x SPF2260	1	PB59-1019K			Kit Contains: 12 x SPF2260	1	PB59-1019K	
U-BOLT KIT					U-BOLT KIT				
	Kit Contains: 2 x UB59-436	1	UB59-436K			Kit Contains: 2 x UB59-453-3	2	UB59-453-3K	
SHOCK ABSORBER					SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas	2	GS59-637			Comfort Option Twin Tube Gas	2	GS59-649	
						Heavy Duty Twin Tube Gas (Big Bore)	2	GS59-651	
STEERING DAMPER					SHOCK ABSORBER				
	Heavy Duty (Big Bore) Complete with Fittings	1	SD59-824			Greasable: Fit in Pairs	2	SK59-019	
						Right Hand Side (Anti-Reverse)	1	SK59-048	
SHACKLE					SHACKLE				
	Right Hand Side (Anti-Reverse)	1	SK59-048			Left Hand Side (Anti-Reverse)	1	SK59-047	
	Left Hand Side (Anti-Reverse)	1	SK59-047						
PIN					PIN				
	Greasable: Fit in Pairs	2	SP59-007			Greasable: Fit in Pairs	2	SP59-023	



TYPE: Landcruiser 70 Series
MODEL: FZJ77, HZJ77, PZJ77
YEAR: 1993 - 1999
DETAIL: Station Wagon, 5 Door














FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE
LEAF SPRING									
	7 Leaves Raised Height (45mm Lift)	2	HZJ75-7L-F			4+2 Leaves Raised Height (50mm Lift) Standard Duty Up to 100-150Kg Constant Load	2	L59-020-R	
	8 Leaves Raised Height (50mm Lift)	2	HZJ75-8L-F			5+2 Leaves Raised Height (50mm Lift) Heavy Duty 300Kg Constant Load	2	L59-021-R	
	8 Leaves Raised Height (45mm Lift) Up to 80Kg Accessories (Bullabr OR Winch)	2	HJ75-8L-F			6+2 Leaves Raised Height (50mm Lift) Super Heavy Duty 450Kg Constant Load	2	L59-022-R	
SHACKLE BUSH KIT									
	Kit Contains: 12 x SPF2260	1	PB59-1019K			Kit Contains: 12 x SPF2270	1	PB59-1020K	
U-BOLT KIT									
	Kit Contains: 2 x UB59-668	1	UB59-668K			Kit Contains: 2 x UB59-453-3 2 x UB59-453-3 2 x UB59-453-1	2	UB59-453-3K	
SHOCK ABSORBER									
	Heavy Duty Twin Tube Gas	2	GS59-637		SHOCK ABSORBER				
STEERING DAMPER									
	Heavy Duty (Big Bore) Complete with Fittings	1	SD59-824		Soft Option Twin Tube Gas Big Bore (Not for Loaded Vehicles)				
SHACKLE									
	Greasable: Fit in Pairs				Heavy Duty Twin Tube Gas Big Bore				
	Right Hand Side (Anti-Reverse)	1	SK59-048		Heavy Duty Twin Tube Gas Big Bore (Long Travel)				
	Left Hand Side (Anti-Reverse)	1	SK59-047		2				
PIN									
	Greasable: Fit in Pairs	2	SP59-007		SHACKLE				
SHACKLE									
	Greasable: Fit in Pairs				Right Hand Side (Anti-Reverse)				
	Right Hand Side (Anti-Reverse)	1	SK59-048		Left Hand Side (Anti-Reverse)				
	Left Hand Side (Anti-Reverse)	1	SK59-047		2				
PIN									
	Greasable: Fit in Pairs	2	SP59-023		PIN				
PIN									
Greasable: Fit in Pairs									
		2	SP59-023						



TYPE: Landcruiser
MODEL: FZJ/HZJ 71, 74, 76
YEAR: 1999 - 2004
DETAIL: SWB, MWB, LWB














FRONT			REAR		
QTY	PART NUMBER	PRICE	QTY	PART NUMBER	PRICE
COIL SPRING					
	Linear Rate Standard Height	1	C59-250	B	
	Linear Rate Raised Height (50mm Lift) Comfort Option Up to 50Kg Accessories (Bullbar OR Winch)	1	C59-246	B	
	Linear Rate Raised Height (50mm Lift) Up to 50Kg Accessories	1	C59-248	B	
	Linear Rate Raised Height (50mm Lift) Super Heavy Duty 50-100Kg Accessories (Bullbar and Winch)	1	C59-252	B	
SHOCK ABSORBER					
	Heavy Duty Twin Tube Gas	2	GS45-114		
STEERING DAMPER					
	Heavy Duty (Big Bore) Complete with Fittings	1	SD59-824		
UNDER BODY BUSH KIT					
Kit Includes Front & Rear Under Body Bushes					
	2 x Front Panhard Rod Bush 2 x Front Leading Arm to Diff Bush 4 x Front Leading Arm to Chassis Bush	1	PB59-1261K		
RADIUS ARM BUSH					
	Adjustable Front Radius Arm Castor Kit Angle Settings: $\pm 0^\circ$ or $\pm 2.5^\circ$ 4 x Polyurethane Eccentric Bushes	1	PB59-503K		
	Fixed Rubber Front Radius Arm Castor Kit Angle Setting: $\pm 2.5^\circ$ 4 x Rubber Eccentric Bushes	1	RB59-522K		
Raising Vehicle Will Effect Castor Angle. A Wheel Alignment is Recommended to Determine if a Castor Kit is Required.					
LEAF SPRING					
FZJ/HZJ 71 SWB					
	7 Leaves Plus 1 Spacer Leaf	1	L59-071-R RH		
	Raised Height (50mm Lift)	1	L59-071-R LH		
FZJ/HZJ 74 MWB					
	7 Leaves Plus 1 Spacer Leaf	1	L59-074-R RH		
	Raised Height (50mm Lift)	1	L59-074-R LH		
FZJ/HZJ 76 LWB					
	7 Leaves Raised Height (50mm Lift)	2	L59-021-R		
	250Kg Constant Load				
SHACKLE BUSH KIT					
	Kit Contains: 4 x SPF1781 2 x SPF1782 4 x SPF1798	1	PB59-1090K		
U-BOLT KIT					
	Kit Contains:				
	71 SWB	2 x UB59-453-3	2	UB59-453-3K	
	74 MWB	2 x UB59-453-3	2	UB59-453-3K	
76 LWB	2 x UB59-453-1	2	UB59-453-1K		
SHOCK ABSORBER					
	Comfort Option Twin Tube Gas Light Load	2	GS59-649		
	Heavy Duty Twin Tube Gas (Big Bore)	2	GS59-651		
SHACKLE					
	Greasable: Fit in Pairs	2	SK59-051		
PIN					
	Greasable: Fit in Pairs	2	SP59-044		



TYPE: Landcruiser 70 Series
MODEL: GRJ71, HZJ71
YEAR: 08/2009 on
DETAIL: 4x4



FRONT			REAR		
QTY	PART NUMBER	PRICE	QTY	PART NUMBER	PRICE
COIL SPRING					
	Variable Rate Standard Height	1	C59-454V	B	
	Linear Rate Raised Height (40mm Lift) Comfort Option No Accessories	1	C59-246	B	
	Linear Rate Raised Height (40mm Lift) 50Kg Accessories (Bullbar)	1	C59-250	B	
	Linear Rate Raised Height (50mm Lift) Up to 100Kg Accessories (Bullbar AND Winch)	1	C59-248	B	
SHOCK ABSORBER					
	Heavy Duty Twin Tube Gas	2	GS45-114		
	Heavy Duty Monotube Remote Reservoir	2	MR45-60114		
STEERING DAMPER					
	Heavy Duty (Big Bore) Complete with Fittings	1	SD59-825		
UNDER BODY BUSH KIT					
Kit Includes Front & Rear Under Body Bushes					
	2 x Front Panhard Rod Bush 2 x Front Leading Arm to Diff Bush 4 x Front Leading Arm to Chassis Bush	1	PB59-1261K		
CASTOR KIT					
	Adjustable Front Radius Arm Castor Kit Angle Settings: ±0° or ±2.5° 4 x Polyurethane Eccentric Bushes	1	PB59-503K		
	Fixed Rubber Front Radius Arm Castor Kit Angle Setting: ±2.5° 4 x Rubber Eccentric Bushes	1	RB59-522K		
Raising Vehicle Will Effect Castor Angle. A Wheel Alignment is Recommended to Determine if a Castor Kit is Required.					
LEAF SPRING					
	7 Leaves + 1 Spacer Raised Height (50mm Lift)	1	L59-071-R RH		
		1	L59-071-R LH		
	7 Leaves + 1 Spacer Raised Height (50mm Lift) 250-350Kg Constant Load	1	L59-074-R RH		
		1	L59-074-R LH		
SHACKLE BUSH KIT					
	Kit Contains: 8 x SPF1798 4 x SPF1781	1	PB59-1100K		
U-BOLT KIT					
	Kit Contains: 2 x UB59-453-3	2	UB59-453-3K		
SHOCK ABSORBER					
	Soft Option Twin Tube Gas (Big Bore) Not For Loaded Vehicles	2	GS45-115		
	Heavy Duty Twin Tube Gas (Big Bore)	2	GS59-079		
	Heavy Duty Twin Tube Gas (Big Bore) Long Travel	2	GS59-703		
	Heavy Duty Monotube Remote Reservoir	2	MR45-60115		
SHACKLE					
	Greasable: Fit in Pairs	2	SK59-051		
PIN					
	Greasable: Fit in Pairs	2	SP59-057		


















TYPE: Landcruiser 75 Series

MODEL: FZJ75, HZJ75

YEAR: 1990 - 09/1999

DETAIL: Pickup, Troop Carrier - **Disc Brake Rear End**
For Model with Rear Drum Brake (Pre 10/1991) use
Rear Spring Part Number HJ75-6+2-R















FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE
LEAF SPRING									
	7 Leaves Raised Height (45mm Lift) No Accessories	2	HZJ75-7L-F		It is a Requirement that the Brake Adjuster BA59-001 be Fitted when Using these Leaf Springs				
	8 Leaves Raised Height (50mm Lift) Heavy Duty 0-40Kg Accessories (Bullbar Recommended)	2	HZJ75-8L-F			6+2 Leaves Raised Height (50mm Lift) Up to 100Kg Constant Load	2	HZJ75-6+2-R	
	8 Leaves Raised Height (50mm Lift) Heavy Duty 50-100Kg Accessories	2	HJ75-8L-F			7+2 Leaves Raised Height (50mm Lift) Heavy Duty 300Kg Constant Load	2	HZJ75-7+2-R	
				8+2 Leaves Raised Height (50mm Lift) Super Heavy Duty 500Kg Constant Load		2	HZJ75-8+2-R		
SHACKLE BUSH KIT									
	Kit Contains: 12 x SPF2260	1	PB59-1019K			Kit Contains: 12 x SPF2270	1	PB59-1020K	
U-BOLT KIT									
	Kit Contains: 2 x UB59-668K	2	UB59-668K			Kit Contains: 2 x UB59-453-1	2	UB59-453-1K	
SHOCK ABSORBER									
	Heavy Duty Twin Tube Gas	2	GS59-637		SHOCK ABSORBER				
STEERING DAMPER									
	Heavy Duty (Big Bore) Complete with Fittings	1	SD59-824			Soft Option Twin Tube Gas (Big Bore) Not For Loaded Vehicles	2	GS45-115	
SHACKLE									
	Greasable: Fit in Pairs Right Hand Side (Anti-Reverse)	1	SK59-048			Heavy Duty Twin Tube Gas (Big Bore)	2	GS59-079	
	Left Hand Side (Anti-Reverse)	1	SK59-047			Heavy Duty Twin Tube Gas (Big Bore) Long Travel	2	GS59-703	
PIN									
	Greasable: Fit in Pairs	2	SP59-007		BRAKE ADJUSTER				
						Recommended when Raising Vehicle	1	BA59-001	
SHACKLE									
	Greasable: Fit in Pairs Right Hand Side (Anti-Reverse)	1	SK59-048			Greasable: Fit in Pairs Right Hand Side (Anti-Reverse)	1	SK59-048	
	Left Hand Side (Anti-Reverse)	1	SK59-047			Left Hand Side (Anti-Reverse)	1	SK59-047	
PIN									
	Greasable: Fit in Pairs	2	SP59-007			Greasable: Fit in Pairs	2	SP59-023	



TYPE: Landcruiser 76 Series
MODEL: FZJ76, HZJ76, VDJ76
YEAR: 04/2007 on
DETAIL: Station Wagon, V8 Turbo Diesel



FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE
COIL SPRING					LEAF SPRING				
	Variable Rate Standard Height	1	C59-454V	B		4+2 Leaves Raised Height (45mm Lift) Medium Duty Up to 100Kg Constant Load	2	L59-020-R	
	Linear Rate Raised Height (40mm Lift) Comfort Option No Accessories	1	C59-246	B		5+2 Leaves Raised Height (50mm Lift) Heavy Duty 300Kg Constant Load	2	L59-021-R	
	Linear Rate Raised Height (40mm Lift)	1	C59-250	B		6+2 Leaves Raised Height (50mm Lift) Super Heavy Duty 450Kg Constant Load	2	L59-022-R	
	Linear Rate Raised Height (55mm Lift) Up to 80Kg Accessories (Bullbar OR Winch)	1	C59-248	B					
Linear Rate Raised Height (50mm Lift) Super Heavy Duty 80-110Kg Accessories (Bullbar AND Winch)	1	C59-252	B	SHACKLE BUSH KIT					
SHOCK ABSORBER					Kit Contains: 4 x SPF1781 2 x SPF1782 4 x SPF1798				
	Heavy Duty Twin Tube Gas	2	GS45-114			Kit Contains: 2 x UB59-453-3 2 x UB59-453-3 2 x UB59-453-1		2	UB59-453-3K
	Heavy Duty Monotube Remote Reservoir	2	MR45-60114		L59-021-R	2	UB59-453-1K	2	UB59-453-1K
STEERING DAMPER					L59-022-R	2	UB59-453-1K	2	UB59-453-1K
	Heavy Duty (Big Bore) Complete with Fittings	1	SD59-825		SHOCK ABSORBER				
ADJUSTABLE PANHARD ROD					Soft Option Twin Tube Gas (Big Bore)				
	Right Hand Drive Complete with Bushes	1	PR59-1418			Heavy Duty Twin Tube Gas (Big Bore)	2	GS45-115	
UNDER BODY BUSH KIT					Heavy Duty Twin Tube Gas (Big Bore)				
Kit Includes Front & Rear Under Body Bushes						Heavy Duty Twin Tube Gas Long Travel (Big Bore)	2	GS59-079	
2 x Front Panhard Rod Bush						Heavy Duty Monotube Remote Reservoir	2	MR45-60115	
2 x Front Leading Arm to Diff Bush					SHACKLE				
4 x Front Leading Arm to Chassis Bush	1	PB59-1261K				Greasable: Fit in Pairs	2	SK59-051	
RADIUS ARM BUSH					PIN				
0 Degree Standard Radius Arm Bush Kit Arm to Diff						Greasable: Fit in Pairs	2	SP59-044	
4 x Rubber Bushes	1	RB59-536K			CASTOR ADJUSTMENT PART				
Arm to Chassis Bush Kit					Adjustable Front Radius Arm Castor Kit Angle Settings: ±0° or ±2.5° 4 x Polyurethane Eccentric Bushes				
2 x Rubber Bushes	1	RB59-534K			Fixed Rubber Front Radius Arm Castor Kit Angle Setting: ±2.5° 4 x Rubber Eccentric Bushes				
COIL SPACER					Raising Vehicle Will Effect Castor Angle. A Wheel Alignment is Recommended to Determine if a Castor Kit is Required.				
	10mm	2	PS21-4008		COIL SPRING				
	30mm	2	PS21-4009		Variable Rate Standard Height				










TYPE: Landcruiser 79 Series







MODEL: FZJ79, HZJ79, HDJ79, VDJ79

YEAR: 09/1999 on

DETAIL: Pickup, 4.5L Turbo Diesel Pickup/Dual Cab
Front Coil Spring Suspension



FRONT		QTY	PART NUMBER	PRICE
COIL SPRING				
	Linear Rate Standard Height Up to 50Kg Accessories (Bullbar OR Winch)	1	C59-250	B
	Linear Rate Raised Height (45mm Lift) Up to 40Kg Accessories (Bullbar OR Winch)	1	C59-248	B
	Linear Rate Raised Height (45mm Lift) 50-110Kg Accessories (Bullbar AND Winch)	1	C59-236	B
	Linear Rate Raised Height (35mm Lift) Extra Heavy Duty 70-120Kg Accessories (Bullbar AND Winch)	1	C59-252	B
SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas	2	GS45-114	
	Heavy Duty Monotube Remote Reservoir	2	MR45-60114	
STEERING DAMPER				
FZJ79, HZJ79 (to 04/2007)				
	Heavy Duty (Big Bore) Complete with Fittings	1	SD59-824	
FZJ79, HZJ79, VDJ79 (04/2007 on)				
	Heavy Duty (Big Bore) Complete with Fittings	1	SD59-825	
ADJUSTABLE PANHARD ROD				
	RH Drive V8 Models - Complete with Bushes	1	PR59-1418	
	RH Drive 6 Cyl Models - Complete with Bushes	1	PR59-1420	
UNDER BODY BUSH KIT				
<i>Kit Includes Front & Rear Under Body Bushes</i>				
	2 x Front Panhard Rod Bush 2 x Front Leading Arm to Diff Bush 4 x Front Leading Arm to Chassis Bush	1	PB59-1261K	
RADIUS ARM BUSH				
	0 Degree Standard Radius Arm Bush Kit Arm to Diff 4 x Rubber Bushes	1	RB59-536K	
	Arm to Chassis Bush Kit 2 x Rubber Bushes	1	RB59-534K	
CASTOR KIT				
	Adjustable Front Radius Arm Castor Kit Angle Settings: ±0° or ±2.5° 4 x Polyurethane Eccentric Bushes	1	PB59-503K	
	Fixed Rubber Front Radius Arm Castor Kit Angle Setting: ±2.5° 4 x Rubber Eccentric Bushes	1	RB59-522K	
<i>Raising Vehicle Will Effect Castor Angle. A Wheel Alignment is Recommended to Determine if a Castor Kit is Required.</i>				
COIL SPACER				
	10mm	2	PS21-4008	
	30mm	2	PS21-4009	

REAR		QTY	PART NUMBER	PRICE	
LEAF SPRING					
<i>It is a Requirement that the Brake Adjuster BA59-001 be Fitted When Using These Leaf Springs</i>					
	6+2 Leaves Raised Height (45mm Lift) Comfort Spring No Load	2	TOY-078-R		
	6+2 Leaves Raised Height (50mm Lift) Standard Duty Up to 100Kg Constant Load	2	TOY-082-R		
	7+2 Leaves Raised Height (50mm Lift) Heavy Duty 300Kg Constant Load	2	TOY-083-R		
	8+2 Leaves Raised Height (50mm Lift) Super Heavy Duty 500Kg Constant Load	2	TOY-084-R		
	9+2 Leaves Raised Height (50mm Lift) Super Heavy Duty 800Kg Constant Load	2	TOY-085-R		
	8+3 Leaves Raised Height (50mm Lift) Super Heavy Duty 1200Kg Constant Load	2	TOY-088-R		
	SHACKLE BUSH KIT				
	to 07/2009				
	Kit Contains: 4 x PB59-1509 4 x SPF1782	1	PB59-1089K		
08/2009 on (Air Bag Dash)					
	Kit Contains: 8 x SPF1798 4 x SPF1781	1	PB59-1100K		
U-BOLT KIT					
	Kit Contains:				
	TOY-078-R 2 x UB59-453-1	2	UB59-453-1K		
	TOY-082-R 2 x UB59-453-1	2	UB59-453-1K		
	TOY-083-R 2 x UB59-416	2	UB59-416K		
	TOY-084-R 2 x UB59-416	2	UB59-416K		
	TOY-085-R 2 x UB59-914	2	UB59-914K		
	TOY-088-R 2 x UB59-914	2	UB59-914K		
SHOCK ABSORBER					
	Soft Option Twin Tube Gas (Big Bore) Not For Loaded Vehicles	2	GS45-115		
	Heavy Duty Twin Tube Gas (Big Bore)	2	GS59-079		
	Heavy Duty Twin Tube Gas (Big Bore) Long Travel	2	GS59-703		
	Heavy Duty Monotube Remote Reservoir	2	MR45-60115		
CONTINUED ON NEXT PAGE					

4x4





TOYOTA

TOY-78



TYPE: Landcruiser 79 Series
MODEL: FZJ79, HZJ79, HDJ79, VDJ79
YEAR: 09/1999 on
DETAIL: Pickup, 4.5L Turbo Diesel Pickup/Dual Cab
Front Coil Spring Suspension



FRONT			REAR		
QTY	PART NUMBER	PRICE	QTY	PART NUMBER	PRICE
CONTINUED FROM PREVIOUS PAGE					
BRAKE ADJUSTER					
	Recommended when Raising Vehicle (Suits 2-3" Lift)	1		BA59-001	
SHACKLE to 07/2009					
		Greasable: Fit in Pairs	2	SK59-043	
08/2009 on (Air Bag Dash)					
		Greasable: Fit in Pairs	2	SK59-051	
PIN to 07/2009					
		Greasable: Fit in Pairs	2	SP59-044	
08/2009 on (Air Bag Dash)					
		Greasable: Fit in Pairs	2	SP59-057	
















TYPE: Landcruiser 78/79 Series

MODEL: FZJ79/78, HZJ79/78, HDJ79, VDJ79/78

YEAR: 09/1999 on

DETAIL: Pickup, 4.5L Turbo Diesel Dual Cab/Pickup
Troop Carrier **75mm (3") & 100mm (4") Lifts**












FRONT			QTY	PART NUMBER	PRICE	REAR			QTY	PART NUMBER	PRICE			
COIL SPRING						LEAF SPRING								
 Linear Rate Raised Height (3" Lift) Up to 50Kg Accessories						1	C59-240	B	It is a Requirement that the Brake Adjuster BA59-001 be Fitted when Using These Leaf Springs					
Linear Rate Raised Height (3" Lift) 50-100Kg Constant Load						1	C59-256	B	3+1 Leaves Parabolic Raised Height (3" Lift) Medium Duty Up to 100Kg Constant Load					
Linear Rate Raised Height (4" Lift) Medium Duty 50-80Kg Accessories (Bullbar AND Winch)						1	C59-508	B	3+1 Leaves Parabolic Raised Height (4" Lift) Heavy Duty Up to 100Kg Constant Load					
Linear Rate Raised Height (4" Lift) Super Heavy Duty 80-120Kg Accessories (Bullbar AND Winch)						1	C59-458	B	 3+1 Leaves Parabolic Raised Height (3" Lift) Extra Heavy Duty 400Kg Constant Load					
SHOCK ABSORBER						SHACKLE BUSH KIT								
 Heavy Duty Twin Tube Gas						2	GS51-116		 Kit Contains: 8 x SPF1798 4 x SPF1781					
 Heavy Duty Monotube Remote Reservoir (3" Lift)						2	MR51-60116		U-BOLT KIT					
Heavy Duty Monotube Remote Reservoir (4" Lift)						2	MR45-60914		 Kit Contains: 2 x UB59-416					
STEERING DAMPER						SHOCK ABSORBER								
FZJ79, HZJ79 (to 04/2007)						Heavy Duty Twin Tube Gas (Big Bore) Long Travel								
 Heavy Duty (Big Bore) Complete with Fittings						1	SD59-824		Not For Loaded Vehicles					
FZJ79, HZJ79, VDJ79 (04/2007 on)						Heavy Duty Monotube Remote Reservoir (3" Lift)								
 Heavy Duty (Big Bore) Complete with Fittings						1	SD59-825		 Heavy Duty Monotube Remote Reservoir (4" Lift)					
ADJUSTABLE PANHARD ROD						SHOCK ABSORBER								
RH Drive V8 Models - Complete with Bushes						1	PR59-1418		Heavy Duty Monotube Remote Reservoir (3" Lift)					
RH Drive 6 Cyl Models - Complete with Bushes						1	PR59-1420		 Heavy Duty Monotube Remote Reservoir (4" Lift)					
UNDER BODY BUSH KIT						SHOCK ABSORBER								
Kit Includes Front & Rear Under Body Bushes						Heavy Duty Twin Tube Gas (Big Bore) Long Travel								
2 x Front Panhard Rod Bush 2 x Front Leading Arm to Diff Bush 4 x Front Leading Arm to Chassis Bush						1	PB59-1261K		Not For Loaded Vehicles					
CASTOR KIT						SHOCK ABSORBER								
Fixed Rubber Front Radius Arm Castor Kit Angle Setting: $\pm 2.5^\circ$ 4 x Rubber Eccentric Bushes						1	RB59-522K		Heavy Duty Monotube Remote Reservoir (3" Lift)					
Raising Vehicle Will Effect Castor Angle. A Wheel Alignment is Recommended to Determine if a Castor Kit is Required.						Heavy Duty Monotube Remote Reservoir (4" Lift)								
SWAYBAR EXTENSION						SHOCK ABSORBER								
Adjustable Swaybar Extension (Suits 4" - 6" Lift)						2	SE59-516		Heavy Duty Monotube Remote Reservoir (4" Lift)					
COIL SPACER						SHOCK ABSORBER								
 10mm						2	PS21-4008		Heavy Duty Monotube Remote Reservoir (4" Lift)					
30mm						2	PS21-4009		Heavy Duty Monotube Remote Reservoir (4" Lift)					
						SHOCK ABSORBER								
						Greasable: Fit in Pairs								
						Greasable: Fit in Pairs								
						WARNING - 75MM (3") OR HIGHER LIFT The suspension components listed on this page are for off-road use only.								
						 <ul style="list-style-type: none"> - Refer to Local Laws before Fitting to Registered/Road Vehicles - An Engineering Certificate may be required - Handling Characteristics will Diminish on Lifts Above 50mm (2") 								
						The following modifications (but not limited to) need to be made to the vehicle before the kit is fitted.								
						 <ul style="list-style-type: none"> - Adjustable Panhard Rods - Modified Leading/Trailing Arms - Brake Hoses - Extended Bump Stops - Gear Box & Drive Line Modifications - Steering Arms - Swaybar Modification 								
						Dobinsons Spring & Suspension do not accept any responsibility for injury caused to person or property through the use of the products listed on this page.								
						These products do not come with any warranty or guarantee.								



TYPE: Landcruiser 80 Series
MODEL: FJ80, HDJ80, HZJ80
YEAR: 05/1990 - 08/1991
DETAIL: Station Wagon











FRONT			QTY	PART NUMBER	PRICE	REAR			QTY	PART NUMBER	PRICE
COIL SPRING						COIL SPRING					
	Linear Rate Standard Height	1	C59-168	B		Linear Rate Standard Height	1	C59-169	B		
	Linear Rate Raised Height (45mm Lift) Up to 50Kg Accessories (Bullbar OR Winch) (Recommended)	1	C59-166	B		Linear Rate Raised Height (45mm Lift) Up to 100Kg Constant Load Recommended	1	C59-167	B		
	Linear Rate Raised Height (45mm Lift) Extra Heavy Duty 50-110Kg Accessories (Bullbar AND Winch)	1	C59-170	B		Variable Rate Raised Height (45mm Lift) Up to 100Kg Constant Load	1	C59-175V	B		
SHOCK ABSORBER						SHOCK ABSORBER					
	Heavy Duty Twin Tube Gas	2	GS59-683			Heavy Duty Twin Tube Gas	2	GS59-682			
	Heavy Duty Monotube Remote Reservoir	2	MR59-60683			Heavy Duty Monotube Remote Reservoir	2	MR59-60682			
STEERING DAMPER						UNDER BODY BUSH KIT					
	Heavy Duty (Big Bore) Complete with Fittings	1	SD59-824		Kit Includes Front & Rear Under Body Bushes						
UNDER BODY BUSH KIT						2 x Front Radius Arm to Chassis Bush 4 x Front Leading Arm Bush 2 x Front Panhard Rod Bush 4 x Rear Upper Trailing Arm Bush 4 x Rear Lower Trailing Arm Bush 2 x Rear Panhard Rod Bush					
See Rear Under Body Bush Kit						1 PB59-1258K					
CASTOR KIT						BRAKE ADJUSTER					
Adjustable Front Radius Arm Castor Kit Angle Settings: $\pm 0^\circ$, $\pm 2.5^\circ$ or 4 x Polyurethane Eccentric Bushes						Recommended when Raising Vehicle (Suits 2-3" Lift)					
Fixed Rubber Front Radius Arm Castor Kit Angle Setting: $\pm 2.5^\circ$ 4 x Rubber Eccentric Bushes						1 BA45-005					
Raising Vehicle Will Effect Castor Angle. A Wheel Alignment is Recommended to Determine if a Castor Kit is Required.						COIL SPACER					
RADIUS ARM BUSH											
0 Degree Standard Radius Arm Bush Kit Arm to Diff 4 x Rubber Bushes						10mm 2 PS59-4005					
Arm to Chassis Bush Kit 2 x Rubber Bushes						15mm 2 PS59-4006					
1 RB59-536K						30mm 2 PS59-4007					
1 RB59-534K											
COIL SPACER											
											
5mm 2 PS59-4001											
10mm 2 PS59-4002											
20mm 2 PS59-4003											
30mm 2 PS59-4004											



TYPE: Landcruiser 80 Series
MODEL: FJ80, FZJ80, HZJ80
YEAR: 08/1991 - 1998
DETAIL: Station Wagon














FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE
COIL SPRING					COIL SPRING				
	Variable Rate Standard Height	1	C59-210V	B		Variable Rate Standard Height	1	C59-221V	B
	Variable Rate Raised Height (40mm Lift) Up to 50Kg Accessories (Bullbar OR Winch)	1	C59-220V	B		Variable Rate Raised Height (45mm Lift) Comfort Spring - Petrol Only No Load	1	C59-269V	B
	Variable Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch)	1	C59-222V	B		Linear Rate Standard Height	1	C59-243	B
	Linear Rate Standard Height	1	C59-174	B		Linear Rate Raised Height (45mm Lift) Up to 100Kg Constant Load (Recommended)	1	C59-169	B
	Linear Rate Raised Height (45mm Lift) Up to 50Kg Accessories (Bullbar OR Winch) (Recommended)	1	C59-168	B		Linear Rate Raised Height (60mm Lift) Up to 100Kg Constant Load	1	C59-167	B
	Linear Rate Raised Height (45mm Lift) Up to 100Kg Accessories	1	C59-166	B		Variable Rate Raised Height (45mm Lift) Up to 100Kg Constant Load	1	C59-223V	B
	Linear Rate Raised Height (60mm Lift) No Accessories	1	C59-166	B		Linear Rate Raised Height (50mm Lift) 350Kg Constant Load	1	C59-171	C
	Linear Rate Raised Height (40mm Lift) Comfort Spring - Petrol Only Up to 50Kg Accessories (Bullbar OR Winch)	1	C59-234	B	SHOCK ABSORBER				
	SHOCK ABSORBER					Heavy Duty Twin Tube Gas	2	GS59-682	
	Heavy Duty Twin Tube Gas	2	GS59-683			Heavy Duty Monotube Remote Reservoir	2	MR59-60682	
	Heavy Duty Monotube Remote Reservoir	2	MR59-60683		UNDER BODY BUSH KIT				
STEERING DAMPER					Kit Includes Front & Rear Under Body Bushes				
	Heavy Duty (Big Bore) Complete with Fittings	1	SD59-824		2 x Front Radius Rod to Chassis Bush 4 x Front Leading Arm Bush 2 x Front Panhard Rod Bush 4 x Rear Upper Trailing Arm Bush 4 x Rear Lower Trailing Arm Bush 2 x Rear Panhard Rod Bush				
UNDER BODY BUSH KIT					1 PB59-1258K				
See Rear Under Body Bush Kit					BRAKE ADJUSTER				
RADIUS ARM BUSH					Recommended when Raising Vehicle				
Adjustable Front Radius Arm Castor Kit Angle Settings: $\pm 0^\circ$ or $\pm 2.5^\circ$ 4 x Polyurethane Eccentric Bushes					1 BA45-005				
Fixed Rubber Front Radius Arm Castor Kit Angle Setting: $\pm 2.5^\circ$ 4 x Rubber Eccentric Bushes					1 PS59-4005				
Raising Vehicle Will Effect Castor Angle. A Wheel Alignment is Recommended to Determine if a Castor Kit is Required.					1 PS59-4006				
RADIUS ARM BUSH					1 PS59-4007				
0 Degree Standard Radius Arm Bush Kit Arm to Diff 4 x Rubber Bushes									
Arm to Chassis Bush Kit 2 x Rubber Bushes					10mm 2 PS59-4001				
COIL SPACER					15mm 2 PS59-4002				
5mm 2 PS59-4001					20mm 2 PS59-4003				
10mm 2 PS59-4002					30mm 2 PS59-4004				
20mm 2 PS59-4003									
30mm 2 PS59-4004									



TYPE: Landcruiser 80 / 105 Series
MODEL: FZJ, HZJ, HDJ, 80/105
YEAR: 08/1991 on
DETAIL: Station Wagon
 75mm (3" Lift)









FRONT		QTY	PART NUMBER	PRICE
COIL SPRING				
	Linear Rate Raised Height (3" Lift) Up to 50Kg Accessories (Bullbar OR Winch)	1	C59-176	B
	Linear Rate Raised Height (3" Lift) Up to 100Kg Accessories (Bullbar AND Winch)	1	C59-170	B
SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas	2	GS59-683	
	Heavy Duty Monotube Remote Reservoir	2	MR59-60683	
STEERING DAMPER				
	Heavy Duty (Big Bore) Complete with Fittings	1	SD59-824	
UNDER BODY BUSH KIT				
See Rear Under Body Bush Kit				
CASTOR KIT				
	Adjustable Front Radius Arm Castor Kit Angle Settings: $\pm 0^\circ$ or $\pm 2.5^\circ$ 4 x Polyurethane Eccentric Bushes	1	PB59-503K	
	Fixed Rubber Front Radius Arm Castor Kit Angle Setting: $\pm 2.5^\circ$ 4 x Rubber Eccentric Bushes	1	RB59-522K	
Raising Vehicle Will Effect Castor Angle. A Wheel Alignment is Recommended to Determine if a Castor Kit is Required.				
ADJUSTABLE PANHARD ROD				
	RH Drive Complete with Bushes	1	PR59-1404	
	LH Drive Complete with Bushes	1	PR59-1408	
RADIUS ARM BUSH				
	0 Degree Standard Radius Arm Bush Kit Arm to Diff 4 x Rubber Bushes	1	RB59-536K	
	Arm to Chassis Bush Kit 2 x Rubber Bushes	1	RB59-534K	
SWAYBAR EXTENSION				
	Swaybar Extensions Suits 2" - 6" Lift	2	SE59-516	
COIL SPACER				
	5mm	2	PS59-4001	
	10mm	2	PS59-4002	
	20mm	2	PS59-4003	
	30mm	2	PS59-4004	







REAR		QTY	PART NUMBER	PRICE
COIL SPRING				
	Linear Rate Raised Height (3" Lift) Up to 100Kg Constant Load	1	C59-185	C
	Linear Rate Raised Height (3" Lift) Up to 200Kg Constant Load	1	C59-171	C
	Linear Rate Raised Height (3" Lift) Up to 400Kg Constant Load	1	C59-153	C
SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas	2	GS59-682	
	Heavy Duty Monotube Remote Reservoir	2	MR59-60682	
UNDER BODY BUSH KIT				
Kit Includes Front & Rear Under Body Bushes				
	2 x Front Radius Arm to Chassis Bush 4 x Front Leading Arm Bush 2 x Front Panhard Rod Bush 4 x Rear Upper Trailing Arm Bush 4 x Rear Lower Trailing Arm Bush 2 x Rear Panhard Rod Bush	1	PB59-1258K	
ADJUSTABLE PANHARD ROD				
	Complete with Bushes	1	PR59-1405	
BRAKE ADJUSTER				
	Recommended when Raising Vehicle (Suits 2-3" Lift)	1	BA45-005	
ALIGNMENT PART				
	Swaybar Extension Suits 3" - 6" Lift Side of Chassis Mount	2*	SE59-517	
	Swaybar Extension Suits 3" - 6" Lift Bottom of Chassis Mount	2*	SE59-519	
*Check Swaybar Link Configuration - 80 Series Require Either SE59-517 or SE59-519. All 105 Series Require SE59-519				
BRAKE ADJUSTER				
	Recommended when Raising Vehicle (Suits 2-6" Lift)	1	BA45-005	
COIL SPACER				
	10mm	2	PS59-4005	
	15mm	2	PS59-4006	
	30mm	2	PS59-4007	
WARNING - 75MM (3") OR HIGHER LIFT				
The suspension components listed on this page are for off-road use only.				
	- Refer to Local Laws before Fitting to Registered/Road Vehicles - An Engineering Certificate may be required - Handling Characteristics will Diminish on Lifts Above 50mm (2")			
The following modifications (but not limited to) need to be made to the vehicle before the kit is fitted.				
	- Adjustable Panhard Rods - Modified Leading/Trailing Arms - Brake Hoses - Extended Bump Stops - Gear Box & Drive Line Modifications - Steering Arms - Swaybar Modification			
Dobinsons Spring & Suspension do not accept any responsibility for injury caused to person or property through the use of the products listed on this page.				
These products do not come with any warranty or guarantee.				



TYPE: Landcruiser 80 / 105 Series
MODEL: FZJ/HZJ/HDJ 80/105
YEAR: 08/1991 on
DETAIL: Station Wagon
 100mm (4") Lift








FRONT		QTY	PART NUMBER	PRICE
COIL SPRING				
	Linear Rate Raised Height (4" Lift) Heavy Duty 50-80Kg Accessories (Bullbar AND Winch)	1	C59-308	C
	Linear Rate Raised Height (4" Lift) Heavy Duty 80-150Kg Accessories (Bullbar AND Winch)	1	C59-312	C
SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas	2	GS45-912	
	Heavy Duty Monotube Remote Reservoir	2	MR45-60912	
STEERING DAMPER				
	Heavy Duty (Big Bore) Complete with Fittings	1	SD59-824	
ADJUSTABLE PANHARD ROD				
	RH Drive - Complete with Bushes	1	PR59-1404	
	LH Drive - Complete with Bushes	1	PR59-1408	
UNDER BODY BUSH KIT				
See Rear Under Body Bush Kit				
RADIUS ARM BUSH				
	Adjustable Front Radius Arm Castor Kit Angle Settings: ±0° or ±2.5° 4 x Polyurethane Eccentric Bushes	1	PB59-503K	
	Fixed Rubber Front Radius Arm Castor Kit Angle Setting: ±2.5° 4 x Rubber Eccentric Bushes	1	RB59-522K	
Raising Vehicle Will Effect Castor Angle. A Wheel Alignment is Recommended to Determine if a Castor Kit is Required.				
CASTOR PLATE KIT				
	5° Castor Plate Kit (Suits Both Arms)	1	WA59-514K	
SWAYBAR EXTENSION				
	Adjustable Swaybar Extension (Suits 2-6" Lift)	2	SE59-516	
RADIUS ARM BUSH				
	Radius Arm Bushes Arm to Diff 4 x Rubber Bushes	1	RB59-536K	
	Arm to Chassis Bush Kit 4 x Rubber Bushes	1	RB59-534K	
COIL SPACER				
	5mm	2	PS59-4001	
	10mm	2	PS59-4002	
	20mm	2	PS59-4003	
	30mm	2	PS59-4004	







REAR		QTY	PART NUMBER	PRICE
COIL SPRING				
	Linear Rate Raised Height (4" Lift) Heavy Duty 60-100Kg Constant Load	1	C59-309	C
	Linear Rate Raised Height (4" Lift) Extra Heavy Duty 200 - 350Kg Constant Load	1	C59-313	C
SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas	2	GS59-687	
	Heavy Duty Monotube Remote Reservoir	2	MR59-60687	
UNDER BODY BUSH KIT				
Kit Includes Front & Rear Under Body Bushes				
	2 x Front Radius Arm to Chassis Bush 4 x Front Leading Arm Bush 2 x Front Panhard Rod Bush 4 x Rear Upper Trailing Arm Bush 4 x Rear Lower Trailing Arm Bush 2 x Rear Panhard Rod Bush	1	PB59-1258K	
ADJUSTABLE PANHARD ROD				
	Complete with Bushes	1	PR59-1405	
ALIGNMENT PART				
	Swaybar Extension Suits 3" - 6" Lift Side of Chassis Mount	2*	SE59-517	
	Swaybar Extension Suits 3" - 6" Lift Bottom of Chassis Mount	2*	SE59-519	
*Check Swaybar Link Configuration - 80 Series Require Either SE59-517 or SE59-519. All 105 Series Require SE59-519				
BRAKE ADJUSTER				
	Brake Adjuster (Suits 2-4" Lift)	1	BA45-005	
COIL SPACER				
	10mm	2	PS59-4005	
	15mm	2	PS59-4006	
	30mm	2	PS59-4007	
WARNING - 75MM (3") OR HIGHER LIFT				
The suspension components listed on this page are for off-road use only.				
	- Refer to Local Laws before Fitting to Registered/Road Vehicles - An Engineering Certificate may be required - Handling Characteristics will Diminish on Lifts Above 50mm (2")			
The following modifications (but not limited to) need to be made to the vehicle before the kit is fitted.				
	- Adjustable Panhard Rods - Modified Leading/Trailing Arms - Brake Hoses - Extended Bump Stops			
	- Gear Box & Drive Line Modifications - Steering Arms - Swaybar Modification			
Dobinsons Spring & Suspension do not accept any responsibility for injury caused to person or property through the use of the products listed on this page.				
These products do not come with any warranty or guarantee.				



TYPE: Landcruiser 80 /105 Series
MODEL: FZJ, HZJ, HDJ 80/105
YEAR: 08/1991 on
DETAIL: Station Wagon
 150mm (6" Lift)



FRONT		QTY	PART NUMBER	PRICE
COIL SPRING				
	Linear Rate Raised Height (6" Lift) 50-120Kg Constant Load	1	C59-310	C
SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas	2	GS59-684	
	Heavy Duty Monotube Remote Reservoir	2	MR59-60918	
STEERING DAMPER				
	Heavy Duty (Big Bore) Complete with Fittings	1	SD59-824	
ADJUSTABLE PANHARD ROD				
	RH Drive Complete with Bushes	1	PR59-1404	
	LH Drive Complete with Bushes	1	PR59-1408	
CASTOR PLATE KIT				
	5° Castor Plate Kit (Suits Both Arms)	1	WA59-514K	
SWAYBAR EXTENSION				
	Adjustable Swaybar Extension (Suits 2-6" Lift)	2	SE59-516	
RADIUS ARM BUSH				
	Radius Arm Bushes Arm to Diff 4 x Rubber Bushes	1	RB59-536K	
	Arm to Chassis Bush Kit 4 x Rubber Bushes	1	RB59-534K	
COIL SPACER				
	5mm	2	PS59-4001	
	10mm	2	PS59-4002	
	20mm	2	PS59-4003	
	30mm	2	PS59-4004	

REAR		QTY	PART NUMBER	PRICE
COIL SPRING				
	Linear Rate Raised Height (6" Lift) No Load	1	C59-317	B
	Linear Rate Raised Height (6" Lift) Heavy Duty 100Kg Constant Load	1	C59-319	C
	Linear Rate Raised Height (6" Lift) Extra Heavy Duty 400Kg Constant Load	1	C59-311	C
SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas	2	GS59-685	
	Heavy Duty Monotube Remote Reservoir	2	MR59-60685	
UNDER BODY BUSH KIT				
Kit Includes Front & Rear Under Body Bushes				
	2 x Front Radius Arm to Chassis Bush 4 x Front Leading Arm Bush 2 x Front Panhard Rod Bush 4 x Rear Upper Trailing Arm Bush 4 x Rear Lower Trailing Arm Bush 2 x Rear Panhard Rod Bush	1	PB59-1258K	
ADJUSTABLE PANHARD ROD				
	Complete with Bushes	1	PR59-1405	
ALIGNMENT PART				
	Swaybar Extension Suits 3" - 6" Lift Side of Chassis Mount	2*	SE59-517	
	Swaybar Extension Suits 3" - 6" Lift Bottom of Chassis Mount	2*	SE59-519	
*Check Swaybar Link Configuration - 80 Series Require Either SE59-517 or SE59-519. All 105 Series Require SE59-519				
BRAKE ADJUSTER				
	Recommended when Raising Vehicle (Suits 2-6" Lift)	1	BA45-005	
COIL SPACER				
	10mm	2	PS59-4005	
	15mm	2	PS59-4006	
	30mm	2	PS59-4007	
WARNING - 75MM (3") OR HIGHER LIFT				
The suspension components listed on this page are for off-road use only.				
	- Refer to Local Laws before Fitting to Registered/Road Vehicles - An Engineering Certificate may be required - Handling Characteristics will Diminish on Lifts Above 50mm (2")			
The following modifications (but not limited to) need to be made to the vehicle before the kit is fitted.				
	- Adjustable Panhard Rods - Modified Leading/Trailing Arms - Brake Hoses - Extended Bump Stops - Gear Box & Drive Line Modifications - Steering Arms - Swaybar Modification			
Dobinsons Spring & Suspension do not accept any responsibility for injury caused to person or property through the use of the products listed on this page.				
These products do not come with any warranty or guarantee.				



TYPE: Landcruiser 100 Series
MODEL: FZJ105R, HZJ105R
YEAR: 04/1998 - 11/2007
DETAIL: Station Wagon GX, GXL
Coil Spring Suspension



FRONT			QTY	PART NUMBER	PRICE	REAR			QTY	PART NUMBER	PRICE
COIL SPRING						COIL SPRING					
	Linear Rate Standard Height	1	C59-174	B		Variable Rate Standard Height	1	C59-221V	B		
	Linear Rate Raised Height (40mm Lift) Comfort Spring Petrol Only Up to 50Kg Accessories (Bullbar OR Winch)	1	C59-234	B		Variable Rate Raised Height (45mm Lift) Comfort Spring - Petrol Only No Load	1	C59-269V	B		
	Linear Rate Raised Height (45mm Lift) Up to 50Kg Accessories (Bullbar OR Winch) (Recommended)	1	C59-168	B		Linear Rate Standard Height	1	C59-243	B		
	Linear Rate Raised Height (45mm Lift) 60-100Kg Accessories	1	C59-166	B		Linear Rate Raised Height (45mm Lift) Up to 100Kg Constant Load (Recommended)	1	C59-169	B		
	*Linear Rate Raised Height (60mm Lift) No Accessories	1	C59-166	B		Linear Rate Raised Height (45mm Lift) 60-100Kg Constant Load	1	C59-167	B		
	<i>* Sway Bar Extensions and Panhard Rods recommended</i>					Linear Rate Raised Height (50mm Lift) 350Kg Constant Load	1	C59-171	C		
SHOCK ABSORBER						SHOCK ABSORBER					
	Heavy Duty Twin Tube Gas	2	GS59-683			Heavy Duty Twin Tube Gas	2	GS59-682			
	Heavy Duty Monotube Remote Reservoir	2	MR59-60683			Heavy Duty Monotube Remote Reservoir	2	MR59-60682			
STEERING DAMPER						STEERING DAMPER					
	Heavy Duty (Big Bore) Complete with Fittings	1	SD59-824								
UNDER BODY BUSH KIT						UNDER BODY BUSH KIT					
See Rear Under Body Bush Kit						Kit Includes Front & Rear Under Body Bushes					
RADIUS ARM BUSH						RADIUS ARM BUSH					
	Adjustable Front Radius Arm Castor Kit Angle Settings: $\pm 0^\circ$ or $\pm 2.5^\circ$ 4 x Polyurethane Eccentric Bushes	1	PB59-503K			2 x Front Radius Arm to Chassis Bush 4 x Front Leading Arm Bush 2 x Front Panhard Rod Bush 4 x Rear Upper Trailing Arm Bush 4 x Rear Lower Trailing Arm Bush 2 x Rear Panhard Rod Bush	1	PB59-1258K			
	Fixed Rubber Front Radius Arm Castor Kit Angle Setting: $\pm 2.5^\circ$ 4 x Rubber Eccentric Bushes	1	RB59-522K								
Raising Vehicle Will Effect Castor Angle. A Wheel Alignment is Recommended to Determine if a Castor Kit is Required.											
RADIUS ARM BUSH						BRAKE ADJUSTER					
	0 Degree Standard Radius Arm Bush Kit Arm to Diff 4 x Rubber Bushes	1	RB59-536K			Recommended when Raising Vehicle (Suits 2-3" Lift)	1	BA45-005			
	Arm to Chassis Bush Kit 2 x Rubber Bushes	1	RB59-534K								
ADJUSTABLE PANHARD ROD						ADJUSTABLE PANHARD ROD					
	Right Hand Drive	1	PR59-1404			Complete with Bushes	1	PR59-1405			
	Left Hand Drive	1	PR59-1408								
SWAYBAR EXTENSION						ALIGNMENT PART					
	Swaybar Extensions Suits 2" on	2	SE59-516			Swaybar Extension Suits 3" - 6" Lift Side of Chassis Mount	2*	SE59-517			
COIL SPACER						ALIGNMENT PART					
	5mm	2	PS59-4001			Swaybar Extension Suits 3" - 6" Lift Bottom of Chassis Mount	2*	SE59-519			
	10mm	2	PS59-4002			<i>*Check Swaybar Link Configuration - 80 Series Require Either SE59-517 or SE59-519. All 105 Series Require SE59-519</i>					
	20mm	2	PS59-4003			BRAKE ADJUSTER					
	30mm	2	PS59-4004			Recommended when Raising Vehicle (Suits 2-6" Lift)	1	BA45-005			
COIL SPACER						COIL SPACER					
	10mm	2	PS59-4005			10mm	2	PS59-4005			
	15mm	2	PS59-4006			15mm	2	PS59-4006			
	30mm	2	PS59-4007			30mm	2	PS59-4007			



TYPE: Landcruiser 100 Series
MODEL: HDJ100, HZJ100, UZJ100
YEAR: 1998 - 11/2007
DETAIL: Petrol and Diesel
Independent Front Suspension



This vehicle may be fitted with a Hydraulic Ride System. To convert this system to a conventional suspension system, a **COMPLETE KIT** must be fitted.

FRONT

QTY	PART NUMBER	PRICE
-----	-------------	-------

TORSION BAR

V8 Petrol



Heavy Duty
Rate Increased
Length 1160mm 1 **TB59-1600**

Check Length Before Ordering

Diesel/Turbo Diesel/6 Cyl. Petrol



Heavy Duty
Rate Increased
Length 1210mm 1 **TB59-1610**

Check Length Before Ordering

SHOCK ABSORBER



Heavy Duty Twin Tube Gas 2 **GS59-782**

REAR

QTY	PART NUMBER	PRICE
-----	-------------	-------

COIL SPRING

Linear Rate
Standard Height (10mm Lift) 1 **C59-169** B

Linear Rate
Raised Height (30mm Lift)
Up to 100Kg Constant Load
(Recommended) 1 **C59-167** B



Linear Rate
Raised Height (30mm Lift)
200Kg Constant Load 1 **C59-185** C

Linear Rate
Raised Height (30mm Lift)
400Kg Constant Load 1 **C59-171** C

SHOCK ABSORBER



Heavy Duty Twin Tube Gas 2 **GS59-682**



Heavy Duty Monotube
Remote Reservoir 2 **MR59-60682**

UNDER BODY BUSH KIT

Kit Includes Front & Rear Under Body Bushes

2 x Panhard Rod Bush
4 x Rear Upper Trailing Arm Bush
4 x Rear Lower Trailing Arm Bush 1 **PB59-1259K**

COIL SPACER

10mm 2 **PS59-4005**











15mm 2 **PS59-4006**

30mm 2 **PS59-4007**



TYPE: Landcruiser 200 Series
MODEL: UZJ/URJ/GRJ/VDJ 200
YEAR: 11/2007 on
DETAIL: Station Wagon









FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE
COIL SPRING					COIL SPRING				
GRJ200 4.0L 6 Cyl. Petrol					Linear Rate Standard Height				
		1	C59-536	B	1	C59-543		B	
		1	C59-540	B	Variable Rate Raised Height (10mm Lift) This Variable Rate Coil Allows Less Height Change and Provides a Firmer Ride When Loading				
UZJ200 4.7L V8 Petrol URJ200 5.7L V8 Petrol					1	C59-559V		B	
		1	C59-538	B	Linear Rate Raised Height (30mm Lift)				
		1	C59-540	B	Linear Rate Raised Height (30mm Lift) 100-200Kg Constant Load				
		1	C59-542	B	Linear Rate Raised Height (50mm Lift) No Load				
		1	C59-544	B	Linear Rate Raised Height (50mm Lift) 400Kg Constant Load				
VDJ200 4.5L Twin Turbo V8 Diesel					Linear Rate Raised Height (50mm Lift) 250-300Kg Constant Load				
		1	C59-540	B	Linear Rate Raised Height (50mm Lift) 500Kg Constant Load				
		1	C59-544	B	Linear Rate Raised Height (50mm Lift) 80-120Kg Accessories (Bullbar OR Winch)				
		1	C59-568	B	SHOCK ABSORBER				
SHOCK ABSORBER					SHOCK ABSORBER				
		2	GS59-688			2	GS59-682		
		2	GS59-690			2	GS59-698		
		2	GS59-734			2	MR59-60682		
		2	MR59-60688		ADJUSTABLE PANHARD ROD				
		2	MR59-60688		Complete with Bushes 1 PR59-1421				
STRUT CAP					ADJUSTABLE PANHARD ROD				
		2	SC59-006		Recommended for Lifts Above 35mm to Correct Wheel Alignment.				



TYPE: Landcruiser 90 Series Prado
MODEL: RZN/VZN/KZN/KDJ 90SWB/95LWB
YEAR: 1996 - 2003
DETAIL: Station Wagon














FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE
COIL SPRING					COIL SPRING				
SWB					Linear Rate				
RZJ90 2.7L Petrol					Standard Height				
VZJ90 3.4L V6					1	C59-133		B	
KZJ90 3.0L T/Diesel					Variable Rate				
	Linear Rate								
	Raised Height (35mm Lift)								
	Up to 60Kg Accessories				1	C59-137V		B	
	(Bullbar OR Winch)	1	C59-276	B	Variable Rate				
	Linear Rate				Raised Height (40mm Lift)				
	Raised Height (35mm Lift)				Heavy Duty				
	60-90Kg Accessories				1	C59-297V		B	
	(Bullbar AND Winch)	1	C59-134	B	150Kg Constant Load				
KDJ90 3.0L T/Diesel					Linear Rate				
	Linear Rate				Raised Height				
	Raised Height (40mm Lift)				1	C59-303		B	
	Linear Rate				SHOCK ABSORBER				
	Raised Height (40mm Lift)				Heavy Duty Twin Tube Gas				
	60-90Kg Accessories				Big Bore				
	(Bullbar AND Winch)	1	C59-296	B	2	GS59-225			
LWB					UNDER BODY BUSH KIT				
RZJ95 2.7L Petrol					Kit Includes Front & Rear Under Body Bushes				
VZJ95 3.4L V6					2 x Rear Panhard Rod Bush				
	Linear Rate				4 x Rear Lower Trailing Arm Bush				
	Standard Height				1	PB59-1256K			
	Raised Height (35mm Lift)				2 x Rear Upper Trailing Arm Bush				
	Up to 60Kg Accessories								
	(Bullbar OR Winch)	1	C59-276	B	COIL SPACER				
	Linear Rate								
	Raised Height (35mm Lift)								
	Up to 90Kg Accessories								
	(Bullbar OR Winch)	1	C59-134	B					
	Linear Rate								
	Raised Height (35mm Lift)								
	Up to 90Kg Accessories								
	(Bullbar OR Winch)	1	C59-134	B					
	Linear Rate								
	Raised Height (35mm Lift)								
	No Accessories								
	Raised Height (35mm Lift)								
	60-90Kg Accessories								
	(Bullbar OR Winch)	1	C59-296	B					
	Linear Rate								
	Raised Height (35mm Lift)								
	No Accessories								
	Raised Height (35mm Lift)								
	60-90Kg Accessories								
	(Bullbar OR Winch)	1	C59-296	B					
SHOCK ABSORBER									
	Linear Rate				Heavy Duty Twin Tube Gas				
	Raised Height (35mm Lift)				2	GS59-222			
	No Accessories				STRUT CAP				
	Raised Height (35mm Lift)								
	60-90Kg Accessories				Strut Top Caps				
	(Bullbar OR Winch)	1	C59-296	B	2	SC59-002			



TYPE: Landcruiser 120 Series Prado
MODEL: RZJ/VZJ/KZJ/KDJ 125,
 RZJ/VZJ/GRJ/KZJ/KDJ 120, VZJ/KDJ 121
YEAR: 2003 - 11/2009
DETAIL: Station Wagon, SWB & LWB














FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE
COIL SPRING					COIL SPRING				
SWB					SWB				
RZJ125 2.7L Petrol					Linear Rate				
VZJ125 3.4L V6					Raised Height (20mm Lift)				
KZJ125 3.0L T/Diesel					1	C59-296		B	
	Linear Rate					Linear Rate			
	Raised Height (45mm Lift)					Raised Height (50mm Lift)	1	C59-323	B
	Up to 60Kg Accessories					60-100Kg Constant Load	1	C59-325	B
	(Bullbar OR Winch)					Linear Rate			
KDJ125 3.0L T/Diesel					Raised Height (50mm Lift)				
	Linear Rate					100-300Kg Constant Load	1	C59-327	B
	Raised Height (35mm Lift)				LWB				
	Up to 60Kg Accessories					Linear Rate			
	(Bullbar OR Winch)	1	C59-300	B		Standard Height	1	C59-323	B
	Linear Rate					Raised Height (45mm Lift)	1	C59-325	B
	Raised Height (35mm Lift)					60-100Kg Accessories			
	Up to 60Kg Accessories					(Bullbar AND Winch)	1	C59-302	B
	(Bullbar AND Winch)					Linear Rate			
LWB					Raised Height (50mm Lift)				
	Linear Rate					100-300Kg Constant Load	1	C59-327	B
	Raised Height (45mm Lift)					Linear Rate			
	Up to 60Kg Accessories					Raised Height (45mm Lift)	1	C59-329	B
	(Bullbar AND Winch)	1	C59-302	B		300-400Kg Constant Load	1	C59-329	B
	Linear Rate					Linear Rate			
	Raised Height (45mm Lift)					Raised Height (45mm Lift)	1	C59-329	B
	Up to 60Kg Accessories					400-500Kg Constant Load	1	C59-331	B
	(Bullbar AND Winch)								
	(Bullbar AND Winch)				SHOCK ABSORBER				
RZJ120 2.7L Petrol					Heavy Duty Twin Tube Gas				
	Linear Rate					(Long Travel)	2	GS59-701	
	Raised Height (45mm Lift)					Extra Heavy Duty			
	Up to 60Kg Accessories					Twin Tube Gas	2	GS59-637	
	(Bullbar OR Winch)	1	C59-296	B		Monotube Remote			
	Linear Rate					Reservoir Shock			
	Raised Height (45mm Lift)					Heavy Duty	2	MR59-50701	
	Up to 60Kg Accessories				UNDER BODY BUSH KIT				
	(Bullbar AND Winch)				Kit Includes Front & Rear Under Body Bushes				
	(Bullbar AND Winch)				2 x Front Control Arm Lower Inner Front				
VZJ120/121 3.4L V6					2 x Front Control Arm Lower Inner Rear				
	Linear Rate				4 x Front Control Arm Upper Inner				
	Raised Height (45mm Lift)				2 x Rear Panhard Rod Bush				
	Up to 60Kg Accessories				4 x Rear Trailing Arm Lower				
	(Bullbar AND Winch)				4 x Rear Trailing Arm Upper				
	(Bullbar AND Winch)	1	C59-300	B	ADJUSTABLE PANHARD ROD				
	Linear Rate					Complete with Bushes	1	PR59-1423	
	Raised Height (45mm Lift)								
	Up to 60Kg Accessories				SHOCK ABSORBER				
	(Bullbar AND Winch)				Heavy Duty Twin Tube Gas				
	(Bullbar AND Winch)					Monotube Remote Reservoir	2	GS59-221	
GRJ120 4.0L V6					Adjustable Spring Seat				
	Linear Rate					Heavy Duty			
	Raised Height (45mm Lift)					Original Setting of			
	Up to 60Kg Accessories					X = 213mm/8.38"X -			
	(Bullbar AND Winch)					Centre of Eye to Spring Seat	2	MR59-50221	
	(Bullbar AND Winch)	1	C59-302	B	STRUT CAP				
	Linear Rate					Strut Top Cap	2	SC59-001	
	Raised Height (40mm Lift)								
	Up to 60Kg Accessories				UNDER BODY BUSH KIT				
	(Bullbar AND Winch)				See Rear Under Body Bush Kit				
	(Bullbar AND Winch)				SHOCK ABSORBER				
	(Bullbar AND Winch)				Heavy Duty Twin Tube Gas				
	(Bullbar AND Winch)					Monotube Remote Reservoir	2	GS59-221	
	(Bullbar AND Winch)					Adjustable Spring Seat			
	(Bullbar AND Winch)					Heavy Duty			
	(Bullbar AND Winch)					Original Setting of			
	(Bullbar AND Winch)					X = 213mm/8.38"X -			
	(Bullbar AND Winch)					Centre of Eye to Spring Seat	2	MR59-50221	
	(Bullbar AND Winch)				STRUT CAP				
	(Bullbar AND Winch)					Strut Top Cap	2	SC59-001	



TYPE: Landcruiser 150 Series Prado
MODEL: KDJ150, GRJ150, KDJ155
YEAR: 2010 on
DETAIL: SWB & LWB Wagon
 Does Not Suit Models with
 Self-Levelling Suspension














**KDSS = KINETIC DYNAMIC
 SUSPENSION SYSTEM**

FRONT			QTY	PART NUMBER	PRICE	REAR			QTY	PART NUMBER	PRICE
COIL SPRING						COIL SPRING					
SWB & LWB Petrol Without KDSS						SWB Without KDSS					
	Linear Rate Raised Height (40mm Lift)	1	C59-300	B		Linear Rate Raised Height (20mm Lift)	1	C59-323	B		
	Linear Rate Raised Height (40mm Lift) 70-100Kg Accessories (Bullbar AND Winch)	1	C59-302	B		Linear Rate Raised Height (50mm Lift) 60-100Kg Constant Load	1	C59-325	B		
SWB & LWB Diesel Without KDSS						LWB Without KDSS					
	Linear Rate Raised Height (30mm Lift)	1	C59-300	B		Linear Rate Raised Height (45mm Lift)	1	C59-325	B		
	Linear Rate Raised Height (40mm Lift)	1	C59-350	B		Linear Rate Raised Height (45mm Lift) 100-300Kg Constant Load	1	C59-327	B		
	Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch)	1	C59-352	B		Linear Rate Raised Height (45mm Lift) 300-400Kg Constant Load	1	C59-329	B		
SWB & LWB With KDSS						LWB With KDSS					
	Linear Rate Raised Height (30mm Lift)	1	C59-722	B		Linear Rate Raised Height (35mm Lift)	1	C59-723	B		
	Linear Rate Raised Height (40mm Lift)	1	C59-724	B		Linear Rate Raised Height (45mm Lift)	1	C59-725	B		
	Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch)	1	C59-726	B		Linear Rate Raised Height (45mm Lift) 100-300Kg Constant Load	1	C59-727	B		
SHOCK ABSORBER						SHOCK ABSORBER					
	Heavy Duty Twin Tube Gas Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty	2	GS59-700			Heavy Duty Twin Tube Gas (Long Travel)	2	GS59-701			
	Original Setting of X = 213mm/8.38"X - Centre of Eye to Spring Seat	2	MR59-50700			Extra Heavy Duty Twin Tube Gas	2	GS59-637			
STRUT CAP						MONOTUBE REMOTE RESERVOIR SHOCK HEAVY DUTY					
	Strut Top Cap	2	SC59-001			Monotube Remote Reservoir Shock Heavy Duty	2	MR59-50701			
ADJUSTABLE PANHARD ROD						ADJUSTABLE PANHARD ROD					
											
						Complete with Bushes					
						2					
						PR59-1423					



TYPE: Fortuner
MODEL: KUN/TGN 51
YEAR: 2005 to 06/2015
DETAIL: 2.7L Petrol TGN51, 3.0L Diesel KUN51
 4.0L Petrol (South America)












FRONT			REAR				
QTY	PART NUMBER	PRICE	QTY	PART NUMBER	PRICE		
COIL SPRING			COIL SPRING				
	Linear Rate Standard Height Comfort Option	1 C59-338	B		Linear Rate Standard Height Comfort Option Recommended	1 C59-377	B
	Linear Rate Raised Height (20mm Lift) Comfort Option	1 C59-316	B		Linear Rate Raised Height (20mm Lift) Comfort Option Recommended	1 C59-875	B
2.7L Petrol							
	Linear Rate Standard Height	1 C59-136	B		Linear Rate Standard Height	1 C59-353	B
	Linear Rate Raised Height (25mm Lift)	1 C59-274	B		Linear Rate Raised Height (30mm Lift) Comfort Option Recommended	1 C59-691	B
	Linear Rate Raised Height (50mm Lift) 50-100Kg Accessories (Bullbar AND Winch)	1 C59-276	B		Linear Rate Raised Height (45mm Lift) Comfort Option Recommended	1 C59-697	B
3.0L Diesel, 4.0L Petrol							
	Linear Rate Standard Height	1 C59-274	B		Linear Rate Raised Height (35mm Lift) Heavy Duty	1 C59-355	B
	Linear Rate Raised Height (40mm Lift) Up to 50Kg Accessories (Bullbar OR Winch)	1 C59-296	B		Linear Rate Raised Height (35mm Lift) 100-200Kg Accessories Heavy Duty	1 C59-385	B
	Linear Rate Raised Height (40mm Lift) 50-100Kg Accessories (Bullbar AND Winch)	1 C59-300	B		Linear Rate Raised Height (45mm Lift) Heavy Duty	1 C59-385	B
SHOCK ABSORBER			SHOCK ABSORBER				
	Heavy Duty Twin Tube Gas	2 GS59-220			Heavy Duty Twin Tube Gas	2 GS59-705	
	Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty				Extra Heavy Duty Twin Tube gas Extra Long Travel	2 GS59-701	
	Original Setting of X = 226mm/8.89"				Monotube Remote Reservoir Shock Absorber Heavy Duty	2 MR59-50705	
	X - Centre of Eye to Spring Seat	2 MR59-50220					
STRUT CAP							
	Strut Top Cap	2 SC59-001					

GS59-701 and MR59-50705 for use only with C59-385, C59-691 & C59-697.



TYPE: Fortuner
MODEL: N160, N156
YEAR: 07/2015 on
DETAIL: 4x4 Wagon



FRONT			QTY	PART NUMBER	PRICE	REAR			QTY	PART NUMBER	PRICE
COIL SPRING						COIL SPRING					
2.4L Turbo Diesel											
	Linear Rate Raised Height (45mm Lift) No Accessories	1	C59-296		B		Linear Rate Standard Height Comfort Option Recommended	1	C59-377		B
	Linear Rate Raised Height (45mm Lift) 40-60Kg Accessories	1	C59-300		B		Linear Rate Raised Height (20mm Lift) Comfort Option Recommended	1	C59-875		B
	Linear Rate Raised Height (45mm Lift) 80-120Kg Accessories	1	C59-302		B		Linear Rate Standard Height	1	C59-353		B
2.8L Turbo Diesel											
	Linear Rate Raised Height (45mm Lift) Up to 60Kg Accessories	1	C59-300		B		Linear Rate Raised Height (30mm Lift) Comfort Option Recommended	1	C59-691		B
	Linear Rate Raised Height (45mm Lift) Comfort Option 60-100Kg Accessories	1	C59-302		B		Linear Rate Raised Height (45mm Lift) Comfort Option Recommended	1	C59-697		B
	Linear Rate Raised Height (45mm Lift) Heavy Duty 80-120Kg Accessories	1	C59-728		B		Linear Rate Raised Height (30mm Lift) Heavy Duty	1	C59-355		B
							Linear Rate Raised Height (30mm Lift) 100-200Kg Constant Load Heavy Duty	1	C59-385		B
							Linear Rate Raised Height (40mm Lift) Heavy Duty	1	C59-385		B
SHOCK ABSORBER						SHOCK ABSORBER					
	Heavy Duty Twin Tube Gas	2	GS59-228				Heavy Duty Twin Tube Gas	2	GS59-705		
	Spring Seat Height X = 226mm	2	MR59-50700				Extra Heavy Duty Twin Tube gas Extra Long Travel	2	GS59-701		
STRUT CAP						SHOCK ABSORBER					
	Strut Top Caps	2	SC59-001				Monotube Remote Reservoir Shock Absorber Heavy Duty	2	MR59-50705		
<p>GS59-701 and MR59-50705 for use only with C59-691, C59-697 & C59-385.</p>											










TYPE: FJ Cruiser

MODEL: GSJ15

YEAR: 11/2006 to 11/2010 (USA)
1-2011 on (AUST)

DETAIL: 4.0L V6












FRONT			REAR		
QTY	PART NUMBER	PRICE	QTY	PART NUMBER	PRICE
COIL SPRING			COIL SPRING		
11/2006 - 11/2010					
	Linear Rate Raised Height (35mm Lift)	1 C59-238	B		
	Linear Rate Raised Height (60mm Lift) Up to 50Kg Accessories	1 C59-300	B		
	Linear Rate Raised Height (60mm Lift) 50-100Kg Accessories (Bullbar AND Winch)	1 C59-302	B		
2011 on					
	Linear Rate Raised Height (35mm Lift)	1 C59-296	B		
	Linear Rate Raised Height (60mm Lift) Up to 50Kg Accessories	1 C59-302	B		
	Linear Rate Raised Height (60mm Lift) 60-110Kg Accessories	1 C59-350	B		
SHOCK ABSORBER			SHOCK ABSORBER		
11/2006 - 11/2010					
	Heavy Duty Twin Tube Gas	2 GS59-221			
	Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of X = 213mm/8.38" X - Centre of Eye to Spring Seat	2 MR59-50221			
2011 on					
	Heavy Duty Twin Tube Gas	2 GS59-700			
	Monotube Remote Reservoir Adjustable Spring Seat Heavy Duty Original Setting of X = 213mm/8.38" X - Centre of Eye to Spring Seat	2 MR59-50700			
STRUT CAP			SHOCK ABSORBER		
	Strut Top Cap	2 SC59-001			
			ADJUSTABLE PANHARD ROD		
			Complete with Bushes 1 PR59-1423		



TYPE: Rav 4
MODEL: SXA10, SXA11, ACA20/21/22/23, ACA33
YEAR: 1993 - 2012
DETAIL: 3 Doors, 5 Doors



FRONT			REAR						
	QTY	PART NUMBER	PRICE		QTY	PART NUMBER	PRICE		
COIL SPRING									
1993 - 05/2000 SXA10 - 3 Door SXA11 - 5 Door									
	1	Linear Rate Raised Height (35mm Lift)	C59-088	B		1	Linear Rate Raised Height (35mm Lift)	C19-016	A
05/2000 - 2006 ACA20 2.0L 3 Door ACA21 2.0L 5 Door ACA22 2.4L 3 Door ACA23 2.4L 5 Door									
	1	Linear Rate Raised Height (45mm Lift)	C59-088	B		1	Linear Rate Raised Height (35mm Lift)	C19-022	A
05/2000 - 2006 2.0L Diesel									
	1	Linear Rate Raised Height	C59-364	B		1	Linear Rate Raised Height (45mm Lift)	C59-091	B
2006 - 2011 ACA33									
	1	Linear Rate Raised Height (25mm Lift)	C59-424	B		1	Linear Rate Raised Height (25mm Lift)	C59-425	B
SHOCK ABSORBER									
1993 - 2006 (NOT for 2006 on)									
	2	Heavy Duty Twin Tube Gas	GS59-940						



TYPE: Rav 4
MODEL: A44, A47, A49 4th Gen
YEAR: 2012 on
DETAIL:



FRONT

QTY	PART NUMBER	PRICE
-----	-------------	-------

COIL SPRING



Linear Rate Raised Height (40mm Lift)

1	C59-650	B
---	----------------	---



Linear Rate Lowered Height (30mm Drop)

1	C59-666	A
---	----------------	---

REAR

QTY	PART NUMBER	PRICE
-----	-------------	-------

COIL SPRING



Linear Rate Raised Height (40mm Lift)

1	C59-651	B
---	----------------	---












Linear Rate Lowered Height (30mm Drop)

1	C59-669V	B
---	-----------------	---



TYPE: Patriot
MODEL: UAZ
YEAR: 2005 on
DETAIL: Station Wagon








FRONT			REAR				
	QTY	PART NUMBER	PRICE		QTY	PART NUMBER	PRICE
COIL SPRING							
		Linear Rate Raised Height (40mm Lift) Up to 40Kg Accessories (Bullbar OR Winch)	1	C45-083	B		
		Linear Rate Raised Height (50mm Lift) 40-100Kg Accessories (Bullbar AND Winch)	1	C29-030	B		
STEERING DAMPER							
		Heavy Duty (Big Bore) Complete with Fittings	1	SD51-832			
SHOCK ABSORBER							
		Heavy Duty Twin Tube Gas	2	GS21-637S			
LEAF SPRING							
		Single Stage 5 Leaves Raised Height (50mm Lift) Up to 60Kg Constant Load	2	UAZ-004-R			
			Two Stage 4+2 Leaves Raised Height (50mm Lift)	2	UAZ-006-R		
SHACKLE BUSH KIT							
		Kit Contains: 12 x PB62-1512	1	PB62-1097K			
U-BOLT KIT							
		Kit Contains: 2 x UB59-453-2	2	UB59-453-2K			
SHOCK ABSORBER							
		Comfort Option Twin Tube Gas Medium Load	2	GS59-649			
		Heavy Duty Twin Tube Gas	2	GS59-651			
SHACKLE							
		Greasable: Fit in Pairs	2	SK62-056			



TYPE: Amarok
MODEL:
YEAR: 2010 on
DETAIL: 4x4, Independent Front Suspension



FRONT		QTY	PART NUMBER	PRICE	REAR		QTY	PART NUMBER	PRICE
COIL SPRING					LEAF SPRING				
TDI400 Cab Chassis & Utility					3+2 Leaves				
	Linear Rate Raised Height (35mm Lift) Up to 70Kg Accessories (Bullbar OR Winch)	1	C63-034	B	Raised Height (25mm Lift) Comfort Option No Load	2	L63-033-R		
	Linear Rate Raised Height (35mm Lift) 70-120Kg Accessories (Bullbar AND Winch)	1	C63-036	B	3+3 Leaves				
TDI400/420 Dual Cab					3+3 Leaves				
TDI400/420 Dual Cab Chassis					Raised Height (35mm Lift) Medium Duty				
TDI400/420 All Trendline Models					Up to 180Kg Constant Load				
	Linear Rate Raised Height (35mm Lift) Up to 70Kg Accessories (Bullbar OR Winch)	1	C63-036	B	4+3 Leaves				
	Linear Rate Raised Height (35mm Lift) 70-120Kg Accessories (Bullbar AND Winch)	1	C63-032T	C	Raised Height (35mm Lift) 300Kg Constant Load	2	L63-037-R		
TDI400/420 All Highline & Ultimate Models					SHACKLE BUSH KIT				
	Linear Rate Raised Height (35mm Lift) Up to 70Kg Accessories (Bullbar OR Winch)	1	C63-032T	C	Kit Contains:				
	Linear Rate Raised Height (35mm Lift) 70-120Kg Accessories (Bullbar AND Winch)	1	C63-038T	C	2 x PB63-1520 2 x PB63-1521 2 x PB63-1522 4 x PB63-1526	1	PB63-1103K		
Lifting the Vehicle Above 35mm May Affect the CV Joints					Additional Bushes Included. Some Vehicles will Use PB63-1522 and Others Will Use PB63-1526				
SHOCK ABSORBER					U-BOLT KIT				
	Heavy Duty Twin Tube Gas	2	GS63-010		Kit Contains:				
					L63-033-R	2 x UB59-453-3	2	UB59-453-3K	
					L63-035-R	2 x UB59-453-1	2	UB59-453-1K	
					L63-037-R	2 x UB59-453-1	2	UB59-453-1K	
SHOCK ABSORBER					SHOCK ABSORBER				
						Heavy Duty Twin Tube Gas	2	GS63-011	

VEHICLE APPLICATION GUIDES



QUICK-RIDE LIFT KITS

VEHICLE APPLICATION GUIDE

VEHICLE MAKE & MODEL		KIT P/N	QTY
FORD / MAZDA			
Courier / Bravo	1987 - 11-2006	QR19-501K	1
Ranger / BT-50	2007 - 08/2011	QR19-502K	1
Ranger PX / BT-50 B32P	10/2011 on	QR19-502K	1
ISUZU / CHEVROLET / HOLDEN			
D-Max TFS 85 / Colarado RG	05/2012 on	QR59-551K	1
MITSUBISHI			
Triton ML / MN	05/2006 on	QR43-521K	1
Triton MQ	03/2015 on	QR59-551K	1
NISSAN			
Navara D21, D22	09/1985 on	QR59-551K	1
Navara D40	11/2002 - 2015	QR59-551K	1
TOYOTA			
Hilux	10/1997 on	QR59-551K	1
Tacoma	2005 on	QR59-551K	1
Tundra	03/2007 on	QR59-551K	1
VOLKSWAGEN			
Amarok (for use with OE Springs Only)	2010 on	QR63 - 561K	1
Amarok	2010 on	QR63 - 562K	1



Kit Contains:

2 pairs of U-Bolts & 1 pair of Spacer Blocks

*Each vehicle requires different U-Bolts & Spacer Blocks. The above image is for illustration purposes only.



Vehicle Modification Standards in your State or Territory may differ.

Certifications and specifications must meet your State or Territory's Vehicle Modification Guides, Road Rules or Code of Practice.



Please note: There may be brake-line modifications required.

Please check your local State or Territory for brake-line modifications guidelines.

EXTENDED SHACKLES

VEHICLE APPLICATION GUIDE

VEHICLE MAKE & MODEL		QTY
FORD / MAZDA		
Ranger PX / BT-50 B32P	SK19-070	2
ISUZU / CHEVROLET		
D-Max TFS 85 / Colarado RG	SK21-071	2
MITSUBISHI		
Triton ML / MN	SK43-072	2
NISSAN		
Navara D40	SK45-073	2
TOYOTA		
Hilux Vigo	SK59-074	2
Landcruiser 78 Series 08/09 on	SK59-075	2
Landcruiser 79 Series (Airbag in dash) 08/09 on	SK59-075	2
Landcruiser 74/76 Series	SK59-075	2

Please Refer to the 4x4 Catalogue for the Front Suspension Components for each vehicle.



Vehicle Modification Standards in your State or Territory may differ.

Certifications and specifications must meet your State or Territory's Vehicle Modification Guides, Road Rules or Code of Practice.



Please note: There may be brake-line modifications required.

Please check your local State or Territory for brake-line modifications guidelines.

SUSPENSION

VEHICLE APPLICATION GUIDES

MITSUBISHI TRITON (MQ)



MITSUBISHI TRITON (MQ)
RIGHT HAND STRUT SHOWN

MITSUBISHI TRITON (MN-ML)



MITSUBISHI TRITON (MN-ML)
RIGHT HAND STRUT SHOWN

TOYOTA HILUX 2005 ON



TOYOTA HILUX (2005-ON)
RIGHT HAND STRUT SHOWN

VOLKSWAGON AMAROK



VOLKSWAGON AMAROK
RIGHT HAND STRUT SHOWN

SUSPENSION


VEHICLE APPLICATION GUIDES

TOYOTA LANDCRUISER (PRADO 150) FJ CRUISER / 4 RUNNER (5 GEN)



TOYOTA LANDCRUISER (PRADO 150) / FJ CRUISER / 4RUNNER (GEN 5)
RIGHT HAND STRUT SHOWN

TOYOTA LANDCRUISER (PRADO 120) / 4RUNNER (GEN 4)




TOYOTA LANDCRUISER (PRADO 120) / 4RUNNER (GEN 4)
RIGHT HAND STRUT SHOWN

TOYOTA LANDCRUISER (200 SERIES)



TOYOTA LANDCRUISER (200 SERIES)
RIGHT HAND STRUT SHOWN

TOYOTA LANDCRUISER (PRADO 90)




TOYOTA LANDCRUISER (PRADO 90)
RIGHT HAND STRUT SHOWN

SUSPENSION


VEHICLE APPLICATION GUIDES

ISUZU DMAX & HOLDEN COLORADO (RG)



ISUZU DMAX & HOLDEN COLORADO (RG)
RIGHT HAND STRUT SHOWN

NISSAN NAVARA / FRONTIER / PATHFINDER (D40/D23-NP300/R51)




NISSAN NAVARA / FRONTIER / PATHFINDER (D40/D23-NP300/R51)
LEFT HAND STRUT SHOWN

NISSAN NAVARA / FRONTIER / PATHFINDER (D40/R51 - ALL V6 DIESEL 550 MODELS)



NISSAN NAVARA / FRONTIER / PATHFINDER (D40/R51 - ALL V6 DIESEL 550 MODELS)
LEFT HAND STRUT SHOWN

MAZDA BT50 & FORD RANGER PX



MAZDA BT50 & FORD RANGER (PX)
LEFT HAND STRUT SHOWN

TERMS & CONDITIONS OF SALE

Interpretation

In these Terms and Conditions of Sale ("Terms"), "Goods" means the goods subject of the Contract; "Dobinsons Spring & Suspension™" means the entity selling the Goods; "Client" means the entity purchasing the Goods; "Contract" means each contract between Dobinsons Spring & Suspension™ and Client for the sale and purchase of Goods.

Title

Title to the goods will not pass to the Client until the following is completed:

1. Dobinsons Spring & Suspension™ being paid in full under all Contracts.

Until the Goods pass to Client, Client must:

1. Hold the Goods as bail for Dobinsons Spring & Suspension™ and keep them in good order and condition; and
2. Not remove any markings placed by Dobinsons Spring & Suspension™ and ensure that the Goods can be readily identified and distinguished from other property in Client's possession; and
3. Deliver the Goods to Dobinsons Spring & Suspension™ immediately upon demand and, for this purpose, Dobinsons Spring & Suspension™ is authorized to enter at any time any premises in which the Goods may be located (the costs incidental to which will be borne by Client).

Quotations & Orders

Any quotation made by Dobinsons Spring & Suspension™ will not be construed or operate as an offer or obligation to sell. Dobinsons Spring & Suspension™ reserve the right to accept or reject in its absolute discretion any order received. Client will not be entitled to cancel or refuse delivery of, or payment for, any order made by him, which has been accepted by Dobinsons Spring & Suspension™.

Price

The price payable to Dobinsons Spring & Suspension™ by Client for the Goods will be the price agreed, failing which it will be the price prevailing at the date the Goods are dispatched by Dobinsons Spring & Suspension™ for delivery to Client. Prices are payable in Australian currency and exclusive of delivery costs, taxes, duties and other imposts which, if chargeable, are payable by Client. Prices quoted in any Dobinsons Spring & Suspension™ price list are suggested prices only and may be changed by Dobinsons Spring & Suspension™ without notice.

Payment

All Goods will be paid for in full before receiving or dispatching of Goods from Dobinsons Spring & Suspension™ unless previously arranged.

Damage

Buyer acknowledges that the Goods leaving Dobinsons Spring & Suspension's premises are adequately packed. Claims for damage in transit must be made against the carrier and, while Dobinsons Spring & Suspension™ will not accept liability for any damage, details of any claim must be promptly advised to Dobinsons Spring & Suspension Prior to acknowledging delivery to the carrier, Client must ensure that the complete consignment has been received as specified in the carrier's note. Any shortage or visible damage to outer packaging must be endorsed on the carrier's note. Any shortages and/or damages must be reported to Dobinsons Spring & Suspension™ within 72 hours of receipt.

Implied Terms, Limitation of Liability & Client Indemnity

Subject to these Terms, Dobinsons Spring & Suspension™ will not be liable for any loss, damage, expense or injury of any kind or nature suffered or incurred by Client or any other person, arising out of or in connection with, the Contract (including, without limitation, liability due to negligence or wilful default of Dobinsons Spring & Suspension™ and any delay in delivery) or any error (whether negligent or not) in information supplied to Client in connection with its subject matter or the use, possession or delivery of the Goods or the exercise by Dobinsons Spring & Suspension™ of its right under Breach by Client will indemnify Dobinsons Spring & Suspension™ in relation to any such loss, damage, expense or injury.

Force Majeure

Despite any other term or condition of the Contract, Dobinsons Spring & Suspension™ will not be liable for any loss, damage, expense or injury of any kind or nature suffered or incurred by Client or any other person, arising out of or in connection with any delay in delivery, or failure to perform any other term or condition of the Contract where that delay or failure is caused by an act of God, fire, labour dispute, civil commotion, intervention of a government, inability to obtain labour, materials or manufacturing facilities, accidents, interruptions of or delay in transportation or any other cause beyond Dobinsons Spring & Suspension's reasonable control.

Breach by Client

If Client breaches a Contract or Dobinsons Spring & Suspension™ is not satisfied of a Client's ability to pay or otherwise comply with each Contract, Dobinsons Spring & Suspension™ may by notice to Client, but without compensation, terminate every Contract, suspend or cease deliveries under all Contracts, set-off all deposits against amounts due and make all amounts then outstanding by Client to Dobinsons Spring & Suspension™ immediately due and payable.

Errors and Omissions

Dobinsons Spring & Suspension™ has the right to correct any clerical errors or omissions, whether in computation or otherwise in any quotation, acknowledgment, or document forming part of a Contract. Although care has been taken to ensure the accuracy of the data contained in this publication, Dobinsons Spring & Suspension™ does not assume any liability for errors or omissions.

WARRANTY

Warranties

Dobinsons Spring & Suspension™ at its sole discretion will repair or replace any products supplied by them that are found to be defective in either materials or workmanship providing that Dobinsons Spring & Suspension™ are actually notified in writing from the Client of the alleged defect within two years (2 years) from date of invoice for Coil Springs, Leaf Springs and Shock Absorbers, and within twelve months (12 months) from date of invoice for all other parts. Any claim not made within this period shall conclusively be deemed waived by the Client. Repair or replacement is pre-conditioned on the examination of the goods which on instructions from Dobinsons Spring & Suspension™ on, should be returned for further inspection to Dobinsons Spring & Suspension™ or to an Approved Importer.

Coil Springs listed in this catalogue have a 2 year warranty against the following:

1. Faulty Manufacture
2. Breakage
3. Sagging (being loss of free height of more than 10mm).

Leaf Springs listed in this catalogue have the 2 year warranty against the following:

1. Faulty Manufacture
2. Breakage
3. Sagging (being the loss of free camber by more than 12mm).

Shock Absorbers listed in this catalogue have a 2 year warranty providing the vehicle does not have a modified exhaust system.

Fridges listed in the catalogue have a 5 year warranty on the motor and a 1 year warranty on all other parts against:

1. Faulty Manufacture

Winches listed in the catalogue have a 2 year warranty against:

1. Faulty Manufacture

All other accessories listed in the catalogue have a 1 year warranty against:

1. Faulty Manufacture

Dobinsons Spring & Suspension™ products are designed for normal use and are in no way, covered under warranty should the vehicle be used in any form of extreme sports, competition racing or produce lift of 50mm or more. It is the responsibility of the fitter, to ensure that the customer or the owner of the vehicle is aware of the warranty conditions under which the products have been sold. It is highly recommended that the words "Suspension Components Fitted are for Normal Use Only. Warranty Void if used in extreme conditions" is written on their receipt to avoid any confusion.

Dobinsons Spring & Suspension™ will not pay for costs incurred in forwarding or returning goods. This warranty does not cover and Dobinsons Spring & Suspension™ makes no warranty with respect to; (1) any merchandise that is abused, misused, misapplied, neglected or altered; or that is improperly or incorrectly installed or maintained or used; or that is subjected to abnormal conditions of use, temperature, moisture, dirt or corrosive matter; (2) Goods bought for industrial, mining or agricultural use; (3) Goods no longer required by Client; (4) Goods incorrectly chosen by Client; (5) Goods modified or altered by client; and (6) any merchandise, materials, parts or other components supplied by someone other than Dobinsons Spring & Suspension™.

Dobinsons Spring & Suspension™ shall not be liable for any expenses incurred by Client in order to remedy any defect in its product. Dobinsons Spring & Suspension™ shall not be liable for any consequential, special, indirect or contingent damage or expense arising Directly or Indirectly from any defect in its products or from use of any products.

Client agrees to indemnify and hold Dobinsons Spring & Suspension™ harmless from and against any loss, injury or damage, to person or property, that extends beyond the warranties set forth above, whether the claims against Dobinsons Spring & Suspension™ or the damages are incidental or consequential.

Installation of after-market items to your vehicle may adversely affect, void or violate the Manufacturers terms of warranty on your vehicle. Review the terms of your vehicle warranty prior to purchase and/or installation of any after-market part or accessory. Dobinsons Spring & Suspension™ does not make any representations or warranties of any kind as to suitability or fitness for a particular vehicle or purpose. Dobinsons Spring & Suspension™ shall not be responsible or liable for direct or indirect damages as a result of the purchase and/or installation of these after-market products.

Terms & Conditions

The only terms of the Contract are those agreed to in writing by Dobinsons Spring & Suspension™, these Terms (to the extent they are not inconsistent with terms agreed to in writing by Dobinsons Spring & Suspension™) and those which are implied or imposed by law (including the Trade Practices Act 1974) to the extent that it is not lawful or possible to exclude them. All other terms, conditions and warranties are expressly excluded. If a conflict arises between the terms of any order made by Client and these Terms, these Terms will prevail. An agreement to deliver the Goods in installments is taken to be separate Contract for each installment. The laws of Queensland govern these Terms and Conditions and any Contract that includes them and Dobinsons Spring & Suspension™ and Client submit to the jurisdiction of the courts of the State. If a term is held to be unenforceable, the remaining terms will apply.

Dobinsons Spring & Suspension™ will not be liable to the Client in the event that delivery of goods is delayed irrespective of the cause.

